



IDAHO HEALTHY YOUTH SURVEY 2021 STATE REPORT

CONDUCTED BY:
BACH HARRISON, LLC

SPONSORED BY:
IDAHO GOVERNOR'S OFFICE OF DRUG POLICY

IDAHO HEALTHY YOUTH SURVEY STATE REPORT 2021

THE IHYS IS SPONSORED BY:
IDAHO GOVERNOR'S OFFICE OF DRUG POLICY



CONDUCTED BY:
BACH HARRISON, LLC

TABLE OF CONTENTS

ACKNOWLEDGEMENTS	ix
EXECUTIVE SUMMARY	x
OVERVIEW OF SECTIONS	1
SECTION 1: SURVEY METHODS	2
Data Collection	2
Weighting the IHYS Data	2
Demographics	3
Geographic Reach	3
Validity of the Data	3
Limitations	4
SECTION 2: KEY SUBSTANCE USE FINDINGS IN RELATION TO NATIONAL DATA	8
Lifetime Substance Use: Idaho and National Monitoring the Future Data	8
Substance Use in the Past 30 Days: Idaho and National Monitoring the Future Data	10
Perceived Risk of Substance Use: Idaho and National Monitoring the Future Data	12
Perceived Availability of Substances: Idaho and National Monitoring the Future Data	15
SECTION 3: SUBSTANCE-LEVEL OUTCOMES AND MEASURES	17
Alcohol Use: Volume and Friends' Substance Use	17
Alcohol: Places of Consumption	19
Alcohol: Sources of Obtaining the Substance	21
Marijuana: Frequency of Use and Modes	23
Marijuana: Sources of Obtaining Marijuana	26
Tobacco: Sources of Obtaining the Substance and Friends' Use	28
Vape/E-Cigarette Device: Types Used	31
Vape/E-Cigarette Device: Sources of Obtaining the Substance	32
Vape/E-Cigarette Device: Reasons for Use	33

Prescription Drug Misuse: Types Misused and Friends’	34
Prescription Drug Misuse: Places of Misuse.....	36
Prescription Drug Misuse: Sources of Obtaining the Substance	38
SECTION 4: ADDITIONAL IHYS FINDINGS AND DATA RELATIONSHIPS	40
Perceived Parental Approval of Substance Use	40
Parent Knowledge of Use	43
Perceived Peer Approval of Substance Use	45
Personal Approval of Substance Use	48
Discussions with Parents About Substance Use	51
Vehicle Use and Alcohol/Marijuana Use.....	53
Suicide Ideation and Mental Health	56
Bullying	58
Caregiver Attentiveness	60
School Measures: Truancy, School Perceptions, and Post-High-School Plans	62
Gang Involvement and Perceptions.....	65
Parent/Caregiver Incarceration and Youth Substance Use.....	67
COVID-19 Impacts and Relationships	68
Online Learning Data.....	70
APPENDIX A: 2021 IDAHO HEALTHY YOUTH SURVEY FORM.....	72
APPENDIX B: 2021 IDAHO HEALTHY YOUTH SURVEY FREQUENCY REPORT BY GRADE AND GENDER.....	80

TABLE OF FIGURES AND TABLES

SECTION 1: SURVEY METHODS

Table 1: Demographics of Final Unweighted Participation (54 schools, 24 districts/Charters).....	5
Table 2: 2021 IHYS Completion vs. Enrollment by Participating County and Grade.....	6
Table 3: 2021 IHYS Completion vs. Enrollment by Hub and Grade.....	7
Figure 1: Hubs Referenced in this State Report.....	7

SECTION 2: KEY SUBSTANCE USE FINDINGS IN RELATION TO NATIONAL DATA

Table 4: Lifetime Substance Use by Gender, and Hub (2021 IHYS Data and 2021 National MTF Data Comparisons).....	8
Table 5: Lifetime Substance Use by Grade (2021 IHYS Data and 2021 National MTF Data Comparisons).....	9
Figure 2: Lifetime Substance Use: Priority Substances.....	9
Figure 3: Lifetime Substance Use: Other Substances.....	9
Figure 4: Substance Use in the Past 30 Days.....	10
Table 6: Substance Use in the Past 30 Days by Grade (2021 IHYS Data and 2021 National MTF Data Comparisons).....	10
Table 7: Substance Use in the Past 30 Days by Gender and Hub (2021 IHYS Data and 2021 National MTF Data Comparisons)...	11
Figure 5: Perceived Risk of Substance Use.....	12
Table 8: Perceived Risk of Substances by Grade (2021 IHYS Data and 2021 National MTF Data Comparisons).....	13
Table 9: Perceived Risk of Substances by Gender and Hub (2021 IHYS Data and 2021 National MTF Data Comparisons).....	14
Figure 6: Perceived Ease of Obtaining Substances.....	15
Table 10: Perceived Availability of Substances by Grade (2021 IHYS Data and 2021 National MTF Data Comparisons).....	15
Table 11: Perceived Availability of Substances by Gender and Hub (2021 IHYS Data and 2021 National MTF Data Comparisons).....	16

SECTION 3: SUBSTANCE-LEVEL OUTCOMES AND MEASURES

Figure 7: Alcohol Consumption by Volume.....	17
Table 12: Alcohol Use: Consumption Volume in the Past 30 Days (Of Those Reporting Use) and Friends' Use by Grade.....	17
Table 13: Alcohol Use: Consumption Volume in the Past 30 Days (Of Those Reporting Use) and Friends' Use by Gender and Hub.....	18
Figure 8: Places of Alcohol Use.....	19
Table 14: Alcohol Use: Places of Consumption (Of Those Reporting Use) by Grade.....	19
Table 15: Alcohol Use: Places of Consumption (Of Those Reporting Use) by Gender and Hub.....	20
Figure 9: Sources of Obtaining Alcohol.....	21

Table 16: Alcohol Use: Sources of Obtaining Alcohol (Of Those Reporting Use) by Grade	21
Table 17: Alcohol Use: Sources of Obtaining Alcohol (Of Those Reporting Use) by Gender and Hub	22
Figure 10: Typical Marijuana Daily Consumption	23
Figure 11: Marijuana Use Modes.....	23
Table 18: Marijuana Use: Frequency of Use and Modes of Use (Of Those Reporting Use), Friends' Use by Grade	24
Table 19: Marijuana Use: Frequency of Use and Modes of Use (Of Those Reporting Use), Friends' Use by Gender and Hub	25
Figure 12: Sources of Obtaining Marijuana	26
Table 20: Marijuana Use: Sources of Obtaining the Substance (Of Those Reporting Use) by Grade.....	26
Table 21: Marijuana Use: Sources of Obtaining the Substance (Of Those Reporting Use) by Gender and Hub.....	27
Figure 13: Sources of Obtaining Tobacco Products	28
Table 22: Tobacco Use: Sources of Obtaining the Substance (Of Underage Students Who Reported Use) and Friends' Use of Tobacco, by Grade	29
Table 23: Tobacco Use: Sources of Obtaining the Substance (Of Underage Students Who Reported Use) and Friends' Use of Tobacco, by Gender and Hub	30
Figure 14: Substance Used in E-Cigarette/Vaping Devices	31
Table 24: Vape/E-Cigarette Device: Types Used (Of Those Reporting Use) by Grade, Gender, and Hub	31
Figure 15: Sources of Obtaining E-Cigarettes/Vaping Devices	32
Table 25: Vape/E-Cigarette Device: Sources of Obtaining Substances (Of Those Reporting Misuse) by Grade, Gender, and Hub	32
Figure 16: Reasons for Trying an E-Cigarette/Vape Device.....	33
Table 26: Vape Device/E-Cigarettes: Reasons for Use (Of Those Reporting Use) by Grade, Gender, and Hub.....	33
Figure 17: Prescription Drug Misuse: Substance Types.....	34
Table 27: Prescription Drug Misuse: Substance Types (Of Those Reporting Use) by Grade.....	34
Table 28: Prescription Drug Misuse: Substance Types (Of Those Reporting Use) by Gender and Hub	35
Figure 18: Places of Prescription Drug Misuse	36
Table 29: Prescription Drug Misuse: Places of Misuse (Of Those Reporting Misuse) by Grade.....	36
Table 30: Prescription Drug Misuse: Places of Misuse (Of Those Reporting Misuse) by Gender and Hub.....	37
Figure 19: Sources of Obtaining Prescription Drugs for Misuse.....	38
Table 31: Prescription Drug Misuse: Sources of Obtaining the Drugs (Of Those Reporting Misuse) by Grade	38
Table 32: Prescription Drug Misuse: Sources of Obtaining the Drugs (Of Those Reporting Misuse) by Gender and Hub	39

SECTION 4: ADDITIONAL IHYS FINDINGS AND DATA RELATIONSHIPS

Figure 20: Perceived Parental/Caregiver Approval of Substance Use	40
Figure 21: Perceived Parental Approval of Prescription Drugs and Youth Use	40
Table 33: Perceived Parental Approval of Substance Use by Grade.....	41
Table 34: Perceived Parental Approval of Substance Use by Gender and Hub.....	42
Figure 22: Parent/Caregiver Knowledge of Use.....	43
Table 35: Parent Knowledge of Use by Grade.....	43
Table 36: Parent Knowledge of Use by Gender and Hub	44
Figure 23: Perceived Peer Approval of Substance Use	45
Figure 24: Perceived Peer Approval of Prescription Drug Misuse and Youth Use	45
Table 37: Perceived Peer Approval of Substance Use by Grade.....	46
Table 38: Perceived Peer Approval of Substance Use by Gender and Hub.....	47
Figure 25: Personal Approval of Substance Use	48
Figure 26: Personal Approval of Prescription Drug Misuse and Youth Use	48
Table 39: Personal Approval of Substance Use by Grade	49
Table 40: Personal Approval of Substance Use by Gender and Hub.....	50
Figure 27: Past-Year Discussions with Parents About Substance Use	51
Table 41: Discussions with Parents About Substance Use by Grade.....	51
Table 42: Discussions with Parents About Substance Use by Gender and Hub.....	52
Figure 28: Past-Month Vehicle Use and Alcohol/Marijuana Use	53
Table 43: Vehicle Use and Alcohol/Marijuana Use by Grade	54
Table 44: Vehicle Use and Alcohol/Marijuana Use by Gender and Hub.....	55
Figure 29: Suicide Ideation, Suicide Attempts, and Mental Health.....	56
Table 45: Suicide Ideation, Suicide Attempts, and Depressive Symptoms by Grade	56
Table 46: Suicide Ideation, Suicide Attempts, and Depressive Symptoms by Gender and Hub.....	57
Figure 30: Past-Year Bullying and Anti-Bullying Efforts	58
Table 47: Past-Year Bullying and Reporting by Grade	58
Table 48: Past-Year Bullying and Reporting by Gender, and Hub	59
Figure 31: Caregiver Attentiveness	60
Table 49: Caregiver Attentiveness by Grade	60

Table 50: Caregiver Attentiveness by Gender and Hub	61
Figure 32: School Truancy, Belonging, and Post-High School Plans	62
Table 51: School Measures: Truancy, Perceived School Importance, Post-HS Plans, and School Belonging by Grade.....	62
Table 52: School Measures: Truancy, Perceived School Importance, Post-HS Plans, and School Belonging by Gender and Hub	63
Figure 33: Truancy and Youth Substance Use	64
Figure 34: Perceived School Importance and Youth Substance Use	64
Figure 35: Likelihood of Pursuing a Post-High-School Program and Youth Substance Use	64
Figure 36: School Belonging and Youth Substance Use.....	64
Figure 37: Gang Perceptions and Involvement.....	65
Table 53: Gang Involvement and Perceptions by Grade.....	65
Table 54: Gang Involvement and Perceptions by Gender, and Hub.....	66
Figure 38: Parent/Caregiver Jail Time and Youth Substance Use	67
Figure 39: COVID-19 Impacts.....	68
Table 55: COVID-19 Impacts by Grade, Gender, and HUB.....	68
Figure 40: COVID-19 Impacts and Marijuana Use	69
Figure 41: COVID-19 Impacts and Consideration of Suicide	69
Table 56: Remote/Online Learning Experiences and Perceptions	70

ACKNOWLEDGEMENTS

This third administration of the Idaho Healthy Youth Survey (IHYS) was sponsored by the Idaho Governor's Office of Drug Policy and conducted as a collaborative effort of the Idaho Office of Drug Policy and Bach Harrison LLC.

A total of 54 schools and 24 school districts and charter schools participated in the 2021 IHYS. We are thankful for each district superintendent who allowed their 6th, 8th, 10th, and 12th grade students to participate in the IHYS. Further, we are thankful for all school- or district-level survey coordinators for the time they spent helping organize the administration of the survey. Without their help in working with superintendents, principals, and teachers, parents and students, the survey could not have been completed.

EXECUTIVE SUMMARY

The Idaho Healthy Youth Survey (IHYS) was designed to measure substance abuse, risk and protective factors, mental health, suicide, and other health behaviors. The purpose of the IHYS was to gather local-level data to aid in targeting efforts to prevent youth behavioral health issues. This survey provides data by state, hub, and school district to allow for planning at varying jurisdictional levels.

The IHYS was administered in the fall and winter of 2021 to Idaho public and charter school students in grades 6, 8, 10, and 12. This is the third iteration of the IHYS project, which launched in 2017. There were 9,381 valid surveys in grades 6, 8, 10, and 12 which are discussed in this State Report.

The IHYS was sponsored by the Idaho Governor's Office of Drug Policy. Bach Harrison, LLC conducted the survey.

PARTICIPATION BY IDAHO YOUTH

Twenty-four school districts participated in the IHYS, and within those districts, fifty-four schools participated. While a state sample was drawn with the intent of gathering county- and state-level- data, the participation did not allow for weighting at the county-level. Rather, data were weighted by hub region (North Hub, which consists of Idaho State Department of Education (SDE) Regions 1 and 2; East Hub, which consists of Idaho SDE Region 3; and West Hub, which consists of Idaho SDE Regions 4, 5, and 6) and at the school district level.

For the IHYS, there was nearly an equal number of male and female survey participants in all grades (47.0% female, 49.6% male, 3.4% other). For race/ethnicity, students were asked to mark all categories that applied to them. The majority of respondents were White (69.5% marking only this category), with the next largest racial/ethnic group being Hispanic/Latino students (9.4%). The other racial/ethnic groups accounted for 5.4% of the respondents, 12.4% marked a combination of two race groups, and 3.1% either marked the "other" option or did not complete the question. For more information on the sample, weighting, and hub-level analysis, see the Survey Methods Section.

The 2021 IHYS planning process was led with a rigorous review process to ensure that the survey was safe, that it followed strict participant/parent-rights process, that the administration of the IHYS was anonymous and confidential, and that the

reporting process was safe and secure. Please note that the IHYS is voluntary at all levels, with school districts and schools opting in to the survey, with parents offered either active or passive consent letters, and with students told they can skip any question they do not wish to answer (or opt out of the survey entirely). School districts were given the option to choose an active parent permission process (in which parents must sign and return a form before a student would be allowed to take the survey) or a passive consent process (in which parents are informed of the survey and asked to call the school if they did not wish for their child to participate).

OVERVIEW OF IHYS 2021 FINDINGS BY TOPIC:

LIFETIME SUBSTANCE USE:

In terms of lifetime substance use, indicated by the percentage that reported using at least once in their lifetime, the most often used substances were alcohol (31.9%), e-cigarettes (17.5%), marijuana (11.7%), and prescription drugs (9.9%). Compared to the national survey, Monitoring the Future (MTF), a higher percentage of Idaho 8th and 10th grade students have ever used alcohol, while a lower percentage of Idaho 8th, 10th, and 12th grade students have ever used marijuana.

PAST-MONTH SUBSTANCE USE:

As for past-month use, which was indicated by the percentage that reported using at least once in the past 30 days, the most often used substances were alcohol (9.8%), e-cigarettes (8.8%), and marijuana (5.6%). Compared to the national survey, a lower percentage of Idaho, 8th, 10th, and 12th grade students used most substances in the past 30 days. From 2019 to 2021, 30-day use rates decreased.

PERCEIVED RISK:

For most substance categories, students perceived less harmfulness as they age. For example, in the 6th grade, 54.3% of students reported that they perceived "great risk" in having one or two alcoholic beverages nearly every day. The rate decreased to 50.2%, 45.5% and 41.3% among 8th, 10th, and 12th grade students, respectively. The one exception was the perceived risk of using other drugs such as heroin, cocaine, LSD, or methamphetamines, in which 80.1% of 6th grade students perceived great risk, which increased as students aged, peaking in the 12th grade at 85.3%.

PERCEIVED AVAILABILITY:

The substance that students perceive as most easy to obtain is alcohol. Over 34% of students reported that it was fairly easy or very easy to get, followed by prescription drugs for the purpose of misuse (24.3%), marijuana (18.5%), and tobacco (17.2%). Only 5.1% of students, however, perceived that other drugs such as heroin, cocaine, LSD, or methamphetamines were easy to get.

ALCOHOL VOLUME OF CONSUMPTION:

Although most students did not drink in the past 30 days, of those that did, most reported their greatest number of drinks consumed in one sitting was 1 or 2 drinks (39.3%). Twelfth grade students who reported drinking at least once in the past 30 days were more likely than the students in other grades to have ten or more drinks (13.7%) in a row within a couple of hours. Twelfth grade students were most likely to report that all or most of their friends drink (22.0%), followed by 10th grade students (11.3%), 8th grade students (2.6%), and 6th grade students (0.6%).

PLACES OF ALCOHOL USE:

Students were asked where they used alcohol in the past six months. Although the majority of students did not drink alcohol, of those that did, most often they drank in their own home (61.3%), followed by in another person's home (50.4%); at an open area such as a park, campground, field, or parking lot (13.1%); when riding in a car or driving a vehicle (8.8%); at a public event such as a concert or sporting event (5.5%); school property (3.4%); and at a restaurant, bar, or club (3.2%). Over 20 percent of students who drank reported drinking at some other place not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100. Sixth and 8th grade students who reported drinking most often do so in their homes (69.7% and 74.6%, respectively).

SOURCES OF OBTAINING ALCOHOL:

Students were asked how they obtained the alcohol they drank in the past 30 days. Although the majority of students did not drink alcohol, of those that did, they most often got it from a friend for free (39.2%), followed by giving someone they

knew money to buy it for them (29.4%); receiving from a family member for free (27.7%); giving someone they knew money to buy it (26.6%); taking it from a store or family member (16.9%); buying at a store (7.8%); giving someone they did not know money to buy it (7.4%); buying it at a restaurant, bar, or club (5.3%); and buying at a public event such as a concert or sporting event (4.5%). Over 25% of students who drank reported getting the alcohol by some other way not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100. By grade, 6th grade students were more likely to receive their alcohol from a family member for free than from a friend for free.

MARIJUANA FREQUENCY OF USE AND MODES OF USE:

Although most students do not use marijuana, of those that did, most (52.7%) reported typically using once on the days they did use marijuana, followed by 2 times (19.9%), 3 times (10.3%), and 6 or more times (8.2%). High school students are more likely to have most/all of their friends use marijuana (17.5% 12th grade, 9.4% 10th grade) compared to middle school aged youth (2.7% 8th grade, 0.3% 6th grade).

Smoking marijuana was the most common form of consumption in the past month among youth that reported using marijuana (76.1%), followed by vaping it (50.8%), dabbing it (42.3%), and eating it (29.8%). Over 11% of youth that reported using did so in a way not listed. Because students were able to select all that apply, percentages do not add up to 100.

SOURCES OF OBTAINING MARIJUANA:

Students were asked how they obtained the marijuana they used in the past 30 days. Although the majority of students did not use marijuana, of those that did, they most often got it from a friend or family member for free (46.6%), followed by buying it from a friend or family member (30.5%), buying it from a dealer or stranger (29.7%), taking it from a family member or friend (16.5%), buying it from a marijuana dispensary (13.0%), growing it themselves (7.5%), and buying it on the internet (5.9%). Over 26% of students who used marijuana reported getting it by some other way not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100.

By grade, students in lower grades were less likely to buy the marijuana they used from a friend or family member. Sixth grade students were most likely to buy from a dealer, compared to other grades.

SOURCES OF OBTAINING TOBACCO:

Students were asked how they obtained the tobacco they used in the past 30 days. Tobacco source data are only of students who were younger than 18 and who reported tobacco use in the past 30 days. Although the majority of students did not use tobacco, of those that did and were younger than 18, they most often got it from a friend for free (36.1%), followed by giving someone they knew money to buy it for them (26.4%), buying it from a store (17.7%), receiving it from a family member for free (12.5%), giving someone they didn't know money to buy it (11.9%), taking it from a store or family member (11.2%), and buying it on the internet (8.2%). Exactly 32% of underage students who used tobacco underage reported getting it by some other way not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100. Sixth grade students were more likely to give someone they didn't know money to buy tobacco for them (26.6% of those who used in the past 30 days) compared to older students

TYPES OF SUBSTANCES USED IN VAPE DEVICES:

Students were asked what they vaped or put in their electronic cigarettes in the past 30 days. Although the majority of students did not use e-cigarettes in the past month, of those that did, 54.5% use liquid with nicotine in it, 26.7% used liquid with THC (marijuana) in it, 14.9% used liquid with flavor only, and 35.4% did not know what they were vaping. Because participants were encouraged to select all that applied, percentages do not add up to 100. Twelfth grade students were more likely to vape liquid with nicotine (70.9%), while 6th graders were more likely to be unsure of what they were vaping (69.5%). In the 8th grade, 38.3% of e-cigarette users vaped liquid with nicotine. In the 10th grade, 54.6% of e-cigarette users vaped liquid with nicotine.

SOURCES OF OBTAINING VAPE DEVICES/E-CIGARETTES:

Students were asked how they got their own electronic vapor products in the past month. Although the majority of students did not use a vaping device in the past month, of those that did, they most often borrowed it from someone else (40.2%), gave someone they knew money to buy it (37.2%), got it from a friend who gave

it to them for free (30.6%), got it in a store (14.8%), or got it some other way not listed (22.1%). Because participants were encouraged to select all that applied, percentages do not add up to 100.

REASONS FOR USING A VAPE DEVICE/E-CIGARETTE:

Students were asked "What are the reasons you have used e-cigarettes?" Of the students who have ever used an e-cigarette device, most cited using them because a friend or family member used them (44.4%). About one in five lifetime e-cigarette users used them because "they are available in flavors, such as mint, candy, fruit, or chocolate" (21.3%). Less than 14% of lifetime e-cigarette users used them because "they are less harmful than other forms of tobacco, such as cigarettes" (13.2%). Because participants were encouraged to select all that applied, percentages do not add up to 100. Students in 6th grade were more likely to report they used because a friend or family member used them (62.0%).

TYPES OF PRESCRIPTION DRUGS MISUSED:

Students were asked what type of prescription drugs they have ever misused. Although the majority of students did not misuse prescription drugs, of those that did, 72.8% misused pain relievers, 30.7% misused depressants, and 30.7% misused stimulants. Because participants were encouraged to select all that applied, percentages do not add up to 100. Twelfth grade students were more likely to misuse stimulants compared to depressants.

PLACES OF PRESCRIPTION DRUG MISUSE:

Students were asked where they misused prescription drugs in the past six months. Although the majority of students did not misuse prescription drugs, of those that did, most often they did so in their own home (73.8%), followed by in another person's home (24.9%); on school property (15.8%); in an open area such as a park, campground, field or parking lot (14.4%); when riding in a car or driving a vehicle (12.2%); at a public event such as a concert or sporting event (11.1%); and at a restaurant, bar, or club (7.2%). Over 20% of students who misused prescription drugs reported doing so at some other place not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100. Students in 6th grade were more likely to report misusing prescription drugs in an open area rather than a public event.

SOURCES OF OBTAINING PRESCRIPTION DRUGS FOR MISUSE:

Students were asked where they obtained the prescription drugs they misused in the past year. Although the majority of students did not misuse prescription drugs, of those that did, they most often got them from their own prescription (47.8%), followed by receiving from a friend or family member for free (20.9%), taking them from a family member or friend (20.6%), buying them from a dealer or stranger (18.6%), buying them from a friend or family member (14.0%), and buying them on the internet (7.8%). Over 24% of students who misused prescription drugs reported obtaining them from some other place not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100.

PERCEIVED PARENTAL APPROVAL OF SUBSTANCE USE:

Students were asked how wrong their parents would feel if they used various substances. A majority of students believe their parents feel it would be “very wrong” for them to misuse prescription drugs (84.8%), to binge drink one or more times a week (81.0%), to use tobacco (84.5%), to use marijuana (80.7%), to use an e-cigarette (80.3%), or to drink one or two alcoholic beverages nearly every day (73.9%). Only 56.2% of students believe that their parents think it would be “very wrong” for them to attend a party where alcohol is available to them.

PARENTS KNOWLEDGE OF USE:

In Idaho, 20.8% of students have consumed alcohol with a parent’s knowledge and 5.7% have used marijuana with their parent's knowledge. Nearly 4% of Idaho students reported their parents had hosted a party with alcohol for them and friends, and 2.7% reported that their parents let them have a party with alcohol while they were away. Twelfth grade students were most likely to report drinking with a parent’s knowledge (32.9%), being allowed to host parties with alcohol while their parents were home (4.4%), and being allowed to have a party with alcohol when their parents were not home (5.2%).

PERCEIVED PEER APPROVAL OF SUBSTANCE USE:

Students were asked how wrong their friends would feel if they used various substances. A majority of students believe their friends feel it would be “very wrong” for them to use tobacco (69.3%), to use marijuana (65.4%), to binge drink one or more times a week (63.7%), to drink one or two alcoholic beverages nearly every day (57.4%), to use e-cigarettes (57.5%), or to misuse prescription drugs (56.1%).

Students believe their friends feel that using substances is less wrong, compared to their parents. While just over 65% of students believe their friends feel it is “very wrong” for them to use marijuana, 15.4% of students believe their friends feel it is merely “wrong” to use, and 19.2% believe their friends feel it is just “a little bit wrong” or “not wrong at all.”

PERSONAL APPROVAL OF SUBSTANCE USE:

Students were asked how wrong it would be for someone their age to use various substances. A majority of students believe it would be “very wrong” for someone their age to use tobacco (74.3%), to binge drink (71.4%), to misuse prescription drugs (69.0%), or to drink one or two alcoholic beverages nearly every day (66.4%). While 68.8% of students feel it would be “very wrong” for someone their age to use marijuana, 14.4% feel it would be merely “wrong,” and 16.8% feel it would be only “a little bit wrong” or “not wrong at all.” While 64.5% of students feel it would be “very wrong” for someone their age to use a vape pen or e-cigarette, 21.0% feel it would be merely “wrong,” 10.2% feel it would be “a little bit wrong”, and 4.4% feel it would be “not wrong at all.”

DISCUSSIONS WITH PARENTS ABOUT SUBSTANCE USE:

Over half (60.1%) of students had a conversation with their parents about the dangers of substance use in the past year. Twelfth graders were most likely to report having these conversations (60.9%) in comparison to other grades

DRIVING/RIDING AFTER SUBSTANCE USE:

A higher percentage of students reported that they had ridden with an impaired driver than driven impaired themselves. Just over 13% of students have ridden with a driver who had been drinking alcohol, and 7.7% have ridden with a driver who had used marijuana in the past 30 days. Nearly 2% of student drivers reported having driven after drinking. Exactly 2% reported having driven after smoking marijuana in the past 30 days.

SUICIDE IDEATION AND ATTEMPTS:

In Idaho, 19.9% of students have seriously considered suicide, 15.9% have made a plan to attempt suicide, and 6.1% have attempted suicide in the past year. Suicide ideation increases as students age. For example, 11.8% of 6th grade students have considered suicide in the past year versus 23.4% of twelfth grade students.

BULLYING:

In the past 12 months, 24.6% of students reported they had been bullied. Those that reported their gender as "other" and those in 6th grade were most likely to report being bullied, 44.8% and 30.8%, respectively. In response to the question "If you or someone else was bullied in the past 12 months, how often did you report it to a teacher or other adult at the school?", 48.2% of students reported that they "have never been bullied or witnessed someone else being bullied," 23.7% reported that they had reported bullying to a teacher or other adult at school, and 28.1% said they had not reported bullying to a teacher or other adult at school.

CAREGIVER ATTENTIVENESS:

More than half of students reported that their parents always knew where they were (56.0%) and who they were with (56.4%). Twelfth grade students were least likely to report that their parents knew where they were or who they were with 46.4% and 44.4%, respectively. More than 65% of 6th grade students reported their parents always knew where they were and who they were with.

SCHOOL MEASURES—TRUANCY, SCHOOL PERCEPTIONS AND POST-HIGH-SCHOOL PLANS:

In Idaho, 77.3% of students felt it was very important to finish high school, and 72.9% felt they belonged at their school "most of the time" or "always." Less than half of students (46.9%) said it was "very likely" they would complete a post high-school program (vocational training program, military service, community college, or 4-year college). This likelihood increases as students aged (35.0% in the 6th grade versus 62.8% in the 12th grade).

Just over 30% of students reported skipping or cutting school. Twelfth grade students were most likely to skip school at least once in the past 30 days (41.3%), followed by 10th grade students (32.3%), 6th grade students (25.6%), and 8th grade students (24.2%)

GANG INVOLVEMENT AND PERCEPTIONS:

Exactly 9.0% of youth reported that they personally knew someone in a gang, 6.2% reported that gangs cause trouble at their school, and 2.7% reported having ever belonged to a gang. Twelfth grade students were most likely to know someone in a gang (10.4%), followed by 10th grade (10.1%), 8th grade (9.1%) and 6th grade

students (6.0%). Sixth grade students were most likely to feel that gangs cause trouble at their school (10.9%).

PARENT/CAREGIVER INCARCERATION AND YOUTH SUBSTANCE USE:

Students with a parent or caregiver who had been incarcerated reported that they were more likely to use substances than students whose parents had never been to jail or prison. Of students reporting parent/caregiver incarceration, 17.5% used alcohol, 12.9% used marijuana, and 5.3% misused prescription drugs in the past 30 days.

COVID-19 AND LEARNING ONLINE:

The 2021 IHYS included a "mark all that apply" question asking students to report whether they experienced one or more of seven named impacts during the COVID-19 pandemic. The survey found that 36.0% of youth reported that they personally were sick with the coronavirus or coronavirus systems, 5.0% reported that one or more people living in the home lost their jobs, 3.6% that they had to move or change homes, and 2.5% reported having skipped one or more meals because their family didn't have enough money to buy food. Further, 21.9% of all students reported feeling anxious, sad, or hopeless, with twelfth grade students reporting the highest at 29.9%; 11.9% reported that people in their home were fighting a lot; and 11.6% reported that they had difficulty keeping up with school work because they didn't have access to a reliable computer or internet service.

Students were also asked to report their level of agreement to eight statements about their school experience during remote/online learning. Some data highlights are featured here. The data showed that 57.8% of all students marked strongly agree/agree to the statement "I miss spending time at school, learning with my teachers in person," 26.7% of students marked "Strongly Agree" or "Agree" to the statement "When I am learning online, I understand my teacher's instructions," 23.9% of students marked strongly agree/agree to the statement "I stay focused when doing online school work," and 14.7% of students marked strongly agree/agree to the statement "My learning improved when my classes were being taught online due to COVID."

OVERVIEW OF SECTIONS

This report is divided into four sections. The first section, **Survey Methods**, describes how the survey was conducted, the sampling strategy, who participated, weighting procedures, and the procedures that were used to ensure that valid information was collected.

The second section, **Key Substance Use Findings in Relation to National Data**, provides an overview of lifetime substance use, past-month substance use, perceived harmfulness, and perceived availability by grade for both the IHYS and the national Monitoring the Future Survey.

The third section, **Substance-Level Outcomes and Measures**, provides data segmented by alcohol-related, marijuana-related, tobacco-related, and prescription drug-related findings.

The final section, **Additional IHYS Findings**, provides information on all remaining IHYS items including parent/peer attitudes toward substance use, driving after drinking/marijuana use, student behaviors and attitudes regarding bullying, mental health, suicide ideation, school climate, post-high-school plans, career and college readiness, and gang involvement.

Throughout this report, orange, blue, and yellow icons (see below) are used to flag or designate findings and data sections that might be of particular interest to different data users.



Orange squares with a government building icon indicate that the page/section contains data that might be of interest to Idaho's Legislators and public servants.



Blue squares with a book icon indicate that the page/section contains data that might be of interest to educators and education administrators.



Yellow squares with the family icon indicate that the page/section contains data or findings that might be of interest to parents and caregivers, as well as those who support parents and caregivers.

Report reviewers can use these icons to navigate the report more efficiently and to gain a better understanding of the relevance of data to different data users and groups in the State of Idaho.

SECTION 1: SURVEY METHODS

This Survey Methods section will provide information on the protocols and methodology that guided the sampling strategy, data collection, weighting, participant demographics, geographic outreach, validity of the data, and limitations of the 2021 IHYS data.



THE SURVEY WAS OFFERED TO ALL DISTRICTS/
SCHOOLS WITH STUDENTS IN GRADES 6, 8, 10, AND 12.
54 SCHOOLS IN 24 SCHOOL DISTRICTS PARTICIPATED.

DATA COLLECTION

The data collection for the 2021 IHYS occurred between October and December. Bach Harrison used enrollment data provided by the Idaho State Department of Education (SDE) to identify the number of paper survey materials to ship to schools that opted to survey using paper and pencil. Districts opting for online administration were emailed a unique school web links which were distributed to teachers who proctored the survey. Twenty-four school districts participated in the IHYS; within those districts, 54 schools participated.

WEIGHTING THE IHYS DATA

The goal of the Idaho Healthy Youth Survey (IHYS) is to provide information about the students across Idaho in grades 6, 8, 10, and 12. Because the participants in the IHYS did not completely match the population of all students in the surveyed grades, weights were applied to the survey data. Post-stratification weighting was done by gender, grade, race/ethnicity, and geographic hub to correct for the under and over representation of survey participants across Idaho. Idaho is divided into six education regions which are further divided into three hubs, with the North Hub comprising Education Regions 1 and 2, the West Hub made up of Education Region 3, and the East Hub representing Education Regions 4, 5, and 6.

The items about gender and race/ethnicity on the IHYS did not completely match the categories for those variables provided by the SDE. The IHYS provided an opportunity for students to select “other” for their gender, while enrollment is more simply divided by male and female. Similarly, the IHYS provided an opportunity for students to select “other” for race/ethnicity, while SDE only provided the standard race/ethnic categories of 1) American Indian or Alaska Native, 2) Asian, 3) Black or African, 4)

Hispanic or Latino, 5) Native Hawaiian or Other Pacific Islander, 6) White, and 7) Multi-Racial. For weighting, these two variables (gender and race/ethnicity) were adjusted to include the “other” category by including the percentage of students marking “other” on the survey. For both gender and race/ethnicity, students not marking the question (labeled as missing) were added to the other category. The multi-racial group was comprised of students marking more than one of the standard racial groups: 1) American Indian or Alaska Native, 2) Asian, 3) Black or African, 4) Native Hawaiian or Other Pacific Islander, or 5) White. Anyone marking Hispanic/Latino was counted in that category regardless of whether or not they marked any other category. Thus, none of the Hispanic/Latino students were included in the multi-racial group. The statewide post-stratification weights were produced using the SPSS Raking Ratio Estimation module and resulted in two statewide weighting variables, 1) Statewide Data Weighted to the Number of Survey Participants (PWT in the final data set), and 2) Statewide Data Weighted to the Enrolled Student Population in Surveyed Grades (TotalpopWT in the final data set). A third weight was produced for school districts and should be used when analyzing data at the school district level. A discussion of the weighting levels/variables follows.

STATEWIDE DATA WEIGHTED TO THE NUMBER OF SURVEY PARTICIPANTS

There were 9,381 questionnaires that were deemed honest in grades 6, 8, 10, and 12. After weighting, the number of students in the database will often change due the analysis procedures used during the weighting process. In developing the PWT, the total number of students was normalized so that the resulting number of students after weighting agreed with the total number before weighting.

STATEWIDE DATA WEIGHTED TO THE ENROLLED STUDENT POPULATION IN SURVEYED GRADES

Enrollment information from the SDE showed the following enrollments: 21,884 students in the 6th grade, 23,364 in the 8th grade, 23,078 in the 10th grade, and 21,078 in the 12th grade for a total enrollment in the surveyed grades of 89,374. As mentioned above, after the weighting analysis procedures have been applied, the resulting number of students can vary. Thus, a second weight (TotalpopWT) was normalized so that analyses would result in the total number of participants as the same as the total in the state enrollment, 89,374.



DISTRICTS AND SCHOOLS WERE ALLOWED TO PARTICIPATE FROM EARLY OCTOBER THROUGH EARLY DECEMBER.

SCHOOL DISTRICT WEIGHTS

Since reports will be produced at the school district level, each participating school district was weighted by grade and gender. This level of weighting ensured that the data from school districts can be compared and that future survey data to produce trends over time. If the results were not weighted, a school district that surveyed mostly 6th and 8th grade students during one survey administration and then surveyed a majority of 10th and 12th grade students during the next administration would appear to have a large increase in youth problem behaviors such as alcohol, tobacco, and other drug (ATOD) use. However, this would simply be the result of the fact that older students use more ATODs and not necessarily an increase in school district ATOD use. Weighting solves this problem and allows comparisons from administration to administration.

DEMOGRAPHICS

The characteristics of the youth who took the survey are presented in Table 1 (page 5). The numbers and percentages provided represent the total participation. Please note that the data presented in subsequent sections represents weighted data.

For the IHYS, there was nearly an equal number of males and females who took the survey in all grades (47.0% female, 49.6% male, 3.4% other). Students were asked to mark all race/ethnicity categories that applied to them. The majority of respondents were White (69.5% marking only this category), with the next largest racial/ethnic group being Hispanic/Latino students (9.4%). The other racial/ethnic groups accounted for 5.4% of the respondents, 12.4% marked a combination of two race groups, and 3.1% either marked the "other" option or did not complete the question.

Most commonly, students lived at home with their families (98.1%), followed by those that reported having no regular home (0.5%); living with foster parents (0.3%); living alone (0.2%); living in a group home (0.1%); living in a shelter (0.0%); and living in some other place not listed (0.7%).

Just over 17% of respondents reported that at least one parent had served time in jail or prison, and 21.7% had at least one parent who had served time in the military.

GEOGRAPHIC REACH

The State of Idaho has 44 counties, 7 Public Health Districts, and 6 Educational Regions (which also can be grouped into the three hub areas discussed in this report). Table 2 displays the participation compared to enrollment for participating counties and Table 3 displays the participation compared to enrollment in the three hubs that were used for final weighting of the data. There were seventeen counties that participated in the survey: Ada, Bear Lake, Boise, Boundary, Canyon, Caribou, Clark, Franklin, Gooding, Jefferson, Latah, Lemhi, Owyhee, Payette, Power, Shoshone, Twin Falls. County-level participation was not representative enough to report data at that level or at the Public Health District level with confidence. It was at the recommendation of Bach Harrison that data be weighted at the hub level and school district level, and that it be at the discretion of ODP to provide county/region level data for areas that achieved greater survey success. See the Weighting for the IHYS section for additional information on the final database.

VALIDITY OF THE DATA

The information presented in this report is based entirely on the truthfulness, recall, and comprehension of the youth who participated in the survey. Bach Harrison's experience has shown that most adolescents are truthful in their responses to the questions on similar surveys. ATOD trends for repeated national and state surveys are very similar. Also, the changes reported by youth parallel the changes during the same period in adolescent admissions to treatment for substance abuse. Finally, the relationships between different kinds of behaviors and the problems adolescents report is very consistent over a wide range of studies. This study was carefully designed to ensure honest responses from participants.

The confidentiality of the survey was expressed through the instructions and administration procedures. Participants were assured that the survey was voluntary, anonymous, and confidential. They were told that no one would see their answers and that there was no way that a paper or online survey could be traced back to an individual student. Because the survey was anonymous, most of the reasons

to exaggerate or deny behaviors were reduced. However, several checks were built into the analysis to minimize the impact of students who were not truthful in their responses. Student surveys that were deemed not truthful were eliminated from subsequent analyses.

There was a total of 10,249 survey questionnaires completed by students in grades 6 through 12. However, not all of the questionnaires contained valid information. Of these surveys, 423 (4.1%) were eliminated because responses were deemed dishonest or because students did not answer enough of the validity questions to determine whether or not they were honest in their responses. These surveys were eliminated based on four predetermined dishonesty indicators: 1) the students reported that they were “not honest at all” in completing the survey (96 surveys); 2) the students reported that they had used the non-existent drug lorezerb (85 surveys); 3) the students reported an impossibly high level of multiple drug use (17 surveys); 4) the students reported an age that was inconsistent with their grade (33 surveys), and 5) the students reported a grade that was impossible for their school (96). These surveys were not included in the final analyses.

Because the results reported in this State Report focus on data from the 6th, 8th, 10th, and 12th grades, Bach Harrison removed an additional 419 surveys completed by students in the 7th, 9th, and 11th grades who took the survey because their school chose

to survey students in the odd grades or because they were attending a class where most of the students were in the even grades. Further, 26 surveys were eliminated due to students not reporting a grade level or because they marked more than one grade level.

A total of 868 questionnaires were eliminated from the analyses contained in this State Report. This is less than the sum of those eliminated according to the criteria cited above because many of those eliminated met more than one criteria for elimination.

Other measures to reduce response bias included carefully pretesting the questionnaire to ensure that students understood the meaning of each question, using a well-developed and tested administration protocol, and reading the same instructions to all students who participated in the survey.

LIMITATIONS

Not all students participated in the IHYS. Some students individually chose not to participate, some students’ parents refused consent for them to participate, and some students were absent when the survey was administered.

There was a total of 9,381 honest, valid surveys completed for grades 6, 8, 10, and 12 for the 2021 IHYS. This is a sufficient participation rate for a statewide school survey and resulted in an adequate number of students for analysis at the hub level and school district level. Further, many counties had strong success with the survey in terms of recruitment and completion.



TWO VARIABLES (GENDER AND RACE/ETHNICITY) WERE USED TO WEIGHT THE DATA AT THE HUB AND SCHOOL DISTRICT LEVELS.

TABLE 1

DEMOGRAPHICS OF FINAL UNWEIGHTED PARTICIPATION (54 SCHOOLS, 24 DISTRICTS/CHARTERS)

DEMOGRAPHICS QUESTION	PRESENTED DATA	6 TH GRADE		8 TH GRADE		10 TH GRADE		12 TH GRADE		2021 STATE TOTAL		2019 STATE TOTAL		2017 STATE TOTAL	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
	GRADE	2,879	30.7%	2,845	30.3%	1,830	19.5%	1,827	19.5%	9,381	100.0%	9,935	100.0%	20,927	100.0%
How old are you	12 years old or younger	2,858	99.3%	20	0.7%	0	0.0%	0	0.0%	2,878	30.7%	2,905	29.2%	4,887	23.4%
	13 years old	21	0.7%	2,087	73.4%	0	0.0%	0	0.0%	2,108	22.5%	1,902	19.1%	4,202	20.1%
	14 years old	0	0.0%	721	25.3%	10	0.5%	0	0.0%	731	7.8%	732	7.4%	1,474	7.0%
	15 years old	0	0.0%	17	0.6%	1,324	72.3%	0	0.0%	1,341	14.3%	1,629	16.4%	4,040	19.3%
	16 years old	0	0.0%	0	0.0%	484	26.4%	27	1.5%	511	5.4%	709	7.1%	1,506	7.2%
	17 years old	0	0.0%	0	0.0%	12	0.7%	1,333	73.0%	1,345	14.3%	1,455	14.6%	3,594	17.2%
	18 years old or older	0	0.0%	0	0.0%	0	0.0%	467	25.6%	467	5.0%	603	6.1%	1,224	5.8%
Gender	Male	1,441	50.3%	1,415	50.0%	868	47.6%	912	50.0%	4,636	49.6%	4,891	49.5%	10,424	50.2%
	Female	1,339	46.7%	1,298	45.9%	890	48.8%	862	47.3%	4,389	47.0%	4,819	48.8%	10,092	48.6%
	Other	86	3.0%	115	4.1%	64	3.5%	50	2.7%	315	3.4%	163	1.7%	265	1.3%
Which one of these groups best describes you? (Select all that apply.)* <small>Students marking one or more race category (excluding those marking Hispanic and another category) are represented in the "Multi-racial" category.</small>	American Indian or Alaska Native	104	3.7%	53	1.9%	11	0.6%	11	0.6%	179	1.9%	249	2.5%	553	2.6%
	Asian	44	1.6%	37	1.3%	13	0.7%	22	1.2%	116	1.2%	80	0.8%	190	0.9%
	Black or African American	55	2.0%	60	2.1%	25	1.4%	29	1.6%	169	1.8%	101	1.0%	246	1.2%
	Hispanic or Latino	196	7.0%	293	10.4%	200	11.0%	187	10.3%	876	9.4%	2,076	21.2%	3,754	17.9%
	Native Hawaiian or Other Pacific Islander	16	0.6%	15	0.5%	9	0.5%	4	0.2%	44	0.5%	38	0.4%	104	0.5%
	White	1,846	65.6%	1,917	68.0%	1,342	73.6%	1,349	74.0%	6,454	69.5%	5,846	59.6%	13,898	66.4%
	Other and Missing	158	5.6%	81	2.9%	32	1.8%	20	1.1%	291	3.1%	322	3.3%	962	4.6%
Multi-Racial	396	14.1%	363	12.9%	192	10.5%	202	11.1%	1,153	12.4%	1,100	11.2%	1,220	5.8%	
Where do you live?	At home with my family	2,257	98.0%	2,515	98.7%	1,540	98.0%	1,556	97.5%	7,868	98.1%	9,674	97.8%	20,250	97.3%
	With foster parent(s)	9	0.4%	6	0.2%	5	0.3%	2	0.1%	22	0.3%	51	0.5%	127	0.6%
	In a group home/residential facility	1	0.0%	2	0.1%	1	0.1%	1	0.1%	5	0.1%	10	0.1%	30	0.1%
	In a shelter	2	0.1%	-	0.0%	1	0.1%	1	0.1%	4	0.0%	14	0.1%	26	0.1%
	I live alone	2	0.1%	4	0.2%	2	0.1%	11	0.7%	19	0.2%	31	0.3%	84	0.4%
	I have no regular home	15	0.7%	10	0.4%	9	0.6%	9	0.6%	43	0.5%	59	0.6%	112	0.5%
	Some other place	17	0.7%	10	0.4%	14	0.9%	16	1.0%	57	0.7%	56	0.6%	181	0.9%
Have one or more of your parents/caregivers ever served time in jail or prison?	Yes	371	16.2%	446	17.5%	304	19.3%	251	15.7%	1,372	17.1%	2,216	22.5%	4,051	19.6%
	No	1,614	70.3%	1,770	69.4%	1,131	71.8%	1,248	78.1%	5,763	71.9%	6,398	65.0%	14,379	69.7%
	Don't know	310	13.5%	333	13.1%	140	8.9%	98	6.1%	881	11.0%	1,222	12.4%	2,198	10.7%
Have one or more of your parents/caregivers ever served time in the military?	Yes	543	23.6%	550	21.6%	324	20.6%	324	20.3%	1,741	21.7%	2,020	20.5%	4,259	20.5%
	No	1,465	63.7%	1,773	69.5%	1,172	74.5%	1,228	76.8%	5,638	70.3%	6,915	70.1%	14,875	71.6%
	Don't know	293	12.7%	228	8.9%	78	5.0%	47	2.9%	646	8.0%	924	9.4%	1,646	7.9%

TABLE 2

2021 IHYS COMPLETION VS. ENROLLMENT BY PARTICIPATING COUNTY AND GRADE

	SURVEY COMPLETION BY COUNTY BY GRADE					STUDENT ENROLLMENT BY COUNTY BY GRADE					PERCENT OF STUDENTS SURVEYED BY COUNTY BY GRADE				
	6 TH	8 TH	10 TH	12 TH	TOTAL	6 TH	8 TH	10 TH	12 TH	TOTAL	6 TH	8 TH	10 TH	12 TH	TOTAL
Ada	1330	1365	681	1043	4419	6006	6393	6330	6147	24876	22.1%	21.4%	10.8%	17.0%	17.8%
Bear Lake	101	95	66	62	324	136	112	102	87	437	74.3%	84.8%	64.7%	71.3%	74.1%
Boise	25	51	36	25	137	73	80	76	58	287	34.2%	63.8%	47.4%	43.1%	47.7%
Boundary	93	87	73	43	296	125	138	120	100	483	74.4%	63.0%	60.8%	43.0%	61.3%
Canyon	32	41	31	31	135	3349	3582	3439	3124	13494	1.0%	1.1%	0.9%	1.0%	1.0%
Caribou	67	75	43	31	216	124	147	120	113	504	54.0%	51.0%	35.8%	27.4%	42.9%
Clark	8	10	9	13	40	11	15	11	16	53	72.7%	66.7%	81.8%	81.3%	75.5%
Franklin	0	0	58	43	101	264	283	308	299	1154	0.0%	0.0%	18.8%	14.4%	8.8%
Gooding	0	0	80	43	123	270	258	255	196	979	0.0%	0.0%	31.4%	21.9%	12.6%
Jefferson	449	489	117	30	1085	592	684	624	555	2455	75.8%	71.5%	18.8%	5.4%	44.2%
Latah	196	211	201	141	749	345	368	384	309	1406	56.8%	57.3%	52.3%	45.6%	53.3%
Lemhi	53	43	48	53	197	82	79	78	67	306	64.6%	54.4%	61.5%	79.1%	64.4%
Owyhee	45	60	46	47	198	160	190	162	142	654	28.1%	31.6%	28.4%	33.1%	30.3%
Payette	100	94	77	50	321	365	386	338	317	1406	27.4%	24.4%	22.8%	15.8%	22.8%
Power	119	117	90	74	400	146	150	141	128	565	81.5%	78.0%	63.8%	57.8%	70.8%
Shoshone	92	81	71	50	294	153	138	139	106	536	60.1%	58.7%	51.1%	47.2%	54.9%
Twin Falls	169	26	103	48	346	1402	1413	1327	1200	5342	12.1%	1.8%	7.8%	4.0%	6.5%

TABLE 3

2021 IHYS COMPLETION VS. ENROLLMENT BY HUB AND GRADE					
	Survey Completion by Hub by Grade				
	6 th	8 th	10 th	12 th	Total
North	381	379	345	234	1339
West	1532	1611	871	1196	5210
East	966	855	614	397	2832
Total	2879	2845	1830	1827	9381
	Student Enrollment by Hub by Grade				
	6 th	8 th	10 th	12 th	Total
North	3271	3431	3477	3248	13427
West	9133	9990	10143	9522	38788
East	9480	9943	9458	8278	37159
Total	21884	23364	23078	21048	89374
	Percent of Students Surveyed by Hub by Grade				
	6 th	8 th	10 th	12 th	Total
North	11.6%	11.0%	9.9%	7.2%	10.0%
West	16.8%	16.1%	8.6%	12.6%	13.4%
East	10.2%	8.6%	6.5%	4.8%	7.6%
Total	13.2%	12.2%	7.9%	8.7%	10.5%

FIGURE 1: HUBS REFERENCED IN THIS STATE REPORT



SECTION 2: KEY SUBSTANCE USE FINDINGS IN RELATION TO NATIONAL DATA

LIFETIME SUBSTANCE USE: IDAHO AND NATIONAL MONITORING THE FUTURE DATA



Students reported the number of times, if ever, they used various substance in their lifetimes. Tables 4 and 5 and Figures 2 and 3 on the following page report one or more uses of the substances listed. National Monitoring The Future (MTF) data (available only for grades 8, 10, and 12) are provided as a national comparison, when appropriate.

The substance in which the largest percentage of students reporting using at least once was alcohol (31.9%), followed by e-cigarettes (17.5%), marijuana (11.7%), and prescription drugs (9.9%). Compared to the national survey, MTF, a higher percentage of Idaho 8th and 10th grade students have ever used alcohol, while a lower percentage of Idaho 8th, 10th, and 12th grade students have ever used marijuana.

Lifetime use of substances was similar for males and females, and higher for students marking their gender as “other.” A higher percentage of females reported using

alcohol, e-cigarettes, marijuana, ecstasy, over-the-counter medications for the purposes of misuse, and prescription drugs for the purposes of misuse at least once in their lifetimes compared to males; while a higher percentage of males reported using tobacco in their lifetimes compared to females.

By hub, the North Hub showed higher lifetime alcohol, e-cigarette, tobacco, marijuana, cocaine, and inhalant use compared to other hubs. The West Hub showed higher lifetime use of ecstasy, over-the-counter drugs, and prescription drugs, while the East Hub showed the least lifetime use of the three hub groups.

From 2019 to 2021, total rates for all substance use decreased. Please see Tables 4 and 5 for additional data by grade, gender, and by hub.

TABLE 4

LIFETIME SUBSTANCE USE BY GENDER AND HUB (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GENDER									HUB								
				MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Had at least one drink of alcohol?	38.4%	39.1%	31.9%	37.2%	37.0%	29.7%	39.3%	41.0%	33.3%	58.4%	46.9%	47.9%	52.8%	48.5%	45.0%	42.3%	41.2%	34.0%	28.2%	33.7%	24.9%
Used a vape pen or e-cigarette?	23.9%	26.3%	17.5%	23.9%	25.6%	15.5%	23.4%	26.9%	18.8%	40.5%	30.8%	29.7%	30.5%	28.5%	23.3%	24.8%	27.3%	18.2%	20.0%	24.5%	14.6%
Used tobacco?	16.1%	14.2%	8.2%	17.4%	15.8%	8.7%	14.4%	12.5%	7.3%	34.1%	17.1%	15.9%	24.2%	16.6%	13.9%	17.1%	15.2%	8.0%	11.8%	12.3%	6.3%
Used marijuana?	17.6%	16.9%	11.7%	17.3%	16.6%	10.4%	17.5%	17.3%	12.5%	36.5%	18.0%	21.5%	23.1%	16.7%	16.0%	20.2%	19.0%	13.7%	12.4%	14.9%	8.0%
Used cocaine, including powder, crack, or freebase?	1.6%	1.8%	0.9%	1.6%	2.1%	1.0%	1.5%	1.6%	0.8%	3.0%	1.3%	0.6%	1.6%	1.8%	1.1%	1.9%	1.9%	1.0%	1.2%	1.8%	0.6%
Used ecstasy (also called MDMA)?	1.5%	1.5%	1.0%	1.5%	1.7%	0.9%	1.5%	1.3%	1.1%	1.7%	1.2%	0.4%	2.0%	1.6%	1.2%	1.8%	1.5%	1.5%	1.0%	1.6%	0.4%
Used heroin (also known as smack, junk, or China White)?	0.4%	0.5%	0.3%	0.4%	0.7%	0.3%	0.3%	0.4%	0.3%	0.4%	1.7%	0.9%	0.3%	0.7%	0.5%	0.5%	0.4%	0.4%	0.3%	0.7%	0.2%
Sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?	6.4%	5.4%	4.5%	5.6%	4.5%	4.3%	6.9%	6.1%	4.4%	16.6%	12.4%	9.0%	6.5%	6.0%	4.8%	6.3%	5.1%	4.5%	6.4%	5.5%	4.3%
Used methamphetamine (also called speed, crystal, crank, or ice)?	0.7%	0.8%	0.6%	0.7%	1.0%	0.8%	0.8%	0.6%	0.5%	3.5%	1.7%	0.5%	0.8%	1.0%	0.9%	0.8%	0.7%	0.6%	0.6%	0.9%	0.6%
Used over-the-counter drugs to get high?	4.1%	3.6%	2.5%	3.4%	3.3%	1.9%	4.5%	3.6%	2.8%	15.1%	8.2%	5.7%	5.4%	3.0%	2.7%	4.2%	3.7%	3.0%	3.4%	3.7%	1.8%
Misused prescription drugs?	11.0%	11.3%	9.9%	10.1%	10.4%	9.1%	11.5%	11.7%	9.9%	29.5%	24.6%	23.1%	11.5%	9.1%	10.5%	11.7%	12.5%	10.8%	10.1%	10.8%	8.8%
Use other drugs such as heroin, cocaine, LSD, or methamphetamines?	1.3%	1.2%	--	1.4%	1.5%	--	1.2%	0.8%	--	3.3%	1.2%	--	1.3%	0.8%	--	1.7%	1.2%	--	1.0%	1.3%	--

TABLE 5

LIFETIME SUBSTANCE USE BY GRADE (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GRADE LEVEL															
				6TH GRADE			8TH GRADE			10TH GRADE				12TH GRADE					
	2017	2019	2021	ID 2017	ID 2019	ID 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021	
Had at least one drink of alcohol?	38.4%	39.1%	31.9%	15.6%	17.2%	16.4%	30.3%	33.9%	24.8%	21.7%	48.4%	47.2%	37.0%	34.7%	59.4%	60.0%	50.3%	54.1%	
Used a vape pen or e-cigarette?	23.9%	26.3%	17.5%	4.2%	6.3%	5.2%	16.4%	21.3%	13.0%	17.5%	31.1%	34.0%	19.8%	29.7%	42.4%	45.4%	32.5%	40.5%	
Used tobacco?	16.1%	14.2%	8.2%	2.6%	2.7%	2.0%	9.2%	9.5%	4.9%	7.0%	20.4%	17.4%	9.5%	10.0%	32.0%	28.6%	16.9%	17.8%	
Used marijuana?	17.6%	16.9%	11.7%	1.4%	1.7%	1.1%	8.5%	11.0%	5.2%	10.2%	23.3%	20.6%	14.7%	22.0%	35.9%	36.2%	26.4%	38.6%	
Used cocaine, including powder, crack, or freebase?	1.6%	1.8%	0.9%	0.4%	0.5%	0.2%	0.5%	0.7%	0.4%	0.6%	1.7%	1.8%	0.9%	1.2%	3.6%	4.7%	2.0%	2.5%	
Used ecstasy (also called MDMA)?	1.5%	1.5%	1.0%	0.1%	0.3%	0.2%	0.5%	0.5%	0.4%	1.0%	1.8%	1.4%	0.9%	1.4%	3.6%	4.2%	2.6%	2.8%	
Used heroin (also known as smack, junk, or China White)?	0.4%	0.5%	0.3%	0.2%	0.2%	0.1%	0.3%	0.6%	0.2%	--	0.4%	0.4%	0.2%	--	0.5%	1.0%	0.9%	--	
Sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?	6.4%	5.4%	4.5%	6.2%	4.2%	3.8%	6.5%	7.3%	4.2%	11.3%	6.9%	4.3%	5.1%	7.2%	5.8%	5.8%	4.7%	5.0%	
Used methamphetamine (also called speed, crystal, crank, or ice)?	0.7%	0.8%	0.6%	0.5%	0.3%	0.3%	0.5%	0.6%	0.4%	0.3%	0.8%	0.7%	0.9%	0.4%	1.2%	1.7%	1.0%	0.6%	
Used over-the-counter drugs to get high?	4.1%	3.6%	2.5%	0.6%	0.8%	0.3%	2.4%	2.3%	1.4%	--	5.7%	4.4%	3.5%	--	7.2%	7.2%	4.6%	--	
Misused prescription drugs?	11.0%	11.3%	9.9%	4.2%	4.8%	8.3%	7.7%	10.2%	8.1%	--	14.4%	12.6%	10.6%	--	18.0%	18.2%	13.0%	--	
Use other drugs such as heroin, cocaine, LSD, or methamphetamines?	1.3%	1.2%	--	0.2%	0.4%	--	0.8%	0.7%	--	--	1.8%	1.2%	--	--	2.6%	2.6%	--	--	

FIGURE 2

LIFETIME SUBSTANCE USE: OTHER SUBSTANCES
IDAHO AND NATIONAL MONITORING THE FUTURE (MTF)





FIGURE 3

LIFETIME SUBSTANCE USE: OTHER SUBSTANCES
IDAHO AND NATIONAL MONITORING THE FUTURE (MTF)



SUBSTANCE USE IN THE PAST 30 DAYS: IDAHO AND NATIONAL MONITORING THE FUTURE DATA



Students reported the number of days they used various substances in the past 30 days. Tables 6 and 7 and Figure 4 report the students who used once or more in the past 30 days. National Monitoring The Future (MTF) data (available only for grades 8, 10, and 12) are provided as a national comparison, when appropriate. Please note that the MTF questionnaire asks students to report the “number of occasions” for use, rather than “number of days,” which may not make comparisons completely reliable.

The substance in which the largest percentage of students reported using at least once in the past 30 days was alcohol (9.8%), followed by e-cigarettes (8.8%) and marijuana (5.6%).

As with lifetime use, students marking their gender as “other” reported higher use for all substances compared to males or females. Although use rates are similar for males and females, alcohol use was higher among females. Tobacco and smokeless tobacco use was higher among males.

By hub, the North Hub showed higher past-month alcohol and binge drinking, marijuana use, and prescription drug misuse compared to other regions.

Compared to the national survey, a lower percentage of Idaho, 8th, 10th, and 12th grade students used most substances in the past 30 days. From 2019 to 2021, 30-day use rates decreased. See Tables 6 and 7 for data by grade, gender, and hub.

FIGURE 4

SUBSTANCE USE IN THE PAST 30 DAYS: IDAHO AND NATIONAL MONITORING THE FUTURE (MTF)




TABLE 6

SUBSTANCE USE IN THE PAST 30 DAYS BY GRADE (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GRADE LEVEL														
	2017	2019	2021	6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE					
				ID 2017	ID 2019	ID 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021
Have at least one drink of alcohol?	14.7%	14.7%	9.8%	3.0%	3.2%	2.4%	7.8%	10.2%	4.7%	7.3%	18.9%	16.2%	11.4%	13.1%	29.3%	30.6%	21.6%	25.8%
Have 5 or more drinks of alcohol in a row, that is, within a couple of hours?	6.8%	6.7%	4.8%	0.9%	0.9%	0.6%	2.7%	3.1%	1.4%	--	7.7%	7.7%	6.0%	--	16.2%	16.0%	11.7%	--
Use marijuana?	9.2%	8.5%	5.6%	0.7%	1.0%	0.4%	4.2%	5.1%	2.2%	4.1%	12.2%	10.2%	6.9%	10.1%	19.0%	18.5%	13.4%	19.5%
Misuse prescription drugs?	3.6%	3.3%	2.8%	1.5%	1.4%	2.4%	2.6%	2.8%	2.3%	--	4.9%	4.4%	3.9%	--	5.6%	4.9%	2.7%	--
Smoke part or all of a cigarette?	5.6%	4.8%	2.1%	0.8%	0.8%	0.7%	3.4%	2.8%	1.2%	1.1%	6.9%	6.0%	2.7%	1.8%	11.0%	9.9%	3.8%	4.1%
Use a vape pen or e-cigarette?	13.9%	14.6%	8.8%	1.6%	2.8%	1.7%	7.9%	9.6%	5.2%	8.9%	18.7%	18.4%	10.5%	15.6%	26.4%	29.4%	18.1%	24.0%
Use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?	3.1%	2.5%	1.2%	0.4%	0.5%	0.3%	2.1%	1.6%	0.7%	1.6%	3.6%	2.9%	1.5%	1.7%	6.2%	5.3%	2.4%	2.2%

TABLE 7

SUBSTANCE USE IN THE PAST 30 DAYS BY GENDER AND HUB (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GENDER									HUB								
				MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Have at least one drink of alcohol?	14.7%	14.7%	9.8%	13.4%	14.0%	8.6%	15.7%	15.3%	10.7%	31.2%	16.2%	15.3%	21.0%	21.4%	15.7%	16.7%	14.1%	10.8%	9.9%	12.8%	6.5%
Have 5 or more drinks of alcohol in a row, that is, within a couple of hours?	6.8%	6.7%	4.8%	6.7%	7.1%	4.6%	6.7%	6.1%	5.0%	18.7%	8.2%	4.4%	9.4%	10.7%	7.8%	7.7%	6.1%	5.3%	4.7%	5.8%	3.1%
Use marijuana?	9.2%	8.5%	5.6%	8.8%	8.4%	5.4%	9.3%	8.4%	5.6%	25.6%	12.2%	11.2%	11.2%	8.9%	7.9%	11.1%	9.6%	6.8%	6.3%	7.2%	3.6%
Misuse prescription drugs?	3.6%	3.3%	2.8%	3.1%	3.0%	2.8%	3.8%	3.3%	2.6%	16.8%	14.3%	7.1%	3.5%	3.1%	3.1%	4.2%	3.7%	2.6%	3.1%	3.1%	2.9%
Smoke part or all of a cigarette?	5.6%	4.8%	2.1%	5.6%	4.9%	2.1%	5.3%	4.5%	1.8%	16.1%	7.5%	6.3%	8.3%	5.2%	3.7%	5.8%	5.1%	2.0%	4.3%	4.2%	1.6%
Use a vape pen or e-cigarette?	13.9%	14.6%	8.8%	14.1%	14.6%	7.1%	13.3%	14.6%	10.3%	29.0%	18.9%	13.9%	19.6%	14.5%	12.1%	13.6%	15.7%	9.5%	11.8%	13.6%	6.8%
Use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?	3.1%	2.5%	1.2%	4.6%	3.6%	1.6%	1.5%	1.2%	0.9%	6.1%	6.5%	1.3%	5.8%	3.5%	2.5%	3.0%	2.9%	0.9%	2.2%	1.8%	1.1%

PERCEIVED RISK OF SUBSTANCE USE: IDAHO AND NATIONAL MONITORING THE FUTURE DATA



When youth perceive that a substance is harmful, they are less likely to use it. Perceived risk of using substances typically decreases as students age, see Table 8. Just over 54% of 6th grade students reported that they perceived “great risk” in having one or two alcoholic beverages nearly every day, followed by 50.2% of 8th grade students, 45.5% of 10th grade students, and 41.3% of 12th grade students. The one exception for this trend was for the perceived risk of using other drugs such as heroin, cocaine, LSD, or methamphetamines, in which the perception of risk increased with age; 80.1% of 6th grade students and 85.3% of 12th grade students reporting using other drugs posed a great risk.

The percentage of Idaho high school students reporting that regular alcohol use and binge drinking carried a great risk was higher for Idaho youth than at the national level. Conversely, the percentage that reported a perception of great risk for smoking one or more packs of cigarettes per day was greater among Idaho 8th grade students (66.3% IHYS, 63.3% MTF), but lower among Idaho 10th and 12th grade students (65.2% versus 73.2% among 10th grade and 64.4% versus 75.6% among 12th grade). While perceived risk of heavy cigarette use increases with age at the national level, in Idaho, perceived risk of heavy cigarette use decreases with age.

Perceived risk of all substances is greater for female students than for male or “other” gender students. Perceived risk was greater in East Hub for nearly all substances.

From 2019 to 2021, the total percentage of students indicating great risk increased for all substances, with the exception of heavy cigarette use (66.5% in 2019 versus 65.7% in 2021). See Tables 8 and 9 for data by grade, gender, and hub.

FIGURE 5

PERCEIVED RISK OF SUBSTANCE USE:
IDAHO AND NATIONAL MONITORING THE FUTURE (MTF)



TABLE 8

PERCEIVED RISK OF SUBSTANCES BY GRADE (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GRADE LEVEL														
	2017	2019	2021	6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE					
				ID 2017	ID 2019	ID 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021
How much do you think people risk harming themselves physically or in other ways when they misuse prescription drugs?	64.1%	61.8%	65.7%	67.6%	62.5%	65.8%	65.9%	63.3%	66.3%	---	61.4%	60.0%	65.2%	---	61.5%	61.5%	65.4%	---
How much do you think people risk harming themselves physically or in other ways when they use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?	63.2%	59.0%	61.1%	72.1%	65.1%	68.8%	65.9%	59.4%	62.3%	37.6%	59.6%	57.6%	59.0%	43.8%	56.1%	53.7%	54.5%	45.9%
How much do you think people risk harming themselves physically or in other ways when they use a vape pen or e-cigarette?	37.5%	48.3%	52.3%	55.3%	59.4%	64.8%	42.6%	50.6%	55.3%	---	30.3%	43.8%	48.0%	---	23.5%	38.5%	41.5%	---
How much do you think people risk harming themselves physically or in other ways when they use marijuana once or twice a week?	47.7%	46.4%	49.6%	70.2%	64.5%	67.9%	57.0%	52.5%	57.7%	51.6%	39.7%	39.2%	42.3%	41.0%	26.1%	27.9%	30.1%	21.6%
How much do you think people risk harming themselves physically or in other ways when they use other drugs such as heroin, cocaine, LSD, or methamphetamines?	83.2%	80.1%	82.6%	81.5%	76.9%	80.1%	83.3%	78.9%	80.8%	---	83.8%	82.3%	84.4%	---	84.1%	82.5%	85.3%	---
How much do you think people risk harming themselves physically or in other ways when they have one or two alcoholic beverages nearly every day?	47.7%	46.5%	47.9%	55.3%	52.7%	54.3%	50.6%	46.7%	50.2%	26.9%	46.4%	46.3%	45.5%	31.0%	38.3%	39.6%	41.3%	21.0%
How much do you think people risk harming themselves physically or in other ways when they have five or more alcoholic beverages once or twice a week?	57.4%	54.7%	57.0%	64.8%	61.0%	64.7%	61.9%	56.2%	58.6%	50.7%	55.2%	53.9%	55.5%	52.6%	47.6%	47.1%	49.0%	46.4%
How much do you think people risk harming themselves physically or in other ways when they smoke one or more packs of cigarettes per day?	70.4%	66.5%	65.7%	74.7%	68.0%	65.8%	71.0%	67.9%	66.3%	63.3%	68.7%	65.2%	65.2%	73.2%	67.3%	64.9%	65.4%	75.6%

TABLE 9

PERCEIVED RISK OF SUBSTANCES BY GENDER AND HUB (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GENDER									HUB								
				MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How much do you think people risk harming themselves physically or in other ways when they misuse prescription drugs?	64.1%	61.8%	65.7%	61.6%	59.1%	62.7%	67.2%	64.9%	69.3%	49.6%	58.4%	57.8%	61.1%	60.5%	63.8%	63.3%	58.4%	63.3%	66.2%	66.0%	68.9%
How much do you think people risk harming themselves physically or in other ways when they use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?	63.2%	59.0%	61.1%	60.0%	55.9%	58.1%	66.7%	62.4%	64.8%	58.8%	53.1%	50.4%	53.9%	52.3%	52.5%	62.6%	55.8%	60.4%	67.8%	64.7%	65.2%
How much do you think people risk harming themselves physically or in other ways when they use a vape pen or e-cigarette?	37.5%	48.3%	52.3%	35.4%	45.1%	50.9%	40.1%	51.8%	54.9%	20.2%	43.5%	35.5%	28.5%	47.7%	44.7%	34.6%	45.7%	49.2%	44.5%	51.2%	58.7%
How much do you think people risk harming themselves physically or in other ways when they use marijuana once or twice a week?	47.7%	46.4%	49.6%	45.9%	45.3%	48.4%	50.2%	47.8%	52.0%	25.2%	38.5%	28.3%	39.9%	42.6%	41.5%	43.6%	42.2%	44.0%	55.7%	51.9%	58.6%
How much do you think people risk harming themselves physically or in other ways when they use other drugs such as heroin, cocaine, LSD, or methamphetamines?	83.2%	80.1%	82.6%	81.8%	79.5%	82.0%	84.8%	81.1%	84.0%	75.0%	71.9%	73.2%	84.0%	80.7%	81.9%	82.5%	78.0%	82.8%	83.7%	82.0%	82.8%
How much do you think people risk harming themselves physically or in other ways when they have one or two alcoholic beverages nearly every day?	47.7%	46.5%	47.9%	45.1%	42.9%	45.3%	50.7%	50.2%	51.1%	33.9%	42.0%	37.9%	41.1%	39.2%	39.1%	45.9%	43.9%	44.9%	52.4%	51.6%	54.3%
How much do you think people risk harming themselves physically or in other ways when they have five or more alcoholic beverages once or twice a week?	57.4%	54.7%	57.0%	54.6%	51.5%	54.6%	60.6%	58.2%	60.1%	40.8%	47.3%	45.1%	50.3%	47.3%	50.4%	55.8%	52.1%	53.8%	62.0%	59.9%	62.8%
How much do you think people risk harming themselves physically or in other ways when they smoke one or more packs of cigarettes per day?	70.4%	66.5%	65.7%	69.2%	65.5%	62.7%	71.8%	67.7%	69.3%	63.2%	62.0%	57.8%	68.7%	65.3%	63.8%	69.7%	63.1%	63.3%	71.8%	70.4%	68.9%

PERCEIVED AVAILABILITY OF SUBSTANCES: IDAHO AND NATIONAL MONITORING THE FUTURE DATA



Students most often reported that alcohol was easy or very easy to get (34.2%), followed by prescription drugs for the purpose of misuse (24.3%), marijuana (18.5%), tobacco (17.2%) and other drugs such as heroin, cocaine, LSD, or methamphetamine (5.1%).

Idaho youth perceive tobacco, alcohol, and marijuana as more difficult to get compared to youth nationwide.

“Other” gender students perceive all substance categories as being easier to get compared to male and female students. Females perceived easier access to all substances compared to male students.

By hub, North Hub reported a higher rate of perceived availability for all substances.

From 2019 to 2021, total percentages of students finding it easy or very easy to get all substances decreased. See Tables 10 and 11 for data by grade, gender, and hub.

FIGURE 6

PERCEIVED EASE OF OBTAINING SUBSTANCES: IDAHO AND NATIONAL MONITORING THE FUTURE (MTF)




TABLE 10

PERCEIVED AVAILABILITY OF SUBSTANCES BY GRADE (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GRADE LEVEL															
	2017	2019	2021	6TH GRADE			8TH GRADE			10TH GRADE				12TH GRADE					
				ID 2017	ID 2019	ID 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021	ID 2017	ID 2019	ID 2021	MTF 2021	
If you wanted to get some prescription drugs to misuse, how easy would it be for you to get some?	32.1%	28.4%	24.3%	9.4%	9.1%	9.9%	26.6%	24.9%	19.3%	--	42.6%	34.8%	30.7%	--	49.4%	46.4%	37.5%	--	
If you wanted to get some alcohol, how easy would it be for you to get some?	38.8%	37.5%	34.2%	11.2%	13.0%	12.1%	30.4%	31.9%	27.5%	47.9%	49.1%	44.7%	42.7%	60.2%	64.1%	62.4%	55.3%	76.8%	
If you wanted to get some tobacco, how easy would it be for you to get some?	28.6%	25.3%	17.2%	6.3%	6.2%	4.8%	17.5%	19.5%	11.7%	38.0%	34.1%	27.6%	20.7%	48.0%	55.6%	50.3%	31.9%	--	
If you wanted to get some marijuana, how easy would it be for you to get some?	27.4%	23.9%	18.5%	2.9%	3.6%	3.0%	14.4%	15.8%	8.6%	26.7%	37.0%	30.9%	23.9%	47.5%	52.7%	47.2%	39.0%	69.6%	
If you wanted to get other drugs such as heroin, cocaine, LSD, or methamphetamines, how easy would it be for you to get some?	8.5%	7.8%	5.1%	1.1%	1.8%	1.4%	3.7%	5.4%	3.1%	--	11.0%	9.6%	6.2%	--	17.4%	15.0%	9.9%	--	

TABLE 11

PERCEIVED AVAILABILITY OF SUBSTANCES BY GENDER AND HUB (2017/2019/2021 IHYS DATA AND 2021 NATIONAL MTF DATA COMPARISONS)

FULL QUESTION	STATE TOTAL			GENDER									HUB								
				MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
If you wanted to get some prescription drugs to misuse, how easy would it be for you to get some?	32.1%	28.4%	24.3%	31.0%	26.8%	22.1%	32.8%	29.5%	25.8%	51.3%	42.7%	36.3%	33.5%	29.2%	27.0%	34.3%	27.3%	25.4%	28.9%	29.3%	22.3%
If you wanted to get some alcohol, how easy would it be for you to get some?	38.8%	37.5%	34.2%	37.6%	36.5%	31.2%	39.9%	38.2%	36.2%	56.0%	46.3%	50.8%	49.5%	48.6%	44.0%	42.4%	36.1%	37.7%	30.4%	35.0%	26.9%
If you wanted to get some tobacco, how easy would it be for you to get some?	28.6%	25.3%	17.2%	29.3%	26.6%	16.9%	27.5%	24.0%	17.0%	51.1%	24.6%	25.3%	37.8%	30.1%	24.4%	30.8%	26.8%	17.7%	22.4%	22.1%	13.9%
If you wanted to get some marijuana, how easy would it be for you to get some?	27.4%	23.9%	18.5%	26.1%	22.9%	16.6%	28.2%	24.8%	19.8%	50.2%	27.3%	29.0%	32.5%	25.7%	23.8%	31.6%	26.2%	20.9%	20.5%	20.9%	13.8%
If you wanted to get other drugs such as heroin, cocaine, LSD, or methamphetamines, how easy would it be for you to get some?	8.5%	7.8%	5.1%	8.2%	8.0%	4.8%	8.6%	7.4%	5.5%	16.7%	14.1%	5.6%	8.2%	7.5%	6.3%	10.1%	8.1%	5.3%	6.8%	7.7%	4.4%

A youth’s perception of harm and their access to substances affects how likely they are to experiment with alcohol or drugs. Find prevention resources, fact sheets, and drug take-back locations at odp.idaho.gov.

SECTION 3: SUBSTANCE-LEVEL OUTCOMES AND MEASURES

ALCOHOL USE: VOLUME AND FRIENDS' SUBSTANCE USE

Students were asked to report the largest number of drinks they had in a row (within a couple of hours) in the past 30 days. While a majority of students reported that they did not have a drink in the past 30 days, among those that had reported drinking alcohol, most reported drinking 1 or 2 drinks per occasion (39.3%), followed by 6 or 7 drinks (12.4%). Twelfth grade students who reported drinking at least once in the past 30 days were more likely than the students in other grades to have ten or more drinks (13.7%) in a row within a couple of hours. Twelfth grade students were most likely to report that all or most of their friends drink (22.0%), followed by 10th grade students (11.3%), 8th grade students (2.6%), and 6th grade students (0.6%).

Female students were less likely to consume 10 or more drinks in a row within a couple of hours (6.5%) than male alcohol users (18.6%).

From 2019 to 2021, the percentage of students indicating they had 10 or more drinks decreased from 17.1% to 11.6%. Please see Tables 12 and 13 for data by grade, gender, and hub. Note that percentages for alcohol volume reflect students who reported using in the past 30 days.

FIGURE 7




TABLE 12

ALCOHOL USE: CONSUMPTION VOLUME IN THE PAST 30 DAYS (OF THOSE REPORTING USE) AND FRIENDS' USE BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends drink alcohol?	"Most" or "All"	12.0%	11.6%	8.9%	0.8%	0.7%	0.6%	4.0%	4.8%	2.6%	14.0%	13.4%	11.3%	30.1%	29.1%	22.0%
Sample Size		2957	1357	1546	140	86	128	360	274	214	994	402	406	1463	595	798
During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?	1 or 2 drinks	38.9%	41.8%	39.3%	67.4%	71.2%	80.8%	54.6%	65.6%	60.7%	41.9%	41.5%	38.3%	30.2%	29.7%	30.9%
	3 drinks	9.8%	9.2%	12.1%	9.3%	10.7%	5.0%	10.7%	8.9%	13.7%	11.3%	8.3%	15.2%	8.6%	9.8%	10.6%
	4 drinks	8.5%	7.2%	9.6%	5.6%	5.0%	3.3%	6.9%	5.0%	6.5%	9.1%	7.8%	8.9%	8.7%	7.8%	11.3%
	5 drinks	9.3%	9.0%	8.2%	4.0%	3.7%	8.0%	9.0%	7.6%	4.7%	8.9%	8.5%	6.9%	10.1%	10.4%	9.8%
	6 or 7 drinks	11.5%	8.7%	12.4%	3.5%	0.8%	0.0%	5.7%	4.0%	6.0%	10.8%	9.0%	12.4%	14.2%	11.2%	15.1%
	8 or 9 drinks	7.5%	6.9%	6.8%	1.2%	0.0%	0.0%	4.1%	2.2%	2.9%	6.3%	7.7%	6.3%	9.7%	9.0%	8.6%
	10 or more drinks	14.7%	17.1%	11.6%	8.9%	8.7%	3.0%	9.0%	6.7%	5.5%	11.7%	17.1%	12.0%	18.6%	22.1%	13.7%

TABLE 13

ALCOHOL USE: CONSUMPTION VOLUME IN THE PAST 30 DAYS (OF THOSE REPORTING USE) AND FRIENDS' USE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends drink alcohol?	"Most" or "All"	12.0%	11.6%	8.9%	11.0%	11.4%	7.1%	12.9%	11.6%	10.8%	23.4%	15.3%	8.8%	18.5%	18.2%	16.0%	13.4%	11.4%	9.1%	7.9%	9.4%	6.0%
Sample Size		2957	1357	50	1364	615	338	1497	706	419	78	27	39	632	269	186	1519	413	451	805	675	161
During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?	1 or 2 drinks	38.9%	41.8%	39.3%	35.7%	38.7%	35.2%	42.0%	44.5%	41.9%	27.9%	45.6%	48.3%	--	41.2%	33.5%	40.2%	41.1%	36.0%	38.1%	43.0%	49.8%
	3 drinks	9.8%	9.2%	12.1%	9.0%	7.6%	10.5%	10.5%	10.5%	13.0%	11.7%	18.3%	18.4%	10.0%	6.5%	11.9%	9.0%	11.3%	13.3%	11.0%	8.5%	10.4%
	4 drinks	8.5%	7.2%	9.6%	8.2%	6.2%	8.1%	8.7%	8.4%	11.3%	9.2%	1.5%	5.5%	9.5%	7.5%	11.1%	8.7%	7.8%	8.0%	7.4%	6.3%	11.0%
	5 drinks	9.3%	9.0%	8.2%	7.4%	7.8%	6.6%	10.8%	10.6%	9.2%	14.1%	0.0%	6.5%	9.0%	7.0%	10.3%	9.0%	9.5%	9.3%	10.0%	9.5%	4.7%
	6 or 7 drinks	11.5%	8.7%	12.4%	11.8%	8.4%	13.1%	11.6%	9.3%	11.7%	4.3%	3.4%	15.2%	12.2%	11.8%	12.1%	11.2%	6.9%	15.7%	11.4%	8.9%	7.3%
	8 or 9 drinks	7.5%	6.9%	6.8%	7.7%	8.8%	7.9%	7.2%	5.5%	6.5%	8.3%	1.5%	0.0%	7.0%	6.5%	8.1%	7.6%	7.1%	7.0%	7.6%	6.9%	5.1%
	10 or more drinks	14.7%	17.1%	11.6%	20.2%	22.6%	18.6%	9.2%	11.1%	6.5%	24.5%	29.7%	6.2%	15.8%	19.5%	13.1%	14.4%	16.3%	10.7%	14.5%	16.8%	11.8%

Youth often overestimate how frequently their peers use alcohol and other drugs, leaving them vulnerable to peer pressure. To learn about effective prevention strategies using the social norms approach, visit socialnorms.org.

ALCOHOL: PLACES OF CONSUMPTION

The majority of students did not drink alcohol in the past six months. Among those that did, students most often drank at home (61.3%), followed by at another person's home (50.4%); in an open area such as a park, campground, field, or parking lot (13.1%); when riding in a car or driving a vehicle (8.8%); at a public event such as a concert or sporting event (5.5%); on school property (3.4%); and at a restaurant, bar, or club (3.2%). Just over twenty percent reported drinking at some other place not listed. Because students were able to select all that apply, percentages do not add up to 100.

Students in grades 6 and 8 were more likely to drink at their home than another person's home. While the percent of alcohol users who drink at home was fairly consistent across all grades, rates for places outside of the home increased as student aged. For example, of 6th grade alcohol users, 3.9% reported using at a public event. By the 12th grade, the rate increased with 7.6% of alcohol users reporting use at a public event.

From 2019 to 2021, state totals remained fairly stable, although the percentage of students reporting drinking at home increased from 53.0% to 61.3%. Please see Tables 14 and 15 for data by grade, gender, and hub. Note that percentages provided are of students who reported use in the past 30 days.

FIGURE 8




TABLE 14

ALCOHOL USE: PLACES OF CONSUMPTION (OF THOSE REPORTING USE) BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		4318	1887	1329	227	146	122	659	432	275	1498	557	360	1934	752	572
During the past 6 months, where did you drink alcohol?	At my home	53.1%	53.0%	61.3%	57.2%	64.6%	69.7%	57.0%	57.1%	74.6%	52.2%	51.4%	62.3%	52.0%	50.5%	54.5%
	At another person's home	55.3%	52.6%	50.4%	19.5%	16.2%	17.7%	42.5%	43.0%	27.5%	55.5%	55.6%	51.3%	63.6%	60.6%	63.1%
	When riding in or driving a car or other vehicle	8.4%	7.9%	8.8%	2.7%	3.4%	5.5%	6.7%	2.8%	2.2%	7.7%	7.3%	9.5%	10.3%	11.5%	11.2%
	At a restaurant, bar, or club	4.0%	3.2%	5.3%	5.4%	1.6%	2.8%	3.6%	2.0%	3.6%	3.0%	2.1%	5.4%	4.6%	4.8%	6.2%
	At an open area such as a park, campground, field, or parking lot	14.3%	11.3%	13.1%	8.4%	8.8%	13.0%	12.0%	8.8%	8.5%	13.3%	12.3%	15.3%	16.6%	12.2%	13.4%
	At a public event such as a concert or sporting event	8.4%	5.8%	5.5%	2.6%	3.9%	3.9%	5.9%	2.8%	1.6%	8.1%	5.5%	5.0%	10.2%	7.7%	7.6%
	On school property	4.2%	4.0%	3.4%	1.3%	1.3%	4.2%	3.6%	2.9%	2.7%	4.3%	4.8%	3.8%	4.6%	4.4%	3.1%
	Some other place	21.0%	19.6%	20.5%	23.6%	22.0%	18.2%	22.4%	20.1%	14.5%	20.9%	19.0%	21.9%	20.4%	19.3%	22.2%

TABLE 15

ALCOHOL USE: PLACES OF CONSUMPTION (OF THOSE REPORTING USE) BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		4318	1887	1329	1942	819	561	2269	1024	693	86	36	72	958	367	299	2168	606	743	1192	914	287
During the past 6 months, where did you drink alcohol?	At my home	53.1%	53.0%	61.3%	52.1%	52.8%	57.5%	53.8%	52.8%	63.1%	55.5%	62.1%	74.5%	55.8%	58.4%	65.7%	54.0%	54.9%	61.8%	49.3%	47.7%	57.2%
	At another person's home	55.3%	52.6%	50.4%	50.9%	49.1%	46.3%	59.0%	56.2%	53.9%	50.9%	32.5%	46.4%	57.6%	56.8%	53.1%	56.2%	50.7%	54.1%	51.5%	52.5%	42.4%
	When riding in or driving a car or other vehicle	8.4%	7.9%	8.8%	8.3%	9.7%	8.2%	8.5%	6.5%	9.1%	10.5%	5.8%	7.9%	10.5%	9.9%	10.5%	6.9%	7.9%	7.5%	9.6%	6.9%	9.5%
	At a restaurant, bar, or club	4.0%	3.2%	5.3%	4.1%	4.0%	4.8%	3.8%	2.4%	5.0%	5.5%	5.8%	12.3%	4.4%	3.8%	4.9%	3.8%	2.3%	6.3%	3.9%	3.9%	4.1%
	At an open area such as a park, campground, field, or parking lot	14.3%	11.3%	13.1%	14.8%	12.4%	13.6%	13.5%	10.5%	12.8%	25.7%	11.7%	13.6%	18.1%	14.1%	17.1%	12.3%	10.8%	11.5%	14.9%	10.4%	12.6%
	At a public event such as a concert or sporting event	8.4%	5.8%	5.5%	8.5%	6.6%	5.7%	8.0%	5.0%	5.1%	17.5%	10.2%	8.4%	9.5%	4.3%	5.7%	8.6%	5.9%	6.6%	7.2%	6.5%	3.8%
	On school property	4.2%	4.0%	3.4%	3.9%	5.0%	2.8%	4.1%	2.7%	3.4%	14.0%	17.9%	7.5%	4.1%	4.2%	3.2%	3.9%	3.9%	2.7%	4.6%	4.1%	4.5%
	Some other place	21.0%	19.6%	20.5%	24.8%	22.4%	23.9%	17.6%	17.1%	18.7%	28.3%	23.3%	12.9%	22.4%	19.5%	25.6%	18.4%	19.1%	17.0%	24.7%	20.1%	22.0%

ALCOHOL: SOURCES OF OBTAINING THE SUBSTANCE

Most students did not drink alcohol in the past 30 days; however, of those that did, most got the alcohol they drank from a friend for free (39.2%), followed by receiving it from a family member for free (35.7%); giving someone they knew money to buy it (26.6%); taking it from a store or family member (16.9%); buying at a store (7.8%); giving someone they did not know money to buy it (7.4%); buying it at a restaurant, bar, or club (5.3%); and buying at a public event such as a concert or sporting event (4.5%). Over 25% of students reported getting their alcohol some other way not listed. Because students were able to select all that apply, percentages do not add up to 100.

Students in 6th grade (who reported alcohol use in the past 30 days) were more likely than other grades to get their alcohol from a family member for free rather than a friend for free, and students in 12th grade were more likely than other grades to give someone they knew money to buy it.

Female alcohol users were more likely than male students or "other" gender students to get alcohol from a friend for free (39.9%). "Other" gender alcohol users were more likely to give someone they didn't know money to buy it (16.0%).

From 2019 to 2021, increases were seen in students getting alcohol from a friend or family member for free. Please see Tables 16 and 17 for data by grade, gender, and hub, and note that percentages provided are of students who reported using in the past 30 days.

FIGURE 9




TABLE 16

ALCOHOL USE: SOURCES OF OBTAINING ALCOHOL (OF THOSE REPORTING USE) BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		2707	1136	720	115	61	63	323	221	106	897	336	185	1372	518	366
During the past 30 days, how did you get the alcohol you drank?	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	4.7%	4.6%	7.8%	14.0%	12.4%	12.0%	3.8%	4.5%	4.3%	2.8%	2.9%	7.7%	5.3%	4.9%	8.1%
	I bought it at a restaurant, bar, or club	2.4%	3.3%	5.3%	5.2%	11.1%	9.8%	1.3%	2.9%	3.3%	1.7%	1.9%	8.0%	3.0%	3.5%	3.6%
	I bought it at a public event such as a concert or sporting event	2.7%	2.7%	4.5%	5.5%	15.2%	6.0%	1.8%	2.4%	1.6%	1.8%	2.6%	7.8%	3.2%	1.7%	3.0%
	I gave someone I knew money to buy it for me	29.8%	29.4%	26.6%	7.8%	8.6%	14.7%	13.8%	6.0%	7.1%	21.8%	23.5%	24.3%	40.7%	43.1%	33.9%
	I gave someone I didn't know money to buy it for me	4.9%	5.4%	7.4%	6.3%	11.1%	8.0%	3.7%	3.0%	2.0%	4.0%	5.1%	10.0%	5.7%	5.9%	7.1%
	A friend gave it to me for free	38.0%	35.0%	39.2%	17.4%	13.8%	7.4%	29.3%	24.6%	13.4%	39.2%	39.8%	40.6%	41.0%	37.9%	48.5%
	A family member gave it to me for free	30.1%	27.7%	35.7%	29.3%	31.1%	26.8%	29.6%	25.3%	37.0%	30.8%	26.2%	40.9%	29.8%	29.1%	33.6%
	I took it from a store or family member	14.9%	14.8%	16.9%	9.3%	17.7%	20.7%	20.9%	26.1%	20.1%	19.5%	14.2%	21.6%	11.0%	11.0%	13.1%
I got it some other way	24.2%	25.9%	25.1%	40.6%	40.8%	33.4%	37.6%	39.0%	35.8%	25.1%	30.4%	27.9%	19.1%	17.1%	20.0%	

TABLE 17

ALCOHOL USE: SOURCES OF OBTAINING ALCOHOL (OF THOSE REPORTING USE) BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		2707	1136	720	581	499	301	1391	603	380	718	25	38	1234	231	159	1407	347	420	718	558	141
During the past 30 days, how did you get the alcohol you drank?	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	4.7%	4.6%	7.8%	4.3%	6.4%	9.0%	4.7%	2.3%	6.2%	4.9%	19.4%	14.1%	6.5%	5.2%	6.2%	2.8%	5.7%	8.9%	10.1%	3.2%	7.0%
	I bought it at a restaurant, bar, or club	2.4%	3.3%	5.3%	2.8%	4.9%	8.6%	2.1%	1.9%	2.0%	2.9%	3.4%	11.7%	3.6%	3.9%	4.2%	1.0%	3.8%	3.2%	11.2%	2.4%	9.8%
	I bought it at a public event such as a concert or sporting event	2.7%	2.7%	4.5%	2.5%	3.5%	5.7%	2.5%	1.2%	2.6%	3.1%	23.9%	12.6%	3.3%	4.3%	2.8%	1.8%	2.6%	3.7%	9.0%	2.0%	7.2%
	I gave someone I knew money to buy it for me	29.8%	29.4%	26.6%	33.5%	33.3%	26.6%	28.2%	26.7%	27.9%	30.1%	9.2%	14.8%	30.3%	34.3%	28.6%	29.7%	28.5%	26.6%	28.2%	27.5%	24.8%
	I gave someone I didn't know money to buy it for me	4.9%	5.4%	7.4%	5.6%	7.2%	9.0%	4.3%	3.4%	5.2%	5.4%	9.2%	16.0%	6.3%	7.4%	8.5%	3.4%	3.8%	6.9%	11.9%	6.0%	7.3%
	A friend gave it to me for free	38.0%	35.0%	39.2%	42.2%	33.8%	38.0%	36.4%	37.4%	39.9%	37.8%	10.5%	39.2%	33.5%	35.9%	43.1%	42.4%	35.7%	41.1%	31.7%	33.8%	32.8%
	A family member gave it to me for free	30.1%	27.7%	35.7%	32.1%	23.3%	31.4%	31.3%	31.5%	37.6%	26.1%	36.7%	52.8%	26.5%	30.7%	30.8%	32.9%	29.0%	37.1%	34.5%	24.7%	37.4%
	I took it from a store or family member	14.9%	14.8%	16.9%	13.9%	14.9%	14.4%	16.1%	14.4%	17.6%	13.4%	21.8%	31.1%	13.8%	18.4%	15.6%	15.1%	13.9%	16.4%	24.8%	13.8%	19.1%
I got it some other way	24.2%	25.9%	25.1%	23.0%	27.8%	29.6%	23.6%	23.6%	21.6%	26.4%	35.9%	26.1%	27.4%	24.5%	32.1%	20.5%	26.7%	20.2%	45.7%	25.8%	28.0%	

MARIJUANA: FREQUENCY OF USE AND MODES OF USE

Although most students do not use marijuana, of those that did, most (52.7%) reported typically using once on the days they did use marijuana, followed by 2 times (19.9%), 3 times (10.3%), and 6 or more times (8.2%).

Smoking marijuana was the most common form of consumption in the past month among youth that reported using marijuana (76.1%), followed by vaping it (50.8%), dabbing it (42.3%), and eating it (29.8%). Over 11% of youth that reported using did so in a way not listed. Because students were able to select all that apply, percentages do not add up to 100.

In Idaho, 7.4% of students reported that most or all of their friends use marijuana. High school students are more likely to have most/all of their friends use marijuana

(17.5% 12th grade, 9.4% 10th grade) compared to middle school aged youth (2.7% 8th grade, 0.3% 6th grade).

Fewer total students in 2021 indicated the mode of use as smoking (76.1%) than in 2019 (80.6%). Please see Tables 18 and 19 on the next pages for data by grade, gender, and hub. Note that for the daily use question and the marijuana modes question, percentages exclude students who did not use marijuana. See sample size for each item.

FIGURE 10




FIGURE 11




TABLE 18

MARIJUANA USE: FREQUENCY OF USE AND MODES OF USE (OF THOSE REPORTING USE), FRIENDS' USE BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends use marijuana?	Most/All	13.1%	11.3%	7.4%	0.7%	0.5%	0.3%	5.5%	6.8%	2.7%	18.2%	14.3%	9.4%	27.0%	25.0%	17.5%
Sample Size		3196	1299	809	48	41	21	399	258	123	1133	416	235	1616	584	430
On the days that you use marijuana, how many times do you typically use it in one day?	1 time	47.2%	48.0%	52.7%	46.0%	58.7%	81.0%	52.8%	55.1%	49.6%	43.6%	40.2%	48.9%	48.5%	49.9%	54.2%
	2 times	23.1%	24.0%	19.9%	25.8%	12.8%	0.0%	23.7%	19.6%	24.4%	25.2%	30.1%	20.4%	21.4%	22.3%	19.3%
	3 times	12.4%	11.6%	10.3%	7.6%	10.6%	4.8%	7.5%	8.5%	13.0%	13.0%	13.3%	11.9%	13.4%	11.6%	8.8%
	4 times	5.7%	5.3%	5.7%	4.0%	2.8%	4.8%	3.7%	4.5%	4.1%	6.0%	6.3%	6.8%	5.9%	5.1%	5.6%
	5 times	2.7%	2.0%	3.3%	0.0%	1.1%	4.8%	2.9%	3.3%	2.4%	3.1%	0.7%	4.3%	2.5%	2.4%	3.0%
	6 or more time	8.8%	9.1%	8.2%	16.7%	14.0%	4.8%	9.5%	9.0%	6.5%	9.1%	9.4%	7.7%	8.3%	8.7%	9.1%
Sample Size		2006	797	475	48	28	13	266	159	71	711	248	137	981	363	254
During the past 30 days, how did you use marijuana?	I smoked it	90.1%	80.6%	76.1%	63.9%	64.2%	34.7%	85.7%	74.5%	72.5%	91.0%	81.5%	80.6%	91.9%	83.1%	75.8%
	I ate it (in an edible, candy, tincture, or other food)	31.1%	28.9%	29.8%	16.5%	28.3%	24.4%	30.6%	29.7%	28.3%	32.0%	26.3%	35.0%	31.4%	30.3%	27.4%
	I used a vaporizer	19.6%	34.8%	50.8%	10.9%	26.5%	18.9%	20.2%	31.7%	39.7%	18.5%	34.3%	54.0%	20.6%	36.6%	52.6%
	I dabbed it	29.5%	36.0%	42.3%	24.1%	21.0%	33.4%	25.5%	31.3%	41.0%	28.4%	37.9%	46.1%	31.7%	37.4%	40.7%
	I used it in some other way	12.4%	11.4%	11.5%	20.6%	23.8%	34.2%	15.2%	15.4%	10.5%	12.9%	11.9%	17.2%	10.8%	9.0%	7.6%

TABLE 19

MARIJUANA USE: FREQUENCY OF USE AND MODES OF USE (OF THOSE REPORTING USE), FRIENDS' USE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends use marijuana?	Most/All	13.1%	11.3%	7.4%	1.7%	10.5%	6.5%	1.2%	12.0%	8.1%	5.6%	17.1%	10.5%	15.8%	12.0%	11.0%	16.0%	13.4%	8.6%	8.7%	9.1%	4.7%
Sample Size		3196	1299	809	1551	593	351	1544	679	406	85	22	50	678	185	168	1632	467	488	884	647	153
On the days that you use marijuana, how many times do you typically use it in one day?	1 time	47.2%	48.0%	52.7%	46.3%	47.4%	52.4%	48.3%	49.0%	51.5%	42.4%	42.8%	47.6%	49.9%	50.9%	49.9%	46.7%	45.6%	55.7%	46.3%	49.9%	46.3%
	2 times	23.1%	24.0%	19.9%	22.1%	23.6%	19.4%	24.5%	24.4%	19.1%	17.8%	20.4%	28.3%	21.7%	24.2%	21.0%	23.7%	26.6%	19.5%	23.0%	20.6%	19.0%
	3 times	12.4%	11.6%	10.3%	12.2%	11.4%	8.0%	12.2%	11.5%	12.1%	20.9%	15.4%	9.7%	11.6%	12.4%	9.5%	11.8%	10.9%	9.3%	14.2%	12.1%	12.4%
	4 times	5.7%	5.3%	5.7%	6.6%	4.7%	5.9%	5.0%	5.8%	5.2%	2.6%	9.0%	10.1%	6.5%	5.0%	6.7%	5.2%	5.3%	5.2%	5.9%	5.5%	6.2%
	5 times	2.7%	2.0%	3.3%	2.5%	1.8%	4.4%	3.0%	2.0%	3.8%	1.4%	5.5%	0.0%	2.9%	0.9%	4.3%	2.7%	2.1%	2.6%	2.7%	2.3%	5.6%
	6 or more time	8.8%	9.1%	8.2%	10.3%	11.1%	9.9%	7.0%	7.3%	8.2%	14.9%	7.0%	4.4%	7.5%	6.6%	8.7%	10.0%	9.5%	7.7%	7.8%	9.6%	10.5%
Sample Size		2006	797	475	969	378	222	965	399	221	66	16	31	397	121	103	1077	281	282	532	395	90
During the past 30 days, how did you use marijuana?	I smoked it	90.1%	80.6%	76.1%	88.7%	80.9%	73.6%	91.3%	81.2%	78.6%	92.5%	55.7%	75.8%	90.5%	76.8%	75.8%	89.7%	82.6%	75.4%	90.6%	79.7%	77.6%
	I ate it (in an edible, candy, tincture, or other food)	31.1%	28.9%	29.8%	29.8%	29.6%	33.1%	31.7%	27.7%	24.9%	42.1%	37.7%	39.0%	32.0%	28.7%	37.2%	33.6%	29.0%	26.5%	25.4%	29.0%	29.5%
	I used a vaporizer	19.6%	34.8%	50.8%	22.6%	35.7%	49.9%	15.3%	33.3%	51.2%	38.2%	46.5%	53.2%	22.4%	43.4%	47.0%	19.7%	34.9%	56.4%	17.2%	30.8%	43.6%
	I dabbed it	29.5%	36.0%	42.3%	33.0%	37.1%	40.2%	25.2%	34.2%	43.8%	38.7%	41.4%	47.3%	43.6%	41.9%	53.5%	27.8%	36.4%	35.4%	22.6%	32.8%	45.1%
	I used it in some other way	12.4%	11.4%	11.5%	14.2%	11.4%	14.8%	9.6%	10.2%	8.4%	25.2%	36.8%	10.5%	11.5%	13.3%	16.7%	13.6%	10.7%	6.5%	10.5%	11.6%	16.2%

MARIJUANA: SOURCES OF OBTAINING MARIJUANA

Although the majority of students did not use marijuana, of those that did, they most often got it from a friend or family member for free (46.6%), followed by buying it from a friend or family member (30.5%), buying it from a dealer or stranger (29.7%), taking it from a family member or friend (16.5%), buying it from a marijuana dispensary (13.0%), growing it themselves (7.5%), and buying it on the internet (5.9%). Over 26% of students who used marijuana reported getting it by some other way not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100.

By grade, students in lower grades were less likely to buy the marijuana they used from a friend or family member. Sixth grade students were most likely to buy from a dealer, compared to other grades.

By gender, male students who reported use were most likely to buy marijuana from a dealer or strangers (34.1%), female students and "other" gender students were most likely to get it from a friend or family member for free (51.4% and 65.9%).

A higher percentage of students indicated in 2021 that a friend or family member gave it to them for free (42.9% in 2019 versus 46.6% in 2021). Please see Tables 20 and 21 for data by grade, gender, and hub.

FIGURE 12




TABLE 20

MARIJUANA USE: SOURCES OF OBTAINING THE SUBSTANCE (OF THOSE REPORTING USE) BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		1877	759	469	41	33	15	232	147	70	663	242	136	941	337	248
	I bought it from a dealer or stranger.	36.7%	28.8%	29.7%	17.0%	16.6%	38.3%	27.1%	20.6%	27.1%	36.7%	27.4%	27.5%	40.0%	33.5%	31.3%
	I bought it from a friend or family member.	37.3%	28.5%	30.5%	16.0%	37.9%	17.2%	28.5%	22.1%	23.2%	36.9%	28.3%	34.4%	40.7%	30.0%	30.4%
	I bought it on the internet.	2.4%	3.6%	5.9%	0.0%	24.5%	22.1%	3.8%	4.6%	1.0%	2.3%	1.7%	6.0%	2.3%	2.7%	6.3%
During the past 30 days, how did you get the marijuana that you used?	A friend or family member gave it to me for free.	47.0%	42.9%	46.6%	27.2%	52.0%	23.2%	43.9%	46.2%	40.8%	50.4%	41.0%	53.5%	46.2%	42.2%	44.8%
	I took it from a family member or friend.	11.5%	12.4%	16.5%	10.6%	19.7%	17.7%	17.6%	18.2%	14.3%	14.3%	11.0%	21.5%	8.1%	10.6%	13.9%
	I bought it from a marijuana dispensary.	10.0%	9.7%	13.0%	15.2%	7.0%	25.3%	4.5%	5.4%	0.0%	8.4%	4.5%	15.7%	12.2%	14.7%	14.0%
	I grew it myself.	4.8%	3.9%	7.5%	4.7%	4.7%	25.8%	7.8%	5.5%	1.8%	4.9%	2.5%	11.0%	3.9%	4.2%	5.9%
	I got it some other way.	23.3%	28.2%	26.6%	39.9%	32.8%	25.0%	31.2%	35.1%	29.5%	24.5%	29.6%	35.0%	19.8%	24.5%	20.8%

TABLE 21

MARIJUANA USE: SOURCES OF OBTAINING THE SUBSTANCE (OF THOSE REPORTING USE) BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB									
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB			
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017
Sample Size		1877	759	469	901	358	224	910	379	216	60	17	28	375	115	100	994	280	277	508	364	92	
During the past 30 days, how did you get the marijuana that you used?	I bought it from a dealer or stranger.	36.7%	28.8%	29.7%	40.7%	34.4%	34.1%	32.1%	22.8%	26.5%	45.5%	27.7%	20.0%	32.0%	24.0%	27.7%	39.9%	26.1%	29.2%	34.1%	34.5%	32.3%	
	I bought it from a friend or family member.	37.3%	28.5%	30.5%	36.3%	29.8%	34.4%	37.3%	26.5%	26.0%	51.1%	30.9%	32.8%	35.9%	28.6%	30.0%	38.7%	30.1%	29.2%	35.7%	26.2%	33.1%	
	I bought it on the internet.	2.4%	3.6%	5.9%	3.5%	4.6%	7.4%	1.1%	1.9%	3.2%	7.1%	14.6%	14.5%	1.6%	4.3%	6.7%	2.5%	4.6%	4.5%	2.8%	2.0%	7.9%	
	A friend or family member gave it to me for free.	47.0%	42.9%	46.6%	38.8%	36.2%	39.5%	54.9%	49.2%	51.4%	46.2%	43.9%	65.9%	53.1%	50.5%	55.9%	46.4%	43.7%	44.4%	43.6%	38.5%	42.8%	
	I took it from a family member or friend.	11.5%	12.4%	16.5%	10.3%	10.9%	13.6%	11.9%	13.2%	18.4%	22.5%	21.5%	26.7%	10.2%	15.4%	21.2%	12.4%	13.7%	13.1%	10.8%	9.2%	18.8%	
	I bought it from a marijuana dispensary	10.0%	9.7%	13.0%	11.2%	10.9%	15.7%	8.0%	8.6%	10.3%	23.0%	6.0%	13.2%	19.7%	19.1%	14.0%	8.8%	10.2%	14.5%	5.0%	5.1%	9.6%	
	I grew it myself.	4.8%	3.9%	7.5%	6.3%	5.0%	8.8%	2.5%	1.7%	4.8%	17.4%	23.1%	17.1%	6.4%	2.4%	10.5%	4.3%	4.6%	3.4%	4.5%	3.7%	12.4%	
I got it some other way.	23.3%	28.2%	26.6%	25.0%	30.7%	29.5%	21.1%	25.1%	25.2%	31.8%	41.1%	15.4%	27.3%	26.0%	35.2%	21.0%	28.2%	21.4%	25.0%	29.1%	28.8%		

TOBACCO: SOURCES OF OBTAINING THE SUBSTANCE AND FRIENDS' USE

Students were asked how they obtained the tobacco they used in the past 30 days. Tobacco source data in Tables 22 and 23 are only of students who were younger than 18 and who reported tobacco use in the past 30 days. Although the majority of students did not use tobacco, of those that did and were younger than 18, they most often got it from a friend for free (36.1%), followed by giving someone they knew money to buy it for them (26.4%), buying it from a store (17.7%), receiving it from a family member for free (12.5%), giving someone they didn't know money to buy it (11.9%), taking it from a store or family member (11.2%), and buying it on the internet (8.2%). Exactly 32% of underage students who used tobacco underage reported getting it by some other way not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100. Sixth grade students were more likely to give someone they didn't know money to buy tobacco for them (26.6% of those who used in the past 30 days) compared to older students.

More high school students reported that most or all of their friends used tobacco (2.5% 10th grade, 4.4% 12th grade) than those in middle school. Nearly 4% percent of North Hub students reported that most or all of their friends use tobacco.

From 2019 to 2021, a smaller percentage of students bought tobacco in a store (17.7% in 2021 versus 23.4% in 2019) or gave someone they knew money to buy them (26.4% in 2021 versus 28.6% in 2019). Please see Tables 22 and 23 for data by grade, gender, and hub.

FIGURE 13

SOURCES OF OBTAINING TOBACCO PRODUCTS (2021)
OF STUDENTS (YOUNGER THAN 18) THAT REPORTED ANY TOBACCO SOURCE IN THE PAST 30 DAYS. STUDENTS COULD MARK ALL THAT APPLY.




TABLE 22

TOBACCO USE: SOURCES OF OBTAINING THE SUBSTANCE (OF UNDERAGE STUDENTS WHO REPORTED USE) AND FRIENDS' USE OF TOBACCO BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends use tobacco?	Most/All	6.1%	4.7%	2.0%	0.4%	0.5%	0.3%	2.7%	3.0%	0.9%	7.6%	5.4%	2.5%	13.8%	10.6%	4.4%
Sample Size		1272	503	233	44	22	23	200	90	44	510	157	65	517	234	101
During the past 30 days, how did you get the tobacco products you used?	I bought them in a store such as a convenience store, supermarket, discount store or gas station	26.1%	23.4%	17.7%	15.6%	20.9%	20.8%	8.2%	4.2%	10.0%	8.4%	6.1%	13.0%	41.7%	40.6%	23.3%
	I bought them on the internet	5.3%	6.3%	8.2%	6.0%	27.9%	7.2%	4.5%	8.1%	9.7%	4.8%	4.0%	11.1%	5.7%	5.3%	5.6%
	I gave someone I knew money to buy them for me	32.9%	28.6%	26.4%	8.4%	27.6%	11.4%	28.3%	19.0%	14.4%	40.3%	30.9%	32.0%	30.7%	30.2%	28.9%
	I gave someone I didn't know money to buy them for me	5.8%	6.5%	11.9%	22.0%	26.7%	26.6%	7.7%	8.1%	5.3%	7.2%	5.0%	13.2%	3.7%	5.2%	10.9%
	A friend gave them to me for free	44.5%	37.0%	36.1%	19.4%	21.3%	9.3%	46.8%	42.9%	27.8%	52.6%	37.8%	46.2%	40.4%	36.0%	35.9%
	A family member gave them to me for free	12.2%	12.2%	12.5%	11.8%	30.1%	5.9%	19.8%	12.4%	18.7%	12.2%	15.8%	16.0%	10.4%	8.3%	8.9%
	I took them from a store or family member	10.8%	7.8%	11.2%	15.7%	17.2%	4.5%	23.0%	19.3%	17.3%	14.9%	10.1%	14.3%	5.1%	2.0%	7.8%
	I got them some other way	19.3%	24.1%	32.0%	44.1%	41.9%	34.2%	29.4%	44.0%	24.7%	25.3%	28.2%	43.0%	12.0%	13.8%	25.8%

TABLE 23

TOBACCO USE: SOURCES OF OBTAINING THE SUBSTANCE (OF UNDERAGE STUDENTS WHO REPORTED USE) AND FRIENDS' USE OF TOBACCO BY GRADE, GENDER, AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends use tobacco?	Most/All	6.1%	4.7%	2.0%	6.6%	5.1%	1.8%	5.4%	4.2%	2.2%	19.2%	7.5%	3.2%	10.3%	7.0%	3.8%	5.9%	4.9%	1.7%	4.7%	3.7%	1.6%
Sample Size		1272	503	233	697	278	115	528	206	97	42	12	21	334	88	65	574	175	114	364	240	54
During the past 30 days, how did you get the tobacco products you used?	I bought them in a store such as a convenience store, supermarket, discount store or gas station	26.1%	23.4%	17.7%	32.5%	26.4%	19.3%	17.6%	18.9%	15.1%	13.9%	28.8%	20.1%	28.8%	22.9%	12.8%	25.6%	24.7%	20.5%	24.2%	21.8%	18.5%
	I bought them on the internet	5.3%	6.3%	8.2%	6.5%	6.8%	9.0%	2.7%	3.3%	5.7%	14.0%	32.5%	15.1%	5.3%	7.4%	3.8%	5.3%	7.7%	6.6%	5.2%	3.8%	14.0%
	I gave someone I knew money to buy them for me	32.9%	28.6%	26.4%	34.0%	32.5%	26.8%	30.3%	23.3%	26.0%	43.2%	24.4%	26.1%	38.5%	33.6%	16.9%	29.5%	27.9%	29.1%	33.4%	27.1%	31.5%
	I gave someone I didn't know money to buy them for me	5.8%	6.5%	11.9%	7.4%	8.5%	13.8%	3.3%	3.3%	7.4%	8.3%	7.5%	22.7%	5.9%	4.6%	11.5%	5.4%	7.0%	5.4%	6.5%	6.7%	20.6%
	A friend gave them to me for free	44.5%	37.0%	36.1%	37.2%	34.2%	37.7%	54.3%	42.5%	33.1%	56.0%	7.5%	40.9%	50.5%	48.2%	37.8%	43.7%	36.5%	32.3%	40.3%	32.0%	39.2%
	A family member gave them to me for free	12.2%	12.2%	12.5%	10.6%	10.9%	8.8%	13.8%	13.4%	14.6%	24.1%	10.9%	24.4%	14.3%	14.3%	8.5%	11.4%	12.3%	13.8%	11.6%	11.1%	14.6%
	I took them from a store or family member	10.8%	7.8%	11.2%	8.5%	5.8%	13.0%	13.2%	10.1%	6.3%	19.6%	9.4%	23.5%	11.6%	10.2%	7.6%	10.6%	8.2%	11.6%	10.4%	6.0%	13.8%
	I got them some other way	19.3%	24.1%	32.0%	19.5%	23.6%	33.6%	17.5%	24.4%	28.7%	37.9%	34.3%	37.5%	16.7%	28.3%	48.4%	18.6%	19.9%	26.3%	23.2%	27.6%	24.5%

VAPE/E-CIGARETTE DEVICE: TYPES USED

Students were asked what they vaped or put in their electronic cigarettes in the past 30 days. Although the majority of students did not use e-cigarettes in the past month, of those that did, 54.5% use liquid with nicotine in it, 26.7% used liquid with THC (marijuana) in it, 14.9% used liquid with flavor only, and 35.4% did not know what they were vaping. Because participants were encouraged to select all that applied, percentages do not add up to 100.

Twelfth grade students were more likely to vape liquid with nicotine (70.9%), while 6th graders were more likely to be unsure of what they were vaping (69.5%). In the 8th grade, 38.3% of e-cigarette users vaped liquid with nicotine. In the 10th grade, 54.6% of e-cigarette users vaped liquid with nicotine.

By gender, a higher percentage of female students who used e-cigarettes vaped liquid with nicotine (61.8%). A higher percentage of "other" gender students who used e-cigarettes vaped liquid with THC (42.1%), and liquid with flavor only (25.4%). Just over 42% of male e-cigarette users indicated that they did not know what they had vaped in the past month.

By hub, liquid nicotine vaping was highest in the North Hub (60.9% of past-month users). THC vaping was highest in the North and West Hubs (31.0%).

FIGURE 14

SUBSTANCE USED IN E-CIGARETTE/VAPING DEVICES (2021)
OF STUDENTS INDICATING AT LEAST ONE SUBSTANCE TYPE IN THE PAST MONTH.
STUDENTS COULD MARK ALL THAT APPLY.




TABLE 24

VAPE/E-CIGARETTE DEVICE: TYPE OF SUBSTANCE VAPED (OF THOSE REPORTING USE) BY GRADE, GENDER, AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL	GRADE LEVEL				GENDER			HUB		
			6TH GRADE	8TH GRADE	10TH GRADE	12TH GRADE	MALE	FEMALE	OTHER	NORTH HUB	WEST HUB	EAST HUB
			2021	2021	2021	2021	2021	2021	2021	2021	2021	2021
Sample Size		1056	127	260	278	391	479	525	51	198	600	258
During the past 30 days, what type of substances did you use in an electronic cigarette?	Liquid with nicotine in it	54.5%	16.5%	38.3%	54.6%	70.9%	46.3%	61.8%	55.8%	60.9%	57.3%	47.1%
	Liquid with THC (marijuana) in it	26.7%	5.3%	15.8%	30.0%	34.3%	24.7%	27.0%	42.1%	31.0%	31.0%	18.5%
	Liquid with flavor only	14.9%	19.6%	15.4%	17.6%	11.5%	12.3%	16.3%	25.4%	16.6%	13.7%	15.7%
	I don't know	35.4%	69.5%	49.9%	36.6%	19.5%	42.1%	28.7%	40.0%	31.7%	31.7%	42.4%

VAPE/E-CIGARETTE DEVICE: SOURCES OF OBTAINING THE SUBSTANCE

Students were asked how they got their vaping or e-cigarette substance in the past month. Although the majority of students did not vape in the past month, of those that did, they most often borrowed it from someone else (40.2%), gave someone they knew money to buy it (37.2%), got it from a friend who gave it to them for free (30.6%), got it in a store (14.8%), or got it some other way not listed (22.1%). Because participants were encouraged to select all that applied, percentages do not add up to 100.

Among students who reported vaping in the past month, "other" gender students were more likely than male or female students to buy it over the internet or to get it from a family member for free. Female e-cigarette users were more likely to give someone they knew money to buy it (39.5%). By hub, West Hub students were more likely to buy it from a store (16.9%). North Hub students were more likely to borrow it (43.1%). East Hub e-cigarette users were more likely to get them from a family member free (16.8%).

FIGURE 15




TABLE 25

VAPE/E-CIGARETTE DEVICE: SOURCES OF OBTAINING THE SUBSTANCE VAPED (OF THOSE REPORTING USE) BY GRADE, GENDER, AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL	GRADE LEVEL				GENDER			HUB		
			6TH GRADE	8TH GRADE	10TH GRADE	12TH GRADE	MALE	FEMALE	OTHER	NORTH HUB	WEST HUB	EAST HUB
		2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021
Sample Size		707	39	140	203	325	275	388	43	141	410	156
	I bought them in a store	14.8%	11.1%	1.7%	9.2%	23.4%	18.7%	11.9%	15.3%	12.9%	16.9%	12.9%
	I bought them on the internet	5.7%	8.6%	4.9%	5.9%	5.5%	5.7%	4.6%	15.4%	5.8%	4.9%	6.8%
	I gave someone I knew money to buy them for me	37.2%	13.7%	19.3%	36.0%	46.1%	34.3%	39.5%	34.2%	42.5%	39.2%	30.7%
During the past 30 days, how did you get your own electronic vapor products?	I gave someone I didn't know money to buy them for me	7.2%	7.4%	3.3%	9.5%	6.9%	8.5%	5.2%	16.7%	11.2%	7.0%	4.8%
	I borrowed them from someone else	40.2%	34.7%	41.8%	45.8%	36.4%	33.9%	43.6%	50.5%	43.1%	40.7%	37.6%
	A friend gave them to me for free	30.6%	23.8%	28.0%	37.6%	27.3%	30.2%	31.5%	26.3%	40.5%	28.5%	27.3%
	A family member gave them to me for free	12.3%	23.6%	18.9%	13.7%	8.2%	11.7%	11.6%	22.3%	13.7%	8.8%	16.8%
	I took them from a store or family member	5.7%	17.4%	10.7%	7.2%	1.9%	6.7%	3.9%	14.1%	7.2%	3.3%	8.3%
	I got them some other way	22.1%	15.8%	25.2%	26.2%	18.9%	25.3%	19.1%	28.7%	26.5%	19.5%	23.2%

VAPE/E-CIGARETTE DEVICE: REASONS FOR USE

Students were asked "What are the reasons you have used e-cigarettes?" Of the students who have ever used an e-cigarette device, most cited using them because a friend or family member used them (44.4%). About one in five lifetime e-cigarette users used them because "they are available in flavors, such as mint, candy, fruit, or chocolate" (21.3%). Less than 14% of lifetime e-cigarette users used them because "they are less harmful than other forms of tobacco, such as cigarettes" (13.2%). Because participants were encouraged to select all that applied, percentages do not add up to 100. Students in 6th grade were more likely to report they used because a friend or family member used them (62.0%).

"Other" gender e-cigarette users were more likely than female or male students to say they used them because a friend or family member used them (51.9%). "Other" gender students were also more likely than other gender categories to use them because "famous people on TV or in movies use them" (9.6%).

FIGURE 16




TABLE 26

VAPE DEVICE: REASONS THEY'VE USED AN E-CIGARETTE (OF THOSE REPORTING USE) BY GRADE, GENDER, AND HUB

FULL QUESTION PRESENTED DATA	STATE TOTAL	GRADE LEVEL				GENDER			HUB			
		6TH GRADE	8TH GRADE	10TH GRADE	12TH GRADE	MALE	FEMALE	OTHER	NORTH HUB	WEST HUB	EAST HUB	
		2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	
Sample Size	1179	105	264	314	496	514	593	70	246	650	283	
What are the reasons you have used e-cigarettes?	Friend or family member used them	44.4%	62.0%	45.1%	44.2%	41.5%	43.3%	44.3%	51.9%	45.2%	43.1%	45.5%
	To try to quit using other tobacco products, such as cigarettes	5.9%	5.3%	2.6%	5.7%	7.4%	7.3%	4.0%	11.5%	6.6%	5.6%	5.8%
	They cost less than other tobacco products, such as cigarettes	4.1%	6.6%	1.6%	4.4%	4.5%	5.5%	2.3%	9.1%	5.9%	3.4%	3.8%
	They are easier to get than other tobacco products, such as cigarettes	9.0%	5.9%	7.2%	10.4%	9.3%	11.4%	5.9%	17.8%	9.1%	8.5%	9.7%
	Famous people on TV or in movies use them	2.7%	7.6%	2.6%	2.2%	2.4%	3.8%	0.9%	9.6%	2.7%	2.3%	3.2%
	They are less harmful than other forms of tobacco, such as cigarettes	13.2%	8.0%	7.0%	13.3%	16.4%	14.3%	11.5%	19.9%	15.2%	14.9%	9.5%
They are available in flavors, such as mint, candy, fruit, or chocolate	21.3%	12.9%	18.0%	22.1%	23.3%	18.1%	23.6%	25.6%	21.9%	22.4%	19.3%	

PRESCRIPTION DRUG MISUSE: TYPES MISUSED AND FRIENDS' MISUSE

Students were asked what type of prescription drugs they have ever misused. Although the majority of students did not misuse prescription drugs, of those that did, 72.8% misused pain relievers, 30.7% misused depressants, and 30.7% misused stimulants. Because participants were encouraged to select all that applied, percentages do not add up to 100.

Twelfth grade students were more likely to misuse stimulants compared to depressants, while the reverse is found for 8th and 10th grades. Students who reported their gender as "other" were more likely to use stimulants than depressants.

In Idaho, 1.1% of students reported that most or all of their friends misuse prescription drugs. Students in all Hubs reported similar percentages for most or all of their friends misusing prescription drugs.

From 2019 to 2021, there was an increase in the percentage of students reporting pain reliever use, but a decrease in the percentage of students reporting depressant use. Please see Tables 27 and 28 for full data by grade, gender, and hub.

FIGURE 17

PRESCRIPTION DRUG MISUSE: SUBSTANCE TYPES (2021)
OF STUDENTS INDICATING ANY LIFETIME PRESCRIPTION DRUG MISUSE.
STUDENTS COULD MARK ALL THAT APPLY.




TABLE 27

PRESCRIPTION DRUG MISUSE: TYPES MISUSED (OF THOSE REPORTING USE) AND FRIENDS' MISUSE BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends misuse prescription drugs?	Most/All	1.9%	1.7%	1.1%	0.7%	0.8%	0.5%	1.5%	1.4%	1.0%	2.7%	1.8%	1.4%	2.7%	2.8%	1.4%
Sample Size		2075	918	723	187	131	183	347	197	170	701	263	165	840	327	205
What types of prescription drugs have you ever misused?	Pain relievers (hydrocodone, Oxycodone, Vicodin, methadone, tramadol, codeine, fentanyl).	78.0%	71.4%	72.8%	78.7%	77.2%	79.9%	81.4%	73.9%	77.7%	74.8%	69.9%	72.2%	79.1%	69.3%	65.8%
	Depressants (Xanax, Klonopin, Valium)	33.7%	35.8%	30.7%	15.6%	13.9%	15.8%	29.4%	28.5%	20.0%	35.8%	43.8%	36.6%	37.7%	40.9%	41.6%
	Stimulants (Adderall, Ritalin, Vyvanse, Dexedrine, dextrostat)	31.6%	30.4%	30.7%	15.3%	14.4%	11.8%	15.5%	18.1%	16.5%	32.3%	29.5%	34.0%	41.4%	42.7%	48.5%

TABLE 28

PRESCRIPTION DRUG MISUSE: TYPES MISUSED (OF THOSE REPORTING USE) AND FRIENDS' MISUSE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How many of your closest friends misuse prescription drugs?	Most/All	1.9%	1.7%	1.1%	1.7%	1.6%	0.9%	1.9%	1.5%	1.1%	8.7%	10.3%	2.7%	1.8%	2.0%	1.1%	2.2%	1.9%	1.1%	1.7%	1.3%	1.0%
Sample Size		2075	918	723	956	431	307	1033	449	355	73	32	61	352	119	116	987	323	399	737	476	208
What types of prescription drugs have you ever misused?	Pain relievers (hydrocodone, Oxycodone, Vicodin, methadone, tramadol, codeine, fentanyl).	78.0%	71.4%	72.8%	78.8%	70.7%	71.5%	78.1%	71.5%	73.4%	70.6%	81.0%	75.5%	83.6%	78.7%	70.0%	76.2%	69.7%	67.9%	77.7%	70.9%	79.6%
	Depressants (Xanax, Klonopin, Valium)	33.7%	35.8%	30.7%	30.5%	35.2%	24.7%	34.9%	35.6%	35.3%	57.0%	44.6%	33.6%	35.3%	33.8%	33.1%	35.6%	37.5%	34.1%	30.3%	34.3%	25.9%
	Stimulants (Adderall, Ritalin, Vyvanse, Dexedrine, dextrostat)	31.6%	30.4%	30.7%	35.2%	34.5%	30.5%	27.1%	26.0%	27.4%	45.4%	27.6%	49.9%	33.7%	38.4%	36.7%	33.3%	25.6%	39.0%	28.4%	33.5%	18.7%

PRESCRIPTION DRUG MISUSE: PLACES OF MISUSE

Students were asked where they misused prescription drugs in the past six months. Although the majority of students did not misuse prescription drugs, of those that did, most often they did so in their own home (73.8%), followed by in another person's home (24.9%); on school property (15.8%); in an open area such as a park, campground, field or parking lot (14.4%); when riding in a car or driving a vehicle (12.2%); at a public event such as a concert or sporting event (11.1%); and at a restaurant, bar, or club (7.2%). Over 20% of students who misused prescription drugs reported doing so at some other place not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100. Students in 6th grade were more likely to report misusing prescription drugs in an open area rather than a public event.

"Other" gender students were more likely than male or female students to misuse prescription drugs at another person's home. Students in East Hub were more likely than students in West or North Hub to misuse on school property.

In comparison to 2019, more students in 2021 indicated that they used at a public event. Please see Tables 29 and 30 for data by grade, gender, and hub.

FIGURE 18

PLACES OF PRESCRIPTION DRUG MISUSE (2021)
OF STUDENTS INDICATING ANY PLACE OF PRESCRIPTION DRUG MISUSE IN THE PAST SIX MONTHS. STUDENTS COULD MARK ALL THAT APPLY.




TABLE 29

PRESCRIPTION DRUG MISUSE: PLACES OF MISUSE (OF THOSE REPORTING MISUSE) BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		1681	750	491	154	99	139	300	194	118	596	227	114	631	230	120
During the past 6 months, where did you misuse prescription drugs?	At my home	60.1%	60.3%	73.8%	62.7%	65.2%	73.9%	64.1%	61.3%	66.5%	59.7%	59.6%	79.7%	58.1%	58.5%	73.0%
	At another person's home	32.4%	28.1%	24.9%	21.8%	12.5%	18.0%	24.2%	26.6%	13.3%	32.6%	31.2%	31.6%	38.8%	32.1%	31.8%
	When riding in or driving a car or other vehicle	12.9%	12.5%	12.2%	7.9%	8.2%	6.6%	7.8%	6.3%	4.3%	12.8%	11.5%	14.5%	16.8%	19.6%	20.1%
	At a restaurant, bar, or club	4.5%	4.1%	7.2%	8.9%	5.3%	7.5%	2.5%	2.4%	3.9%	2.3%	3.1%	7.6%	6.4%	5.7%	8.9%
	At an open area such as a park, campground, field, or parking lot	12.4%	11.2%	14.4%	14.8%	7.5%	7.1%	12.6%	8.8%	6.8%	10.0%	12.8%	20.3%	13.9%	12.8%	19.6%
	At a public event such as a concert or sporting event	9.9%	6.6%	11.1%	6.1%	0.5%	5.3%	6.3%	0.8%	5.3%	8.3%	7.2%	14.7%	14.0%	12.5%	16.2%
	On school property	14.9%	13.1%	15.8%	8.8%	5.1%	7.4%	10.3%	11.7%	9.7%	15.2%	13.4%	19.0%	18.3%	16.7%	23.6%
	Some other place	20.3%	20.5%	20.2%	22.0%	18.7%	16.8%	19.2%	21.6%	18.4%	20.7%	22.9%	25.5%	20.0%	18.2%	18.7%

TABLE 30

PRESCRIPTION DRUG MISUSE: PLACES OF MISUSE (OF THOSE REPORTING MISUSE) BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB									
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB			
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017
Sample Size		1681	750	491	751	344	213	858	376	237	61	25	41	284	101	85	487	263	274	361	386	132	
During the past 6 months, where did you misuse prescription drugs?	At my home	60.1%	60.3%	73.8%	52.5%	56.7%	64.0%	67.0%	64.4%	80.2%	55.5%	49.3%	85.7%	57.6%	59.4%	72.7%	61.0%	63.2%	74.1%	60.2%	57.1%	74.1%	
	At another person's home	32.4%	28.1%	24.9%	35.6%	27.2%	22.9%	29.4%	27.7%	25.8%	35.2%	47.4%	29.5%	40.0%	41.0%	32.2%	34.9%	28.6%	22.4%	25.7%	23.0%	24.3%	
	When riding in or driving a car or other vehicle	12.9%	12.5%	12.2%	12.2%	13.7%	11.4%	12.7%	11.0%	10.0%	24.0%	20.8%	28.2%	13.9%	19.6%	12.8%	13.0%	13.5%	10.5%	12.4%	8.8%	14.1%	
	At a restaurant, bar, or club	4.5%	4.1%	7.2%	6.0%	5.0%	8.0%	2.6%	2.7%	4.1%	12.4%	11.3%	20.3%	4.0%	7.8%	5.7%	5.7%	4.0%	6.7%	3.0%	2.9%	8.5%	
	At an open area such as a park, campground, field, or parking lot	12.4%	11.2%	14.4%	13.3%	11.5%	11.7%	10.9%	10.6%	13.1%	23.5%	19.6%	33.9%	13.7%	20.2%	13.6%	12.7%	9.3%	13.7%	11.3%	10.5%	15.5%	
	At a public event such as a concert or sporting event	9.9%	6.6%	11.1%	10.7%	8.4%	11.9%	8.6%	4.4%	8.2%	17.0%	15.5%	23.1%	12.3%	10.3%	15.8%	10.5%	4.8%	10.6%	8.0%	7.6%	9.4%	
	On school property	14.9%	13.1%	15.8%	15.4%	13.5%	15.2%	13.2%	12.2%	13.1%	32.6%	19.7%	33.2%	14.6%	19.8%	16.1%	15.8%	13.0%	13.8%	13.9%	10.8%	18.0%	
	Some other place	20.3%	20.5%	20.2%	21.9%	24.6%	23.8%	18.4%	15.7%	16.5%	31.5%	36.1%	23.4%	23.4%	23.6%	30.7%	18.7%	17.8%	18.3%	21.0%	22.8%	17.3%	

PRESCRIPTION DRUG MISUSE: SOURCES OF OBTAINING THE SUBSTANCE

Students were asked where they obtained the prescription drugs they misused in the past year. Although the majority of students did not misuse prescription drugs, of those that did, they most often got them from their own prescription (47.8%), followed by receiving from a friend or family member for free (20.9%), taking them from a family member or friend (20.6%), buying them from a dealer or stranger (18.6%), buying them from a friend or family member (14.0%), and buying them on the internet (7.8%). Over 24% of students who misused prescription drugs reported obtaining them from some other place not listed. Because participants were encouraged to select all that applied, percentages do not add up to 100. After receiving their misused prescription drugs from their own prescription, 8th grade students were most likely to take prescription drugs from a family member or friend.

Among students who reported misusing prescriptions in the past year, female students were more likely than male or female students to buy prescription drugs for misuse from a dealer or stranger (19.5%). By hub, West Hub students were more likely to buy the drugs from a dealer or stranger and more likely to misuse from a prescription they had.

In 2021, fewer students indicated that they bought prescription drugs from a friend or family member (16.0% in 2019 versus 14.0% in 2021). Please see Tables 31 and 32 for data by grade, gender, and hub.

FIGURE 19

SOURCES OF OBTAINING PRESCRIPTION DRUGS FOR MISUSE (2021) OF STUDENTS INDICATING ANY PRESCRIPTION DRUG SOURCE IN THE PAST YEAR. STUDENTS COULD MARK ALL THAT APPLY.




TABLE 31

PRESCRIPTION DRUG MISUSE: SOURCES OF OBTAINING THE DRUGS (OF THOSE REPORTING MISUSE) BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		1438	680	552	244	144	172	275	163	131	440	190	120	479	183	129
Where did you get the prescription drugs you misused during the past year?	I bought it from a dealer or stranger.	19.7%	17.8%	18.6%	10.3%	7.5%	7.5%	16.0%	12.5%	16.9%	21.0%	21.2%	24.8%	25.5%	24.9%	23.0%
	I bought it from a friend or family member.	17.0%	16.0%	14.0%	9.4%	11.5%	8.4%	8.7%	15.6%	10.7%	20.6%	13.0%	17.3%	22.4%	21.7%	17.5%
	I bought it on the internet.	5.4%	6.9%	7.8%	4.9%	7.2%	3.0%	4.2%	10.9%	5.4%	6.8%	6.1%	11.4%	5.3%	4.5%	9.8%
	A friend or family member gave it to me for free.	26.7%	20.6%	20.9%	10.0%	14.0%	13.1%	17.0%	19.6%	13.7%	31.8%	22.7%	26.4%	36.0%	23.7%	26.7%
	I took it from a family member or friend.	19.2%	20.8%	20.6%	7.9%	12.5%	10.4%	18.3%	18.3%	22.0%	25.6%	23.0%	22.7%	19.5%	25.8%	26.3%
	From a prescription I had.	44.2%	45.3%	47.8%	61.5%	58.1%	58.9%	44.2%	41.2%	46.1%	40.1%	43.5%	40.0%	39.1%	42.2%	47.8%
	I got it some other way.	23.0%	24.9%	24.2%	27.8%	23.7%	19.4%	24.2%	29.9%	22.8%	21.4%	26.5%	29.2%	21.2%	20.5%	23.9%

TABLE 32

PRESCRIPTION DRUG MISUSE: SOURCES OF OBTAINING THE DRUGS (OF THOSE REPORTING MISUSE) BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Sample Size		1438	680	552	710	313	260	663	329	250	54	33	42	215	98	80	683	241	302	540	341	170
Where did you get the prescription drugs you misused during the past year?	I bought it from a dealer or stranger.	19.7%	17.8%	18.6%	22.0%	19.3%	18.8%	17.0%	13.4%	19.5%	21.9%	41.1%	13.0%	21.2%	15.7%	18.2%	24.1%	20.1%	20.3%	13.5%	15.8%	17.1%
	I bought it from a friend or family member.	17.0%	16.0%	14.0%	18.4%	15.6%	13.5%	15.5%	16.0%	14.3%	16.2%	20.4%	15.0%	20.6%	21.7%	18.9%	17.4%	16.3%	12.2%	15.1%	13.0%	13.9%
	I bought it on the internet.	5.4%	6.9%	7.8%	6.5%	8.9%	7.0%	3.0%	3.9%	7.2%	23.9%	16.3%	15.8%	7.0%	7.9%	4.9%	6.2%	8.5%	6.8%	3.9%	4.5%	10.0%
	A friend or family member gave it to me for free.	26.7%	20.6%	20.9%	26.0%	17.7%	20.2%	26.8%	22.5%	20.9%	31.1%	33.0%	24.3%	32.6%	18.4%	27.3%	26.8%	22.0%	16.5%	24.1%	19.9%	22.8%
	I took it from a family member or friend.	19.2%	20.8%	20.6%	14.8%	17.5%	16.2%	22.7%	23.2%	22.7%	30.0%	31.8%	34.3%	21.4%	28.1%	23.5%	20.5%	20.0%	21.6%	16.6%	18.8%	18.5%
	From a prescription I had.	44.2%	45.3%	47.8%	42.0%	41.8%	43.1%	47.3%	49.2%	52.8%	34.4%	48.7%	48.0%	38.8%	45.2%	36.4%	43.0%	45.8%	52.2%	47.8%	44.7%	47.7%
	I got it some other way.	23.0%	24.9%	24.2%	27.4%	25.9%	27.0%	18.2%	20.9%	19.4%	25.0%	43.8%	33.4%	23.8%	25.9%	21.8%	22.5%	25.4%	23.7%	23.2%	23.9%	25.5%

SECTION 4: ADDITIONAL IHYS FINDINGS AND DATA RELATIONSHIPS

PERCEIVED PARENTAL APPROVAL OF SUBSTANCE USE



A majority of students believe their parents feel it would be “very wrong” for them to misuse prescription drugs (84.8%), to binge drink one or more times a week (81.0%), to use tobacco (84.5%), to use marijuana (80.7%), to use an e-cigarette (80.3%), or to drink one or two alcoholic beverages nearly every day (73.9%). Only 56.2% of students believe that their parents think it would be “very wrong” for them to attend a party where alcohol is available to them.

Female students were more likely to believe their parents felt it was “very wrong” to use (for all substance categories) compared to male and “other” gender students.

By hub, a greater percentage of East Hub students reported their parents feel it would be “very wrong” to most substances than in students in the North and West Hub.

From 2019 to 2021, only small fluctuations were noticed in those students reporting their parents feel it would be "very wrong" to use a given substance. Please see Tables 33 and 34 on the following pages for full data by grade, gender, and hub.

Of students who believe their parents feel it is “very wrong” to misuse prescription drugs, relatively few students (1.8%) have misused prescription drugs in the past 30 days (see Figure 21). In contrast, of students who believe that their parents feel misuse of prescription drugs is “not wrong at all,” just over 14% reported misuse.

FIGURE 20




FIGURE 21




TABLE 33

PERCEIVED PARENTAL APPROVAL OF SUBSTANCE USE BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How wrong do your parents/caregivers feel it would be for you to have one or two alcoholic beverages nearly every day?	Very Wrong	76.9%	74.5%	73.9%	88.1%	84.5%	83.4%	81.8%	76.9%	77.8%	73.6%	71.2%	71.3%	63.5%	64.3%	62.2%
	Wrong	15.6%	17.7%	18.9%	8.8%	11.8%	13.9%	13.5%	17.2%	16.8%	18.3%	21.1%	20.9%	22.1%	20.9%	24.6%
	A little bit Wrong	5.5%	6.0%	5.6%	2.1%	2.6%	2.0%	3.4%	4.6%	4.4%	6.1%	6.5%	6.0%	10.7%	10.6%	10.4%
	Not Wrong at all	2.0%	1.9%	1.6%	1.0%	1.2%	0.7%	1.2%	1.3%	1.0%	2.0%	1.3%	1.8%	3.7%	4.1%	2.9%
How wrong do your parents/caregivers feel it would be for you to have five or more alcoholic beverages once or twice a week?	Very Wrong	82.9%	81.0%	81.0%	92.4%	90.8%	89.3%	88.0%	83.4%	85.4%	80.8%	78.6%	78.9%	70.2%	69.8%	69.6%
	Wrong	12.2%	13.4%	13.8%	5.5%	7.1%	8.7%	9.3%	13.0%	11.4%	14.3%	15.6%	16.0%	19.7%	18.2%	19.5%
	A little bit Wrong	3.5%	4.1%	4.1%	1.1%	1.4%	1.5%	1.9%	2.7%	2.6%	3.8%	4.2%	4.3%	7.3%	8.7%	8.5%
	Not Wrong at all	1.4%	1.6%	1.1%	1.0%	0.7%	0.6%	0.8%	0.9%	0.6%	1.2%	1.6%	0.9%	2.7%	3.4%	2.4%
How wrong do your parents/caregivers feel it would be for you to misuse prescription drugs?	Very Wrong	84.8%	83.8%	84.8%	89.1%	86.4%	84.1%	84.7%	83.5%	85.1%	83.6%	82.4%	85.5%	81.9%	83.0%	84.6%
	Wrong	12.3%	12.6%	12.2%	7.9%	9.7%	12.4%	12.7%	13.5%	12.5%	13.7%	13.9%	11.4%	14.6%	13.3%	12.7%
	A little bit Wrong	1.8%	1.9%	1.8%	1.7%	1.5%	2.2%	1.5%	1.6%	1.2%	1.9%	2.2%	1.8%	2.2%	2.3%	2.0%
	Not Wrong at all	1.1%	1.7%	1.2%	1.3%	2.4%	1.4%	1.1%	1.4%	1.2%	0.8%	1.5%	1.4%	1.2%	1.4%	0.8%
How wrong do your parents/caregivers feel it would be for you to use marijuana?	Very Wrong	79.7%	78.1%	80.7%	95.0%	92.1%	92.8%	85.5%	81.9%	86.2%	75.0%	73.0%	76.8%	64.5%	64.3%	66.5%
	Wrong	11.5%	12.5%	11.7%	3.3%	5.3%	6.4%	9.6%	12.0%	9.0%	14.6%	15.5%	13.9%	18.0%	17.5%	17.8%
	A little bit wrong	5.7%	5.5%	5.4%	1.0%	1.7%	0.5%	3.4%	3.9%	3.4%	6.8%	7.6%	6.6%	11.1%	9.4%	11.2%
	Not wrong at all	3.1%	3.8%	2.2%	0.7%	0.9%	0.4%	1.6%	2.2%	1.4%	3.6%	3.9%	2.7%	6.4%	8.8%	4.4%
How wrong do your parents/caregivers feel it would be for you to attend a party in a private home where alcoholic beverages were available to you?	Very Wrong	64.8%	61.5%	56.2%	83.7%	79.4%	73.8%	71.2%	63.5%	60.1%	57.2%	56.1%	50.2%	47.0%	45.6%	40.0%
	Wrong	21.4%	23.5%	26.2%	11.9%	15.6%	19.8%	20.5%	25.6%	26.5%	26.5%	26.6%	29.7%	26.3%	26.0%	28.6%
	A little bit Wrong	9.5%	10.9%	12.1%	2.9%	3.7%	4.8%	6.3%	7.9%	10.6%	11.9%	13.3%	14.2%	17.1%	19.5%	18.9%
	Not Wrong at all	4.3%	4.2%	5.6%	1.5%	1.3%	1.6%	2.0%	3.0%	2.9%	4.4%	4.0%	5.9%	9.6%	8.9%	12.5%
How wrong do your parents/caregivers feel it would be for you to use a vape pen or e-cigarette?	Very Wrong	--	76.0%	80.3%	--	87.8%	89.4%	--	77.1%	82.9%	--	73.0%	78.1%	--	64.9%	70.7%
	Wrong	--	16.7%	15.2%	--	9.4%	9.2%	--	17.8%	13.7%	--	18.7%	17.4%	--	21.3%	20.2%
	A Little Bit Wrong	--	5.4%	3.6%	--	2.1%	1.2%	--	4.1%	2.8%	--	6.4%	3.5%	--	9.5%	7.0%
	Not Wrong at All	--	1.9%	1.0%	--	0.7%	0.2%	--	1.0%	0.6%	--	1.8%	1.0%	--	4.3%	2.1%
How wrong do your parents/caregivers feel it would be for you to use tobacco?	Very Wrong	81.8%	81.6%	84.5%	93.2%	91.5%	92.1%	87.0%	84.1%	87.5%	78.9%	79.1%	83.7%	68.4%	70.5%	74.4%
	Wrong	12.9%	13.8%	12.5%	5.5%	6.7%	6.7%	10.7%	13.3%	10.8%	15.8%	16.2%	13.8%	19.2%	19.4%	18.9%
	A little bit Wrong	3.8%	3.4%	2.1%	0.7%	1.4%	0.9%	1.8%	2.2%	1.2%	4.2%	3.6%	1.7%	8.5%	7.0%	4.9%
	Not Wrong at all	1.5%	1.2%	0.8%	0.6%	0.5%	0.3%	0.5%	0.5%	0.5%	1.1%	1.0%	0.8%	3.9%	3.0%	1.8%

TABLE 34

PERCEIVED PARENTAL APPROVAL OF SUBSTANCE USE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How wrong do your parents/caregivers feel it would be for you to have one or two alcoholic beverages nearly every day?	Very Wrong	76.9%	74.5%	73.9%	75.1%	72.5%	73.9%	79.4%	77.1%	74.6%	52.2%	61.2%	62.0%	71.0%	69.7%	66.7%	74.7%	72.8%	72.5%	81.7%	77.9%	77.9%
	Wrong	15.6%	17.7%	18.9%	17.0%	19.2%	18.8%	13.9%	15.8%	18.7%	31.5%	22.5%	26.4%	18.8%	20.5%	23.8%	17.2%	19.2%	20.0%	12.6%	15.0%	16.0%
	A little bit Wrong	5.5%	6.0%	5.6%	5.8%	6.1%	5.7%	5.1%	5.7%	5.3%	11.2%	10.2%	8.7%	7.6%	7.7%	6.9%	6.0%	5.7%	6.1%	4.2%	5.6%	4.7%
	Not Wrong at all	2.0%	1.9%	1.6%	2.2%	2.2%	1.6%	1.7%	1.4%	1.4%	5.1%	6.1%	2.9%	2.6%	2.0%	2.6%	2.1%	2.2%	1.4%	1.6%	1.5%	1.3%
How wrong do your parents/caregivers feel it would be for you to have five or more alcoholic beverages once or twice a week?	Very Wrong	82.9%	81.0%	81.0%	81.5%	79.2%	81.3%	85.0%	83.0%	81.5%	64.2%	72.7%	69.1%	77.5%	74.9%	74.9%	81.6%	80.6%	79.7%	86.7%	83.4%	84.5%
	Wrong	12.2%	13.4%	13.8%	13.1%	14.7%	13.3%	11.0%	12.0%	13.7%	22.3%	16.5%	22.9%	15.4%	17.1%	18.0%	13.5%	14.1%	15.3%	9.4%	11.3%	10.7%
	A little bit Wrong	3.5%	4.1%	4.1%	3.7%	4.2%	4.3%	3.1%	3.9%	3.8%	8.0%	7.2%	6.0%	5.0%	6.1%	5.9%	3.7%	3.7%	3.8%	2.7%	3.9%	3.9%
	Not Wrong at all	1.4%	1.6%	1.1%	1.7%	1.9%	1.1%	1.0%	1.1%	1.0%	5.5%	3.6%	2.0%	2.1%	1.9%	1.3%	1.3%	1.6%	1.2%	1.2%	1.4%	0.9%
How wrong do your parents/caregivers feel it would be for you to misuse prescription drugs?	Very Wrong	84.8%	83.8%	84.8%	83.7%	83.1%	84.2%	86.3%	85.3%	86.1%	74.2%	64.2%	75.8%	84.1%	84.3%	85.7%	84.1%	82.9%	83.8%	85.9%	84.6%	85.6%
	Wrong	12.3%	12.6%	12.2%	13.3%	13.1%	12.6%	11.0%	11.7%	11.4%	18.4%	25.1%	17.9%	12.9%	12.5%	11.1%	13.0%	13.3%	13.5%	11.1%	12.0%	11.3%
	A little bit Wrong	1.8%	1.9%	1.8%	1.8%	2.0%	1.9%	1.8%	1.7%	1.5%	4.6%	3.1%	4.7%	1.8%	1.8%	2.2%	1.8%	1.9%	1.8%	1.8%	1.9%	1.6%
	Not Wrong at all	1.1%	1.7%	1.2%	1.2%	1.8%	1.3%	0.9%	1.2%	1.0%	2.8%	7.6%	1.5%	1.2%	1.4%	1.1%	1.1%	1.9%	1.0%	1.1%	1.5%	1.5%
How wrong do your parents/caregivers feel it would be for you to use marijuana?	Very Wrong	79.7%	78.1%	80.7%	79.5%	78.0%	80.5%	80.6%	79.0%	81.9%	58.0%	59.1%	65.1%	73.9%	75.1%	74.1%	77.3%	76.8%	77.5%	85.0%	80.5%	86.6%
	Wrong	11.5%	12.5%	11.7%	12.1%	13.0%	12.1%	10.7%	11.7%	11.0%	20.6%	22.4%	17.2%	15.2%	14.6%	13.8%	12.8%	13.5%	13.9%	8.5%	10.8%	8.6%
	A little bit wrong	5.7%	5.5%	5.4%	5.3%	5.6%	5.4%	5.8%	5.3%	5.0%	9.8%	9.6%	11.9%	7.1%	6.6%	8.5%	6.4%	5.5%	6.1%	4.2%	5.2%	3.5%
	Not wrong at all	3.1%	3.8%	2.2%	3.1%	3.5%	2.1%	2.9%	4.0%	2.1%	11.6%	8.8%	5.8%	3.8%	3.7%	3.6%	3.5%	4.3%	2.6%	2.4%	3.4%	1.3%
How wrong do your parents/caregivers feel it would be for you to attend a party in a private home where alcoholic beverages were available to you?	Very Wrong	64.8%	61.5%	56.2%	63.5%	60.6%	56.1%	66.5%	62.9%	56.8%	49.6%	48.3%	46.5%	56.1%	51.9%	46.4%	61.4%	60.7%	52.4%	72.2%	65.7%	63.7%
	Wrong	21.4%	23.5%	26.2%	22.2%	24.1%	27.1%	20.4%	22.8%	25.2%	23.7%	29.1%	27.5%	23.9%	26.3%	27.6%	23.8%	24.3%	27.7%	17.5%	21.6%	24.0%
	A little bit Wrong	9.5%	10.9%	12.1%	9.5%	10.9%	11.4%	9.4%	10.7%	12.5%	15.7%	15.4%	15.6%	13.7%	15.3%	16.8%	10.4%	11.0%	13.6%	6.9%	9.1%	8.7%
	Not Wrong at all	4.3%	4.2%	5.6%	4.8%	4.5%	5.4%	3.7%	3.7%	5.5%	11.0%	7.3%	10.4%	6.3%	6.4%	9.2%	4.4%	4.0%	6.3%	3.4%	3.5%	3.6%
How wrong do your parents/caregivers feel it would be for you to use a vape pen or e-cigarette?	Very Wrong	--	76.0%	80.3%	--	74.2%	79.9%	--	78.1%	81.3%	--	65.3%	69.7%	--	76.1%	75.3%	--	73.8%	78.6%	--	78.1%	84.1%
	Wrong	--	16.7%	15.2%	--	18.1%	15.5%	--	15.2%	14.5%	--	21.6%	20.8%	--	17.7%	19.1%	--	18.0%	16.5%	--	15.0%	12.2%
	A Little Bit Wrong	--	5.4%	3.6%	--	5.7%	3.6%	--	5.0%	3.4%	--	8.3%	6.9%	--	6.0%	4.0%	--	5.2%	4.1%	--	5.4%	2.9%
	Not Wrong at All	--	1.9%	1.0%	--	2.0%	1.0%	--	1.7%	0.8%	--	4.8%	2.6%	--	2.1%	1.6%	--	1.7%	0.8%	--	1.9%	0.8%
How wrong do your parents/caregivers feel it would be for you to use tobacco?	Very Wrong	81.8%	81.6%	84.5%	80.2%	80.0%	83.3%	83.9%	83.3%	86.0%	69.7%	78.3%	79.3%	74.9%	77.5%	77.6%	80.7%	80.0%	83.8%	86.0%	84.6%	87.9%
	Wrong	12.9%	13.8%	12.5%	13.8%	15.1%	13.5%	11.8%	12.6%	11.3%	17.4%	12.2%	16.4%	17.7%	16.4%	17.4%	13.6%	15.1%	13.2%	10.0%	11.6%	9.9%
	A little bit Wrong	3.8%	3.4%	2.1%	4.1%	3.6%	2.4%	3.3%	3.2%	1.8%	8.5%	6.4%	3.0%	5.2%	4.7%	3.3%	4.2%	3.5%	2.3%	2.8%	2.9%	1.5%
	Not Wrong at all	1.5%	1.2%	0.8%	1.9%	1.4%	0.8%	1.0%	0.9%	0.8%	4.3%	3.1%	1.3%	2.2%	1.4%	1.6%	1.5%	1.4%	0.6%	1.2%	0.9%	0.8%



In Idaho, 20.8% of students have consumed alcohol with a parent’s knowledge and 5.7% have used marijuana with their parent's knowledge. Nearly 4% of Idaho students reported their parents had hosted a party with alcohol for them and friends, and 2.7% reported that their parents let them have a party with alcohol while they were away. Twelfth grade students were most likely to report drinking with a parent’s knowledge (32.9%), being allowed to host parties with alcohol while their parents were home (4.4%), and being allowed to have a party with alcohol when their parents were not home (5.2%).

By gender, "other" gender students reported more often that they drank alcohol with their caregiver's knowledge, were allowed to host parties with a parent present or without, and used marijuana with their caregiver's knowledge. By Hub, the North hub reported more often that they drank alcohol with their caregiver's knowledge, were allowed to host parties with a parent present or without, and used marijuana with their caregiver's knowledge.

From 2019 to 2021, a decrease was seen in the percentage of students indicating they had alcohol with their parent's knowledge (24.3% in 2019 versus 20.8% in 2021). Please see Tables 35 and 36 for full data by grade, gender, and hub.

FIGURE 22




TABLE 35

PARENT KNOWLEDGE OF USE BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Have you ever used marijuana with your parent's/caregiver's knowledge?	Yes	6.1%	6.8%	5.7%	1.2%	2.5%	1.2%	3.0%	3.8%	2.8%	7.6%	7.4%	7.2%	11.8%	14.5%	11.6%
Have your parents/caregivers ever hosted parties with alcohol for you and your friends?	Yes	3.8%	4.0%	3.6%	2.9%	2.8%	2.8%	3.2%	3.7%	3.3%	3.5%	3.8%	4.1%	5.6%	6.0%	4.4%
Have your parents/caregivers ever allowed you to have parties with alcohol when they are away?	Yes	2.4%	2.8%	2.7%	0.9%	1.5%	1.0%	1.5%	2.0%	1.9%	2.4%	2.7%	3.0%	4.8%	5.4%	5.2%
Have you ever drunk alcohol with your parent/caregiver's knowledge?	Yes	22.6%	24.3%	20.8%	8.7%	10.6%	9.8%	16.2%	19.8%	16.2%	27.0%	28.6%	24.9%	38.0%	39.4%	32.9%

TABLE 36

PARENT KNOWLEDGE OF USE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Have you ever used marijuana with your parent's/caregiver's knowledge?	Yes	6.1%	6.8%	5.7%	5.8%	6.8%	5.1%	6.1%	6.8%	5.7%	17.0%	8.9%	12.7%	8.0%	7.7%	7.5%	6.6%	7.4%	6.8%	4.7%	6.0%	3.8%
Have your parents/caregivers ever hosted parties with alcohol for you and your friends?	Yes	3.8%	4.0%	3.6%	3.8%	4.1%	3.8%	3.7%	3.8%	3.2%	5.8%	6.9%	6.8%	3.5%	3.3%	4.4%	4.1%	4.8%	3.5%	3.6%	3.6%	3.5%
Have your parents/caregivers ever allowed you to have parties with alcohol when they are away?	Yes	2.4%	2.8%	2.7%	2.4%	3.2%	2.8%	2.3%	2.2%	2.5%	7.6%	8.9%	5.3%	2.6%	2.8%	3.3%	2.6%	3.1%	2.6%	2.1%	2.5%	2.7%
Have you ever drunk alcohol with your parent/caregiver's knowledge?	Yes	22.6%	24.3%	20.8%	21.8%	23.3%	19.3%	23.2%	25.3%	21.6%	35.6%	27.3%	33.0%	32.2%	32.9%	31.4%	25.1%	25.0%	22.6%	15.8%	20.4%	15.0%

Youth who have a strong, open relationship with a parent or caregiver feel more comfortable opening up and asking for advice. For tips on how parents can talk with their family about alcohol or drugs, visit [betheparents.org](https://www.betheparents.org).

PERCEIVED PEER APPROVAL OF SUBSTANCE USE

A majority of students believe their friends feel it would be “very wrong” for them to use tobacco (69.3%), to use marijuana (65.4%), to binge drink one or more times a week (63.7%), to drink one or two alcoholic beverages nearly every day (57.4%), to use e-cigarettes (57.5%), or to misuse prescription drugs (56.1%). Students believe their friends feel that using substances is less wrong, compared to their parents. While just over 65% of students believe their friends feel it is “very wrong” for them to use marijuana, 15.4% of students believe their friends feel it is merely "wrong" to use, and 19.2% believe their friends feel it is just "a little bit wrong" or "not wrong at all."

Students who have friends that think using substances is wrong are less likely to use substances themselves (see Figure 24). Of students who believe their friends feel it is “very wrong” to misuse prescription drugs, only 1.0% had misused prescription drugs in the past 30 days. In contrast, of the students who believe their friends feel it is "not wrong at all" to misuse prescription drugs, 18.1% had misused prescription drugs in the past 30 days.

Few changes were seen for perceived peer approval of substance use between years 2019 and 2021. Please see Tables 37 and 38 on the following pages for full data by grade, gender, and hub.

FIGURE 23




FIGURE 24




TABLE 37

PERCEIVED PEER APPROVAL OF SUBSTANCE USE BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How wrong do your friends feel it would be for you to have one or two alcoholic beverages nearly every day?	Very Wrong	59.9%	57.4%	57.4%	82.2%	76.6%	74.0%	67.6%	59.9%	63.3%	49.3%	49.9%	50.2%	40.4%	41.6%	41.6%
	Wrong	20.9%	23.6%	24.9%	13.7%	18.2%	20.0%	20.8%	25.9%	24.9%	25.3%	26.7%	27.7%	23.6%	23.5%	27.0%
	A little bit Wrong	11.3%	11.5%	12.0%	2.6%	3.5%	4.7%	8.1%	9.0%	9.0%	15.5%	14.9%	14.5%	19.1%	19.3%	20.1%
	Not Wrong at all	7.9%	7.5%	5.7%	1.6%	1.6%	1.2%	3.5%	5.2%	2.8%	9.9%	8.5%	7.7%	16.8%	15.7%	11.4%
How wrong do your friends feel it would be for you to have five or more alcoholic beverages once or twice per week?	Very Wrong	64.4%	61.9%	63.7%	86.8%	83.5%	82.6%	73.2%	66.1%	70.7%	54.1%	53.1%	56.9%	43.4%	43.3%	43.8%
	Wrong	18.5%	20.6%	20.9%	10.5%	13.3%	13.5%	18.1%	21.8%	20.9%	23.4%	24.5%	24.5%	21.8%	23.0%	24.9%
	A little bit Wrong	9.3%	10.1%	10.0%	1.3%	2.1%	2.8%	5.4%	8.0%	6.0%	13.2%	14.3%	12.5%	17.3%	16.5%	19.2%
	Not Wrong at all	7.8%	7.4%	5.3%	1.3%	1.1%	1.1%	3.3%	4.1%	2.4%	9.4%	8.1%	6.2%	17.5%	17.2%	12.2%
How wrong do your friends feel it would be for you to misuse prescription drugs?	Very Wrong	56.7%	56.9%	56.1%	72.6%	68.8%	63.6%	59.0%	55.2%	56.5%	47.7%	52.1%	53.3%	47.8%	51.4%	51.0%
	Wrong	29.6%	30.7%	32.6%	21.9%	25.1%	29.6%	31.0%	33.0%	33.7%	33.6%	34.0%	33.1%	31.6%	30.4%	33.6%
	A little bit Wrong	9.9%	8.5%	8.8%	3.1%	3.2%	5.1%	7.7%	9.0%	7.7%	13.7%	9.6%	10.2%	14.9%	12.4%	12.3%
	Not Wrong at all	3.9%	3.9%	2.5%	2.5%	2.9%	1.6%	2.3%	2.8%	2.1%	5.0%	4.4%	3.3%	5.7%	5.8%	3.1%
How wrong do your friends feel it would be for you to use marijuana?	Very Wrong	60.5%	59.8%	65.4%	89.6%	87.5%	86.0%	71.4%	63.5%	74.4%	47.9%	50.1%	58.4%	35.8%	36.8%	42.5%
	Wrong	13.2%	15.4%	15.4%	7.6%	9.2%	11.9%	13.8%	17.7%	15.6%	16.5%	18.3%	17.9%	14.3%	16.2%	15.8%
	A little bit wrong	11.5%	11.3%	8.5%	1.6%	1.8%	1.4%	8.6%	10.8%	5.6%	16.4%	15.2%	10.0%	18.6%	17.8%	17.2%
	Not wrong at all	14.7%	13.4%	10.7%	1.2%	1.5%	0.7%	6.1%	8.1%	4.4%	19.2%	16.4%	13.6%	31.3%	29.2%	24.4%
How wrong do your friends feel it would be for you to use a vape pen or e-cigarette?	Very Wrong	--	52.0%	57.5%	--	78.3%	75.5%	--	53.2%	63.7%	--	42.1%	51.8%	--	33.4%	38.9%
	Wrong	--	19.3%	21.3%	--	15.9%	19.1%	--	23.0%	20.9%	--	20.7%	22.6%	--	17.2%	22.4%
	A Little Bit Wrong	--	14.5%	11.3%	--	4.0%	4.2%	--	14.3%	10.0%	--	19.5%	12.8%	--	20.5%	18.3%
	Not Wrong at All	--	14.1%	9.9%	--	1.8%	1.2%	--	9.6%	5.5%	--	17.7%	12.8%	--	28.9%	20.3%
How wrong do your friends feel it would be for you to use tobacco?	Very Wrong	65.8%	65.1%	69.3%	86.8%	83.7%	82.9%	73.0%	67.9%	74.5%	56.5%	58.4%	64.0%	47.6%	49.0%	55.6%
	Wrong	17.7%	19.7%	19.9%	10.8%	12.8%	14.6%	17.4%	20.7%	18.5%	21.2%	23.6%	23.5%	21.2%	21.4%	22.9%
	A little bit Wrong	9.3%	9.2%	7.1%	1.5%	2.4%	1.6%	6.4%	7.8%	5.1%	13.1%	11.4%	8.0%	15.6%	15.9%	13.9%
	Not Wrong at all	7.2%	6.0%	3.7%	0.9%	1.1%	0.9%	3.2%	3.6%	1.9%	9.2%	6.6%	4.5%	15.6%	13.7%	7.6%

TABLE 38


PERCEIVED PEER APPROVAL OF SUBSTANCE USE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB									
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB			
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017
How wrong do your friends feel it would be for you to have one or two alcoholic beverages nearly every day?	Very Wrong	59.9%	57.4%	57.4%	57.4%	54.7%	56.3%	62.9%	60.7%	59.5%	41.1%	42.4%	44.5%	50.1%	48.1%	47.1%	55.6%	55.5%	54.6%	68.7%	62.5%	64.2%	
	Wrong	20.9%	23.6%	24.9%	21.8%	24.4%	26.1%	20.0%	22.7%	23.5%	21.0%	27.0%	27.2%	24.6%	27.6%	28.2%	23.2%	24.5%	26.7%	16.8%	21.3%	21.8%	
	A little bit Wrong	11.3%	11.5%	12.0%	11.7%	12.3%	12.2%	10.8%	10.5%	11.3%	19.4%	14.1%	18.1%	14.2%	14.5%	16.1%	12.8%	12.3%	13.2%	8.4%	9.6%	9.2%	
	Not Wrong at all	7.9%	7.5%	5.7%	9.2%	8.6%	5.4%	6.4%	6.1%	5.6%	18.5%	16.5%	10.2%	11.1%	9.8%	8.6%	8.4%	7.7%	5.4%	6.0%	6.6%	4.9%	
How wrong do your friends feel it would be for you to have five or more alcoholic beverages once or twice per week?	Very Wrong	64.4%	61.9%	63.7%	61.8%	58.6%	63.3%	67.4%	65.9%	65.1%	48.1%	46.7%	51.4%	54.5%	52.3%	53.8%	60.7%	59.9%	60.8%	72.6%	67.5%	70.5%	
	Wrong	18.5%	20.6%	20.9%	19.7%	21.8%	21.6%	17.3%	19.2%	20.2%	19.6%	29.9%	22.3%	20.8%	23.8%	23.8%	21.1%	22.8%	22.7%	14.7%	17.3%	18.1%	
	A little bit Wrong	9.3%	10.1%	10.0%	9.3%	10.4%	9.6%	9.3%	9.7%	9.7%	13.9%	11.0%	20.0%	13.1%	12.3%	13.7%	9.7%	10.7%	10.9%	7.2%	8.6%	7.7%	
	Not Wrong at all	7.8%	7.4%	5.3%	9.2%	9.2%	5.5%	6.1%	5.3%	5.1%	18.4%	12.5%	6.3%	11.7%	11.5%	8.7%	8.5%	6.6%	5.7%	5.5%	6.7%	3.8%	
How wrong do your friends feel it would be for you to misuse prescription drugs?	Very Wrong	56.7%	56.9%	56.1%	52.2%	53.5%	53.1%	61.9%	60.8%	60.1%	38.8%	47.5%	42.0%	51.4%	54.7%	52.5%	53.7%	53.6%	52.9%	62.3%	61.2%	60.8%	
	Wrong	29.6%	30.7%	32.6%	32.6%	32.8%	34.8%	26.4%	28.7%	30.0%	29.8%	27.9%	36.9%	32.2%	32.0%	34.4%	31.0%	32.4%	34.7%	26.9%	28.4%	29.7%	
	A little bit Wrong	9.9%	8.5%	8.8%	10.5%	8.9%	9.1%	8.9%	7.8%	7.8%	21.6%	13.3%	17.3%	12.2%	8.8%	10.8%	10.9%	9.7%	9.6%	7.8%	7.0%	7.2%	
	Not Wrong at all	3.9%	3.9%	2.5%	4.7%	4.8%	2.9%	2.8%	2.7%	2.0%	9.9%	11.2%	3.9%	4.2%	4.5%	2.3%	4.4%	4.3%	2.8%	3.1%	3.4%	2.4%	
How wrong do your friends feel it would be for you to use marijuana?	Very Wrong	60.5%	59.8%	65.4%	59.4%	59.4%	66.0%	62.2%	60.6%	66.3%	37.4%	47.3%	42.7%	51.9%	55.8%	55.4%	54.9%	56.0%	60.5%	70.5%	65.1%	74.6%	
	Wrong	13.2%	15.4%	15.4%	14.5%	16.2%	15.9%	11.9%	14.6%	14.6%	14.7%	17.0%	20.2%	14.7%	16.3%	18.9%	14.1%	16.4%	16.6%	11.6%	14.2%	12.8%	
	A little bit wrong	11.5%	11.3%	8.5%	11.5%	11.2%	8.1%	11.5%	11.5%	8.7%	11.7%	12.3%	12.8%	14.8%	12.6%	11.4%	13.3%	12.6%	9.8%	8.1%	9.6%	6.0%	
	Not wrong at all	14.7%	13.4%	10.7%	14.5%	13.2%	10.0%	14.4%	13.3%	10.4%	36.2%	23.3%	24.3%	18.5%	15.4%	14.3%	17.7%	14.9%	13.1%	9.7%	11.2%	6.7%	
How wrong do your friends feel it would be for you to use a vape pen or e-cigarette?	Very Wrong	--	52.0%	57.5%	--	50.8%	59.0%	--	53.7%	56.8%	--	39.5%	42.4%	--	46.3%	47.4%	--	49.4%	53.1%	--	56.8%	66.2%	
	Wrong	--	19.3%	21.3%	--	19.9%	21.6%	--	18.5%	20.8%	--	28.0%	25.6%	--	21.4%	26.0%	--	20.4%	22.7%	--	17.5%	17.9%	
	A Little Bit Wrong	--	14.5%	11.3%	--	14.2%	10.5%	--	14.8%	11.9%	--	12.4%	15.2%	--	15.2%	13.1%	--	13.1%	12.7%	--	14.5%	9.2%	
	Not Wrong at All	--	14.1%	9.9%	--	15.1%	8.9%	--	12.9%	10.5%	--	20.1%	16.8%	--	15.0%	13.5%	--	12.5%	11.5%	--	14.1%	6.7%	
How wrong do your friends feel it would be for you to use tobacco?	Very Wrong	65.8%	65.1%	69.3%	80.2%	63.0%	68.7%	80.2%	67.4%	70.7%	80.2%	60.0%	55.7%	54.4%	57.5%	58.2%	63.2%	62.8%	66.6%	73.4%	70.1%	76.5%	
	Wrong	17.7%	19.7%	19.9%	18.9%	20.5%	20.6%	16.5%	18.8%	18.9%	16.9%	20.8%	26.5%	20.9%	21.8%	26.0%	19.3%	20.8%	21.8%	14.6%	17.7%	15.6%	
	A little bit Wrong	9.3%	9.2%	7.1%	9.5%	9.4%	6.6%	8.9%	9.2%	7.4%	17.3%	7.5%	10.6%	13.3%	11.9%	9.9%	10.0%	10.2%	7.6%	6.8%	7.3%	5.5%	
	Not Wrong at all	7.2%	6.0%	3.7%	8.4%	7.2%	4.1%	5.8%	4.7%	3.0%	15.3%	11.6%	7.2%	11.5%	8.8%	5.9%	7.5%	6.2%	4.0%	5.2%	4.9%	2.5%	

PERSONAL APPROVAL OF SUBSTANCE USE

A majority of students believe it would be “very wrong” for someone their age to use tobacco (74.3%), to binge drink (71.4%), to misuse prescription drugs (69.0%), or to drink one or two alcoholic beverages nearly every day (66.4%). While 68.8% of students feel it would be “very wrong” for someone their age to use marijuana, 14.4% feel it would be merely "wrong," and 16.8% feel it would be only "a little bit wrong" or "not wrong at all." While 64.5% of students feel it would be “very wrong” for someone their age to use a vape pen or e-cigarette, 21.0% feel it would be merely "wrong," 10.2% feel it would be "a little bit wrong", and 4.4% feel it would be "not wrong at all."

FIGURE 25



Of the students who personally feel it is “very wrong” for someone their age to misuse prescription drugs, 0% indicated use in the past 30 days. Of students who believe it is "not wrong at all" for someone their age to misuse prescription drugs, 25.4% had misused prescription drugs in the past 30 days.

Few changes were seen for personal approval of substance use between years 2019 and 2021. Please see Tables 39 and 40 on the following pages for full data by grade, gender, and hub.

FIGURE 26




TABLE 39

PERSONAL APPROVAL OF SUBSTANCE USE BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
How wrong do you feel it would be for someone your age to have one or two alcoholic beverages nearly every day?	Very Wrong	69.7%	67.6%	66.4%	91.0%	87.8%	83.9%	78.1%	71.5%	72.0%	59.0%	59.4%	60.7%	50.6%	49.6%	48.2%
	Wrong	18.4%	20.5%	22.7%	6.8%	9.8%	13.5%	15.8%	20.1%	21.5%	25.0%	26.0%	26.0%	25.7%	26.6%	30.1%
	A little bit Wrong	8.1%	8.5%	8.3%	1.2%	1.7%	1.8%	4.4%	6.7%	5.2%	11.3%	10.5%	10.6%	15.7%	16.0%	15.9%
	Not Wrong at all	3.8%	3.4%	2.6%	0.9%	0.7%	0.7%	1.7%	1.7%	1.4%	4.7%	4.0%	2.7%	8.1%	7.8%	5.8%
How wrong do you feel it would be for someone your age to have five or more alcoholic beverages once or twice per week?	Very Wrong	74.1%	72.0%	71.4%	92.9%	91.0%	88.8%	83.6%	76.7%	78.4%	65.2%	64.8%	66.6%	54.5%	53.4%	50.4%
	Wrong	15.3%	17.7%	19.1%	5.1%	7.4%	9.4%	12.0%	16.8%	16.7%	21.1%	22.3%	22.2%	22.9%	25.0%	28.4%
	A little bit Wrong	6.8%	6.9%	6.8%	0.9%	0.9%	1.2%	2.7%	5.0%	3.7%	9.4%	9.4%	8.1%	14.4%	12.8%	14.7%
	Not Wrong at all	3.8%	3.5%	2.8%	1.1%	0.6%	0.6%	1.6%	1.6%	1.2%	4.3%	3.5%	3.1%	8.2%	8.8%	6.5%
How wrong do you feel it would be for someone your age to use marijuana?	Very Wrong	65.4%	65.9%	68.8%	93.4%	91.7%	90.5%	76.8%	71.5%	77.0%	53.3%	56.0%	62.3%	40.3%	42.6%	45.4%
	Wrong	13.0%	14.3%	14.4%	4.4%	5.8%	7.4%	12.5%	14.7%	14.2%	17.3%	18.6%	17.1%	16.9%	18.0%	18.5%
	A little bit wrong	11.6%	10.9%	9.5%	1.3%	1.5%	1.4%	6.9%	8.6%	5.9%	16.0%	15.6%	11.6%	21.3%	18.7%	19.1%
	Not wrong at all	10.1%	8.9%	7.3%	0.9%	1.0%	0.7%	3.7%	5.2%	2.8%	13.4%	9.9%	9.0%	21.6%	20.8%	16.9%
How wrong do you feel it would be for someone your age to misuse prescription drugs?	Very Wrong	72.0%	71.7%	69.0%	87.0%	84.6%	82.4%	75.9%	71.5%	70.1%	63.3%	65.9%	62.6%	61.5%	64.2%	60.9%
	Wrong	20.6%	20.8%	23.8%	9.8%	11.4%	13.2%	18.7%	21.2%	23.7%	26.5%	25.1%	28.2%	27.5%	26.1%	30.0%
	A little bit Wrong	5.5%	5.4%	5.6%	1.8%	2.3%	3.1%	4.2%	5.0%	4.9%	7.8%	7.2%	7.0%	8.1%	7.2%	7.4%
	Not Wrong at all	2.0%	2.1%	1.6%	1.4%	1.7%	1.3%	1.1%	2.3%	1.4%	2.4%	1.9%	2.1%	2.9%	2.5%	1.7%
How wrong do you feel it would be for someone your age to use a vape pen or e-cigarette?	Very Wrong	--	60.9%	64.5%	--	86.2%	85.9%	--	63.3%	69.3%	--	51.0%	57.2%	--	41.3%	45.9%
	Wrong	--	20.0%	21.0%	--	9.7%	10.8%	--	22.0%	20.5%	--	25.0%	24.7%	--	23.1%	27.4%
	A Little Bit Wrong	--	12.5%	10.2%	--	2.7%	2.7%	--	10.7%	7.7%	--	17.0%	13.1%	--	20.3%	17.2%
	Not Wrong at All	--	6.7%	4.4%	--	1.4%	0.6%	--	3.9%	2.5%	--	7.0%	5.0%	--	15.4%	9.5%
How wrong do you feel it would be for someone your age to use tobacco?	Very Wrong	72.2%	72.2%	74.3%	92.7%	90.4%	88.4%	79.8%	75.7%	78.9%	63.7%	66.0%	70.2%	53.3%	55.0%	59.7%
	Wrong	15.6%	17.2%	18.3%	5.6%	7.9%	9.8%	14.3%	18.2%	16.9%	21.0%	21.2%	21.2%	21.0%	21.5%	25.0%
	A little bit Wrong	7.4%	6.8%	5.1%	0.8%	0.9%	1.3%	4.2%	4.2%	2.9%	10.3%	9.2%	6.4%	14.1%	13.5%	10.1%
	Not Wrong at all	4.8%	3.9%	2.3%	0.9%	0.9%	0.6%	1.7%	1.9%	1.3%	5.0%	3.6%	2.2%	11.6%	9.9%	5.2%

TABLE 40

PERSONAL APPROVAL OF SUBSTANCE USE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB									
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB			
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017
How wrong do you feel it would be for someone your age to have one or two alcoholic beverages nearly every day?	Very Wrong	69.7%	67.6%	66.4%	68.0%	64.7%	67.1%	72.1%	70.7%	67.0%	46.0%	62.3%	47.0%	62.5%	60.7%	57.3%	66.7%	66.0%	63.7%	76.1%	71.6%	72.6%	
	Wrong	18.4%	20.5%	22.7%	18.6%	21.2%	22.2%	17.9%	19.8%	22.8%	28.5%	21.1%	31.5%	22.1%	23.3%	25.0%	20.1%	22.2%	25.2%	14.8%	17.7%	19.3%	
	A little bit Wrong	8.1%	8.5%	8.3%	8.7%	9.6%	7.9%	7.4%	7.5%	8.1%	12.8%	7.2%	16.6%	10.4%	11.1%	13.7%	9.1%	8.3%	8.4%	6.0%	7.9%	6.2%	
	Not Wrong at all	3.8%	3.4%	2.6%	4.8%	4.5%	2.9%	2.6%	2.1%	2.1%	12.7%	9.4%	5.0%	5.1%	4.9%	4.1%	4.0%	3.5%	2.7%	3.1%	2.8%	2.0%	
How wrong do you feel it would be for someone your age to have five or more alcoholic beverages once or twice per week?	Very Wrong	74.1%	72.0%	71.4%	72.2%	69.2%	71.7%	76.7%	75.1%	72.3%	51.8%	60.4%	52.0%	66.3%	63.5%	62.4%	71.7%	71.5%	68.9%	80.0%	75.3%	77.3%	
	Wrong	15.3%	17.7%	19.1%	16.0%	18.7%	18.8%	14.3%	16.5%	18.7%	24.0%	23.5%	28.8%	19.0%	21.0%	22.9%	16.7%	18.5%	20.7%	12.2%	15.7%	16.0%	
	A little bit Wrong	6.8%	6.9%	6.8%	7.1%	7.4%	6.4%	6.4%	6.4%	6.5%	12.3%	5.9%	16.9%	8.9%	9.5%	10.2%	7.7%	6.8%	7.5%	5.0%	6.0%	4.8%	
	Not Wrong at all	3.8%	3.5%	2.8%	4.7%	4.6%	3.0%	2.6%	2.0%	2.5%	11.8%	10.2%	2.3%	5.8%	5.9%	4.5%	3.9%	3.1%	2.9%	2.8%	2.9%	1.9%	
How wrong do you feel it would be for someone your age to use marijuana?	Very Wrong	65.4%	65.9%	68.8%	65.2%	66.5%	70.4%	66.1%	65.6%	68.8%	40.7%	52.8%	45.0%	58.6%	61.4%	60.4%	59.9%	64.3%	63.8%	74.5%	69.0%	77.6%	
	Wrong	13.0%	14.3%	14.4%	13.5%	14.1%	14.1%	12.5%	14.4%	14.2%	12.7%	15.0%	22.0%	15.6%	16.7%	16.3%	14.3%	13.9%	16.4%	10.5%	13.7%	11.5%	
	A little bit wrong	11.6%	10.9%	9.5%	11.0%	9.9%	8.8%	12.0%	11.8%	9.6%	17.2%	16.2%	17.9%	14.4%	11.3%	12.9%	13.5%	12.5%	11.2%	8.2%	9.2%	6.3%	
	Not wrong at all	10.1%	8.9%	7.3%	10.3%	9.5%	6.7%	9.3%	8.1%	7.3%	29.4%	16.0%	15.1%	11.5%	10.6%	10.4%	12.3%	9.2%	8.6%	6.9%	8.1%	4.6%	
How wrong do you feel it would be for someone your age to misuse prescription drugs?	Very Wrong	72.0%	71.7%	69.0%	69.2%	69.0%	67.4%	75.5%	75.0%	71.9%	50.1%	61.9%	48.6%	68.8%	71.0%	66.9%	70.0%	69.5%	66.4%	75.5%	74.4%	72.4%	
	Wrong	20.6%	20.8%	23.8%	22.4%	22.1%	24.9%	18.7%	19.3%	21.9%	27.1%	21.0%	37.1%	22.9%	21.5%	25.0%	21.7%	21.5%	26.1%	18.5%	19.8%	21.0%	
	A little bit Wrong	5.5%	5.4%	5.6%	6.0%	6.2%	5.7%	4.6%	4.5%	4.9%	14.9%	9.4%	12.7%	6.5%	5.4%	6.0%	6.2%	6.5%	5.8%	4.2%	4.2%	5.2%	
	Not Wrong at all	2.0%	2.1%	1.6%	2.5%	2.7%	2.0%	1.2%	1.2%	1.2%	7.9%	7.6%	1.6%	1.8%	2.1%	2.1%	2.2%	2.5%	1.7%	1.8%	1.6%	1.4%	
How wrong do you feel it would be for someone your age to use a vape pen or e-cigarette?	Very Wrong	--	60.9%	64.5%	--	60.1%	66.2%	--	62.1%	63.7%	--	49.6%	47.8%	--	57.3%	56.6%	--	59.7%	60.7%	--	63.3%	71.6%	
	Wrong	--	20.0%	21.0%	--	19.9%	20.6%	--	19.8%	21.1%	--	27.0%	27.7%	--	21.4%	23.9%	--	20.6%	23.2%	--	18.8%	17.4%	
	A Little Bit Wrong	--	12.5%	10.2%	--	12.4%	9.1%	--	12.5%	10.9%	--	12.5%	15.7%	--	12.9%	12.5%	--	11.9%	11.3%	--	12.5%	8.0%	
	Not Wrong at All	--	6.7%	4.4%	--	7.7%	4.2%	--	5.6%	4.3%	--	10.8%	8.8%	--	6.8%	7.0%	--	6.0%	4.8%	--	6.7%	2.9%	
How wrong do you feel it would be for someone your age to use tobacco?	Very Wrong	72.2%	72.2%	74.3%	70.4%	70.4%	74.6%	74.6%	74.0%	75.0%	51.3%	70.4%	59.2%	63.1%	66.7%	65.2%	70.0%	70.9%	72.9%	78.5%	75.4%	79.4%	
	Wrong	15.6%	17.2%	18.3%	16.1%	17.5%	18.3%	15.0%	16.9%	17.7%	19.8%	17.8%	27.0%	19.2%	19.0%	22.6%	16.9%	17.9%	18.9%	12.7%	15.8%	15.9%	
	A little bit Wrong	7.4%	6.8%	5.1%	7.6%	7.3%	4.6%	7.0%	6.3%	5.3%	16.0%	5.8%	11.5%	10.6%	8.9%	7.7%	8.2%	7.0%	5.8%	5.1%	5.7%	3.4%	
	Not Wrong at all	4.8%	3.9%	2.3%	5.8%	4.8%	2.5%	3.4%	2.9%	2.0%	13.0%	6.1%	2.3%	7.1%	5.5%	4.4%	4.9%	4.2%	2.4%	3.6%	3.0%	1.3%	

DISCUSSIONS WITH PARENTS ABOUT SUBSTANCE USE



Over half (60.1%) of students had a conversation with their parents about the dangers of substance use in the past year. Twelfth graders were most likely to report having these conversations (60.9%) in comparison to other grades.

Discussion about “family rules or expectations about using drugs” was the most common discussion (55.1%), followed by “specific things you could do to stay away from drugs” (51.4%), and “drug use in the movies, music, and on TV” (30.5%). The most common discussion for high school students was “family rules or expectations about using drugs” (58.7% for 10th grade, 56.2% for 12th grade).

Female students were more likely than male or “other” gender students to have had a discussion about substance use with their parents in the past year (62.1% of female students, 58.6% of male students, 55.9% of “other” gender students). Students in the West Hub were more likely to have had discussions with their parents in the past year (60.6%), followed by North Hub (60.3%) and East Hub (59.6%).

From 2019 to 2021, the percentage of students indicating having talked with their parents increased just over one percentage point, but increases were also seen in previous years. Please see Tables 41 and 42 for data by grade, gender, and hub.

FIGURE 27




TABLE 41

DISCUSSIONS WITH PARENTS ABOUT SUBSTANCE USE BY GRADE

FULL QUESTION	PRESENTED DATA	GRADE LEVEL														
		STATE TOTAL			6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 12 months, have you talked with at least one of your parents/caregivers about the dangers of tobacco, alcohol, or drug use?	Yes	54.5%	58.7%	60.1%	57.8%	58.9%	59.2%	55.7%	59.0%	60.1%	54.3%	60.0%	60.3%	50.0%	56.5%	60.9%
In the past 6 months, have you and either of your parents/caregivers discussed...	Specific things you could do to stay away from drugs?	44.2%	48.9%	51.4%	56.5%	60.1%	55.9%	49.2%	49.7%	53.3%	39.0%	45.7%	51.4%	31.6%	39.2%	44.8%
	Family rules or expectations about using drugs?	46.5%	49.2%	55.1%	48.0%	51.8%	49.6%	47.8%	49.4%	55.4%	47.2%	45.2%	58.7%	42.9%	50.5%	56.2%
	Drug use in movies, music, and on TV?	24.9%	25.3%	30.5%	28.9%	28.7%	29.0%	27.1%	26.0%	31.2%	22.5%	23.8%	31.7%	21.1%	22.5%	29.6%

TABLE 42

DISCUSSIONS WITH PARENTS ABOUT SUBSTANCE USE BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 12 months, have you talked with at least one of your parents/caregivers about the dangers of tobacco, alcohol, or drug use?	Yes	54.5%	58.7%	60.1%	53.7%	58.2%	58.6%	55.7%	59.5%	62.1%	40.2%	52.3%	55.9%	55.0%	65.8%	60.3%	52.6%	55.3%	60.6%	56.5%	59.7%	59.6%
	Specific things you could do to stay away from drugs?	44.2%	48.9%	51.4%	45.5%	49.9%	51.7%	43.2%	48.2%	51.8%	27.5%	42.7%	39.4%	40.2%	47.2%	49.1%	41.9%	49.3%	48.4%	48.4%	49.2%	55.4%
In the past 6 months, have you and either of your parents/caregivers discussed...	Family rules or expectations about using drugs?	46.5%	49.2%	55.1%	46.7%	50.4%	53.4%	46.6%	51.6%	57.2%	35.7%	39.6%	52.2%	44.5%	52.4%	52.4%	45.7%	49.9%	54.4%	48.4%	51.2%	57.0%
	Drug use in movies, music, and on TV?	24.9%	25.3%	30.5%	24.3%	24.8%	29.2%	25.7%	26.1%	31.8%	19.2%	19.1%	31.3%	23.2%	25.9%	31.2%	23.8%	25.6%	30.3%	26.8%	24.8%	30.4%

Youth who have a strong, open relationship with a parent or caregiver feel more comfortable opening up and asking for advice. For tips on how parents can talk with their family about alcohol or drugs, visit [betheparents.org](https://www.betheparents.org).

VEHICLE USE AND ALCOHOL/MARIJUANA USE

Students were asked if they, in the past 30 days, had ridden in a car with a driver who had been drinking or using marijuana, or if they had driven themselves after use. A higher percentage of students reported that they had ridden with an impaired driver than driven impaired themselves.

Just over 13% of students have ridden with a driver who had been drinking alcohol, and 7.7% have ridden with a driver who had used marijuana in the past 30 days. Nearly 2% of student drivers reported having driven after drinking. Exactly 2% reported having driven after smoking marijuana in the past 30 days.

"Other" gender students were more likely than male or female students to drive after using alcohol or marijuana. Females were more likely than males to be passengers of impaired drivers.

North Hub students were more likely to drive after using alcohol or marijuana than West or East Hub students and were more likely to be passengers in a vehicle driven by an impaired driver.

From 2019 to 2021, rates of reported impaired driving decreased for the second time period in a row. Please see Tables 43 and 44 for full data by grade, gender, and hub.

FIGURE 28

VEHICLE USE AND ALCOHOL/MARIJUANA USE IN THE PAST 30 DAYS (2021)




TABLE 43

VEHICLE USE AND ALCOHOL/MARIJUANA USE BY GRADE

CATEGORY	FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
			2017	2019	2021	6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
						2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Ridden with a driver who had been drinking (Past-month)	During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been drinking alcohol?	Yes, one or more times	15.0%	14.8%	13.1%	13.4%	13.5%	15.0%	17.1%	17.0%	15.3%	16.0%	14.3%	11.9%	13.4%	13.9%	9.8%
Driven a vehicle after drinking (Past-month)	During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been drinking alcohol?	Yes, one or more times (of students who indicated they drove)	2.2%	2.6%	1.6%	0.9%	1.4%	0.8%	1.5%	1.9%	0.7%	1.9%	2.2%	1.5%	4.5%	5.1%	3.2%
Ridden with a driver who had just used marijuana (Past-month)	During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been using marijuana?	Yes, one or more times	12.0%	10.7%	7.7%	3.1%	3.5%	2.8%	7.9%	7.5%	5.7%	15.4%	12.8%	8.6%	20.6%	19.6%	13.9%
Driven a vehicle after using marijuana (Past-month)	During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been using any marijuana?	Yes, one or more times (of students who indicated they drove)	3.9%	3.4%	2.0%	0.4%	0.7%	0.4%	1.3%	1.3%	0.5%	4.0%	3.0%	1.3%	9.7%	9.0%	6.2%

TABLE 44

VEHICLE USE AND ALCOHOL/MARIJUANA USE BY GENDER AND HUB

CATEGORY	FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
						MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
			2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Ridden with a driver who had been drinking (Past-month)	During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been drinking alcohol?	Yes, one or more times	15.0%	14.8%	13.1%	12.8%	12.7%	11.0%	17.1%	16.8%	14.9%	24.4%	15.8%	17.4%	17.9%	16.1%	8.7%	14.7%	15.4%	6.6%	14.2%	13.6%	8.3%
Driven a vehicle after drinking (Past-month)	During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been drinking alcohol?	Yes, one or more times (of students who indicated they drove)	2.2%	2.6%	1.6%	2.3%	2.9%	1.7%	1.9%	2.2%	1.3%	6.2%	5.3%	2.8%	2.3%	3.0%	2.4%	1.9%	2.6%	1.4%	2.2%	2.4%	1.4%
Ridden with a driver who had just used marijuana (Past-month)	During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been using marijuana?	Yes, one or more times	12.0%	10.7%	7.7%	10.4%	9.0%	6.0%	13.3%	12.3%	9.0%	24.5%	11.6%	13.8%	15.7%	11.1%	10.3%	12.9%	12.1%	9.0%	9.3%	9.1%	5.3%
Driven a vehicle after using marijuana (Past-month)	During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been using any marijuana?	Yes, one or more times (of students who indicated they drove)	3.9%	3.4%	2.0%	3.8%	3.7%	2.3%	3.8%	3.0%	1.6%	12.7%	2.3%	3.4%	4.6%	3.9%	3.2%	2.9%	3.6%	2.1%	3.9%	2.8%	1.5%

SUICIDE IDEATION AND MENTAL HEALTH



In Idaho, 19.9% of students have seriously considered suicide, 15.9% have made a plan to attempt suicide, and 6.1% have attempted suicide in the past year. Suicide ideation increases as students age. For example, 11.8% of 6th grade students have considered suicide in the past year versus 23.4% of twelfth grade students.

The survey asks six additional mental health questions which mirror the Kessler K6 non-specific distress scale, which is widely used for adult mental health screening. These questions are used to determine the frequency of feelings in the past 30 days. In Idaho:

- 36.2% felt restless or fidgety “all the time” or “most of the time;”
- 32.6% felt everything was an effort “all the time” or “most of the time;”
- 34.7% of students felt nervous “all the time” or “most of the time;”
- 19.1% of students felt hopeless “all the time” or “most of the time;”
- 19.1% felt worthless “all the time” or “most of the time;”
- 15.8% felt so depressed that nothing could cheer them up “all the time” or “most of the time.”

"Other" gender students were more likely to consider suicide, make a suicide plan, or attempt suicide (59.1%, 45.8%, and 24.3% respectively) compared to male and female students. In North Hub, 23.0% of students had considered suicide in the past year.

FIGURE 29




TABLE 45

SUICIDE IDEATION, SUICIDE ATTEMPTS, AND DEPRESSIVE SYMPTOMS BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 12 months, have you seriously considered attempting suicide?	"Yes"	17.4%	17.0%	19.9%	7.6%	8.9%	11.8%	16.4%	17.7%	19.6%	22.1%	21.3%	23.9%	23.8%	20.6%	23.4%
During the past 12 months, have you made a plan about how you would attempt suicide?	"Yes"	13.4%	14.1%	15.9%	5.8%	6.4%	9.2%	12.9%	14.8%	16.2%	17.4%	17.5%	19.5%	17.9%	18.2%	17.7%
During the past 12 months, have you attempted suicide?	One or more times	4.7%	5.3%	6.1%	2.2%	3.2%	3.6%	4.8%	5.8%	7.0%	6.2%	6.7%	6.9%	5.4%	5.3%	6.6%
During the past 30 days, how often did you feel nervous?	"All of the time"/"Most of the time"	25.0%	29.1%	34.7%	16.3%	22.0%	28.3%	23.0%	27.0%	32.6%	30.1%	33.0%	39.1%	31.0%	35.0%	38.2%
During the past 30 days, how often did you feel hopeless?	"All of the time"/"Most of the time"	15.5%	17.6%	19.1%	9.7%	13.0%	14.8%	15.2%	17.4%	17.3%	18.1%	20.0%	22.4%	19.1%	20.2%	21.7%
During the past 30 days, how often did you feel restless or fidgety?	"All of the time"/"Most of the time"	27.8%	32.1%	36.2%	20.4%	23.2%	26.6%	26.0%	30.6%	34.4%	31.3%	35.5%	39.9%	33.9%	40.0%	42.9%
During the past 30 days, how often did you feel so depressed that nothing could cheer you up?	"All of the time"/"Most of the time"	12.0%	13.3%	15.8%	8.7%	10.0%	12.2%	11.8%	12.7%	13.9%	13.3%	15.0%	17.9%	14.3%	15.9%	18.9%
During the past 30 days, how often did you feel that everything was an effort?	"All of the time"/"Most of the time"	25.4%	26.0%	32.6%	27.0%	24.7%	29.4%	22.6%	22.9%	29.2%	24.7%	26.4%	36.1%	27.6%	30.5%	35.6%
During the past 30 days, how often did you feel worthless?	"All of the time"/"Most of the time"	15.0%	16.8%	19.1%	10.1%	11.6%	13.7%	15.1%	16.5%	17.7%	17.1%	19.9%	22.2%	17.7%	19.7%	22.1%

TABLE 46

SUICIDE IDEATION, SUICIDE ATTEMPTS, AND DEPRESSIVE SYMPTOMS BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 12 months, have you seriously considered attempting suicide?	"Yes"	17.4%	17.0%	19.9%	12.5%	12.4%	13.2%	21.9%	21.0%	24.1%	42.3%	38.3%	59.1%	17.9%	15.4%	23.0%	17.9%	17.0%	19.1%	16.6%	17.7%	19.6%
During the past 12 months, have you made a plan about how you would attempt suicide?	"Yes"	13.4%	14.1%	15.9%	10.0%	11.2%	10.6%	16.3%	16.3%	19.3%	41.2%	32.3%	45.8%	14.1%	12.4%	18.8%	13.6%	14.8%	14.9%	12.9%	13.9%	15.8%
During the past 12 months, have you attempted suicide?	One or more times	4.7%	5.3%	6.1%	2.9%	3.9%	3.5%	6.2%	6.3%	7.6%	18.6%	17.7%	24.3%	4.6%	3.9%	6.6%	4.6%	6.2%	5.5%	4.7%	4.7%	6.6%
During the past 30 days, how often did you feel nervous?	"All of the time"/"Most of the time"	25.0%	29.1%	34.7%	17.4%	20.3%	23.1%	32.5%	37.3%	44.4%	46.4%	54.3%	63.7%	24.4%	27.3%	37.8%	26.0%	29.2%	34.8%	24.1%	29.7%	33.3%
During the past 30 days, how often did you feel hopeless?	"All of the time"/"Most of the time"	15.5%	17.6%	19.1%	11.1%	12.8%	13.5%	19.5%	21.4%	22.8%	37.3%	48.0%	49.2%	13.9%	14.7%	22.0%	16.2%	18.8%	18.1%	15.2%	17.3%	19.1%
During the past 30 days, how often did you feel restless or fidgety?	"All of the time"/"Most of the time"	27.8%	32.1%	36.2%	25.9%	28.1%	27.9%	29.2%	35.1%	42.0%	52.4%	61.4%	74.8%	26.1%	28.4%	41.7%	29.0%	34.3%	37.9%	27.2%	31.1%	32.2%
During the past 30 days, how often did you feel so depressed that nothing could cheer you up?	"All of the time"/"Most of the time"	12.0%	13.3%	15.8%	8.7%	9.6%	10.9%	15.1%	16.4%	19.0%	26.9%	33.4%	40.3%	11.4%	11.0%	18.7%	12.6%	14.9%	15.0%	11.6%	12.5%	15.4%
During the past 30 days, how often did you feel that everything was an effort?	"All of the time"/"Most of the time"	25.4%	26.0%	32.6%	23.1%	23.4%	28.5%	27.6%	27.9%	35.2%	40.4%	46.3%	55.9%	23.5%	22.3%	33.6%	25.8%	28.5%	33.4%	25.8%	24.6%	31.4%
During the past 30 days, how often did you feel worthless?	"All of the time"/"Most of the time"	15.0%	16.8%	19.1%	10.4%	12.0%	12.9%	19.1%	21.1%	23.1%	38.8%	35.6%	51.8%	13.8%	13.4%	22.0%	15.6%	18.0%	17.2%	14.6%	16.8%	19.8%

The CDC lists suicide as the third leading cause of death in youth aged 12-19 and consistently ranks Idaho in the top 10 states for suicide mortality per capita. To find mental health support for youth in Idaho, visit [yes.idaho.gov](https://www.yes.idaho.gov).



In the past 12 months, 24.6% of students reported they had been bullied. Those that reported their gender as “other” and those in 6th grade were most likely to report being bullied, 44.8% and 30.8%, respectively. Students in the North Hub reported the highest rate of past-year bullying (29.1%), followed by East Hub (27.3%), and West Hub (20.6%).

In response to the question "If you or someone else was bullied in the past 12 months, how often did you report it to a teacher or other adult at the school?", 48.2% of students reported that they "have never been bullied or witnessed someone else being bullied," 23.7% reported that they had reported bullying to a teacher or other adult at school, and 28.1% said they had not reported bullying to a teacher or other adult at school.

From 2019 to 2021, the percent of students indicating that they been bullied in the past 12 months increased from 21.8% in 2019 to 24.6% in 2021. Please see Tables 47 and 48 for full data by grade, gender, and hub.

FIGURE 30




TABLE 47

PAST YEAR BULLYING AND REPORTING BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 12 months, have you been bullied?	Yes	23.1%	21.8%	24.6%	24.2%	25.4%	30.8%	26.4%	24.2%	26.6%	22.7%	19.7%	23.5%	18.8%	17.5%	17.9%
If you or someone else was bullied in the past 12 months, how often did you report it to a teacher or other adult at the school?	I have never been bullied or witnessed someone else being bullied.	--	48.7%	48.2%	--	47.3%	47.6%	--	47.3%	46.6%	--	51.1%	47.6%	--	49.2%	51.3%
	Yes	--	24.4%	23.7%	--	33.1%	33.0%	--	27.1%	26.7%	--	17.5%	19.0%	--	19.1%	16.7%
	No	--	26.9%	28.1%	--	19.6%	19.5%	--	25.6%	26.7%	--	31.4%	33.5%	--	31.6%	31.9%

TABLE 48

PAST YEAR BULLYING AND REPORTING BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 12 months, have you been bullied?	Yes	23.1%	21.8%	24.6%	19.2%	18.2%	20.9%	26.7%	25.0%	27.1%	42.3%	36.8%	44.8%	26.3%	26.4%	29.1%	22.1%	20.2%	20.6%	23.0%	21.9%	27.3%
If you or someone else was bullied in the past 12 months, how often did you report it to a teacher or other adult at the school?	I have never been bullied or witnessed someone else being bullied.	--	48.7%	48.2%	--	51.6%	49.3%	--	46.1%	47.6%	--	38.2%	38.6%	--	46.5%	45.4%	--	48.6%	52.5%	--	49.7%	44.6%
	Yes	--	24.4%	23.7%	--	20.1%	21.0%	--	29.0%	26.2%	--	20.2%	26.2%	--	24.2%	23.6%	--	24.6%	21.5%	--	24.3%	26.1%
	No	--	26.9%	28.1%	--	28.3%	29.7%	--	24.9%	26.2%	--	41.6%	35.3%	--	29.3%	31.0%	--	26.9%	26.0%	--	26.1%	29.3%



More than half of students reported that their parents always knew where they were (56.0%) and who they were with (56.4%). Twelfth grade students were least likely to report that their parents knew where they were or who they were with with 46.4% and 44.4%, respectively. More than 65% of 6th grade students reported their parents always knew where they were and who they were with.

Caregiver attentiveness was lowest for "other" gender students, with 43.4% reporting their parents always knew where they were and 46.8% reporting their parents always knew who they were with. Of the three hubs, the North Hub had the lowest percentage of students reporting that their parents knew where they were and who they were with.

Percentages remained stable from 2019 to 2021. Please see Tables 49 and 50 for full data by grade, gender, and hub.

FIGURE 31




TABLE 49

CAREGIVER ATTENTIVENESS BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
When you are away from home, how often do your parents/caregivers know where you are?	Always	58.8%	60.3%	56.0%	74.9%	73.1%	65.6%	64.8%	66.2%	57.9%	53.9%	57.0%	54.5%	40.5%	43.0%	46.4%
I know how to say "no" when someone wants me to do things I know are wrong or dangerous.	Strongly Agree/Agree	84.7%	82.8%	85.2%	86.7%	83.6%	83.1%	85.1%	81.9%	85.4%	83.1%	82.5%	85.9%	83.9%	83.5%	85.9%
When you are away from home, how often do your parents/caregivers know who you are with?	Always	56.8%	57.5%	56.4%	76.1%	73.9%	69.6%	61.7%	60.4%	59.7%	48.4%	50.7%	52.3%	39.8%	43.3%	44.4%

TABLE 50

CAREGIVER ATTENTIVENESS BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
When you are away from home, how often do your parents/caregivers know where you are?	Always	58.8%	60.3%	56.0%	53.9%	56.1%	52.9%	64.5%	65.2%	59.9%	38.1%	46.6%	43.4%	54.1%	53.7%	51.0%	58.4%	62.1%	54.1%	61.1%	60.7%	60.1%
I know how to say "no" when someone wants me to do things I know are wrong or dangerous.	Strongly Agree/ Agree	84.7%	82.8%	85.2%	84.9%	82.9%	81.5%	85.1%	83.5%	85.6%	63.9%	61.3%	86.2%	84.0%	84.5%	81.5%	83.8%	81.4%	85.6%	86.0%	83.7%	86.2%
When you are away from home, how often do your parents/caregivers know who you are with?	Always	56.8%	57.5%	56.4%	51.5%	53.9%	52.5%	62.9%	61.7%	60.9%	38.4%	43.7%	46.8%	52.7%	51.9%	49.5%	55.8%	58.2%	54.5%	59.5%	58.8%	61.2%



Table 51 and 52 and Figure 32 provide school-related IHYS data by grade, gender, and hub. In Idaho, 77.3% of students felt it was very important to finish high school, and 72.9% felt they belonged at their school “most of the time” or “always.”

Less than half of students (46.9%) said it was “very likely” they would complete a post-high-school program (vocational training program, military service, community college, or 4-year college). This likelihood increases as students aged (35.0% in the 6th grade versus 62.8% in the 12th grade).

In the past 30 days, 30.7% of students reported skipping or cutting school. Twelfth grade students were most likely to skip school at least once in the past 30 days (41.3%), followed by 10th grade students (32.3%), 6th grade students (25.6%), and 8th grade students (24.2%).

Figures 33 to 36 on the following pages illustrate the relationship between school-related items and substance use. The findings include:

- Students who skip school frequently are more likely to use substances. For example, of students reporting not skipping school in the past 30 days, 7.1% reported past 30 day alcohol use compared to 23.0% among of students who skipped 11 or more days reported using alcohol in the past 30 days. See Figure 33.
- Students who don’t believe that finishing high school is important are more likely to use substances. Of students reporting that finishing high school was “very important,” 4.3% reported binge drinking in the past 30 days (see Figure 34) compared to 9.1%

among students reporting that it was “not at all important.” Figure 35 displays a similar relationship based on student intentions to complete a post-high-school program.

- Students who felt they never belonged at their school are more likely to use substances (19.0% 30-day alcohol use rate) than students who felt they always belonged (5.8% 30-day alcohol use rate). See Figure 36.

FIGURE 32




TABLE 51

SCHOOL MEASURES: TRUANCY, PERCEIVED SCHOOL IMPORTANCE, POST HS PLANS, AND SCHOOL BELONGING BY GRADE

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GRADE LEVEL											
					6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 30 days, on how many days did you have an unexcused absence from school (skipped or cut school)?	One or more times	31.8%	35.4%	30.7%	31.6%	36.1%	25.6%	28.9%	30.8%	24.2%	28.5%	34.3%	32.3%	38.8%	40.7%	41.3%
How important is it for you to finish high school?	"Very Important"	79.4%	74.9%	77.3%	78.3%	74.0%	78.9%	77.8%	72.6%	72.8%	77.0%	72.4%	75.0%	84.9%	81.3%	83.7%
How likely are you to complete a post high school program such as vocational training program, military service, community college, or 4-year college?	"Very Likely"	46.0%	41.6%	46.9%	34.8%	31.2%	35.0%	39.9%	37.0%	39.7%	48.1%	43.1%	49.9%	61.9%	56.2%	62.8%
I feel I belong at this school.	"Most of the time" or "Always"	79.0%	77.2%	72.9%	85.9%	83.3%	81.5%	79.4%	77.7%	74.0%	75.5%	74.7%	70.2%	74.7%	72.7%	66.4%

TABLE 52

SCHOOL MEASURES: TRUANCY, PERCEIVED SCHOOL IMPORTANCE, POST HS PLANS, AND SCHOOL BELONGING BY GENDER AND HUB																						
FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
During the past 30 days, on how many days did you have an unexcused absence from school (skipped or cut school)?	One or more times	31.8%	35.4%	30.7%	32.6%	34.9%	28.1%	30.7%	35.5%	32.9%	39.3%	42.8%	39.3%	25.5%	30.6%	29.3%	33.8%	36.7%	31.9%	31.9%	35.7%	30.1%
How important is it for you to finish high school?	"Very Important"	79.4%	74.9%	77.3%	75.5%	69.8%	74.9%	84.2%	80.8%	81.1%	57.1%	65.0%	57.3%	78.0%	75.7%	74.4%	79.3%	71.8%	76.6%	80.1%	78.0%	79.3%
How likely are you to complete a post high school program such as vocational training program, military service, community college, or 4-year college?	"Very Likely"	46.0%	41.6%	46.9%	41.8%	36.8%	42.4%	51.0%	46.9%	52.3%	32.4%	35.5%	35.7%	48.4%	48.0%	45.0%	46.5%	37.6%	48.6%	44.6%	43.6%	45.8%
I feel I belong at this school.	"Most of the time" or "Always"	79.0%	77.2%	72.9%	80.1%	78.5%	75.7%	78.5%	77.1%	71.8%	50.4%	46.5%	45.4%	78.9%	77.7%	71.3%	77.9%	77.0%	72.3%	80.2%	77.3%	74.1%

Students with higher grades are less likely to use alcohol or other drugs and are more likely to have positive health outcomes. To learn about the relationship between health and academics, visit [cdc.gov/healthyschools](https://www.cdc.gov/healthyschools).

FIGURE 33




FIGURE 34




FIGURE 35





FIGURE 36




GANG INVOLVEMENT AND PERCEPTIONS

Exactly 9.0% of youth reported that they personally knew someone in a gang, 6.2% reported that gangs cause trouble at their school, and 2.7% reported having ever belonged to a gang. Twelfth grade students were most likely to know someone in a gang (10.4%), followed by 10th grade (10.1%), 8th grade (9.1%) and 6th grade students (6.0%). Sixth grade students were most likely to feel that gangs cause trouble at their school (10.9%).

Students in the East Hub were more likely to report knowing someone in a gang (9.7%) and were more likely to report that gangs cause trouble at their school (8.6%).

Percentages for gang involvement and perceptions changed very little from the year 2019 to the year 2021. See Tables 53 and 54 for data by grade, gender, and hub.

FIGURE 37



Note: Figure 36 does not include data for the "no, and I don't want to" response option for the lifetime gang question. A majority of students marked this response option. Please see Table 27 for complete data.

TABLE 53

GANG INVOLVEMENT AND PERCEPTIONS BY GRADE		GRADE LEVEL														
FULL QUESTION	PRESENTED DATA	STATE TOTAL			6TH GRADE			8TH GRADE			10TH GRADE			12TH GRADE		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
		Do you personally know anyone that is in a gang?	Yes	14.1%	15.5%	9.0%	8.7%	9.0%	6.0%	13.3%	16.9%	9.1%	17.7%	18.9%	10.1%	16.9%
Do gangs cause trouble at your school?	Yes	5.5%	6.4%	6.2%	8.3%	9.3%	10.9%	6.1%	6.1%	6.8%	4.5%	5.8%	5.0%	3.0%	4.0%	2.5%
	No, and I don't want to	93.2%	93.2%	95.1%	93.8%	94.0%	95.6%	92.6%	93.1%	95.1%	93.1%	92.8%	95.2%	93.3%	92.9%	94.7%
	No, but I would like to	2.3%	2.9%	2.1%	1.7%	2.1%	1.0%	2.4%	2.6%	2.3%	2.6%	2.9%	2.5%	2.7%	4.3%	2.4%
Have you ever belonged to a gang?	Yes, in the past	2.7%	2.3%	1.7%	2.7%	2.2%	2.3%	3.0%	2.2%	1.8%	2.7%	2.5%	1.2%	2.5%	2.2%	1.6%
	Yes, I belong now	1.6%	1.3%	0.8%	1.6%	1.3%	0.8%	1.9%	1.7%	0.7%	1.5%	1.6%	1.0%	1.3%	0.7%	0.9%
	Yes, but I would like to get out	0.2%	0.3%	0.2%	0.3%	0.5%	0.3%	0.1%	0.4%	0.1%	0.1%	0.3%	0.0%	0.3%	0.0%	0.4%

TABLE 54

GANG INVOLVEMENT AND PERCEPTIONS BY GENDER AND HUB

FULL QUESTION	PRESENTED DATA	STATE TOTAL			GENDER									HUB								
					MALE			FEMALE			OTHER			NORTH HUB			WEST HUB			EAST HUB		
		2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021	2017	2019	2021
Do you personally know anyone that is in a gang?	Yes	14.1%	15.5%	9.0%	15.7%	16.0%	9.9%	11.9%	14.2%	7.7%	31.4%	32.2%	13.9%	12.6%	13.2%	8.8%	15.5%	18.8%	8.4%	13.1%	12.7%	9.7%
Do gangs cause trouble at your school?	Yes	5.5%	6.4%	6.2%	5.1%	6.0%	5.8%	5.8%	6.6%	6.6%	11.1%	11.5%	6.8%	3.6%	3.4%	4.0%	5.4%	7.7%	4.8%	6.4%	6.0%	8.6%
	No, and I don't want to	93.2%	93.2%	95.1%	91.1%	92.4%	93.9%	95.8%	94.6%	96.7%	75.9%	78.0%	90.8%	92.9%	92.2%	94.0%	93.1%	93.1%	96.5%	93.4%	93.7%	94.1%
	No, but I would like to	2.3%	2.9%	2.1%	3.0%	3.0%	2.1%	1.4%	2.6%	1.9%	8.2%	8.2%	6.3%	2.8%	3.2%	2.2%	2.3%	3.2%	1.5%	2.2%	2.5%	2.7%
Have you ever belonged to a gang?	Yes, in the past	2.7%	2.3%	1.7%	3.5%	2.7%	2.4%	1.9%	1.8%	0.9%	7.4%	4.4%	2.6%	2.3%	2.7%	2.2%	2.8%	2.3%	1.3%	2.8%	2.1%	2.0%
	Yes, I belong now	1.6%	1.3%	0.8%	2.1%	1.6%	1.3%	0.8%	0.7%	0.4%	8.1%	8.3%	0.3%	1.9%	1.6%	1.2%	1.5%	1.2%	0.5%	1.5%	1.3%	1.0%
	Yes, but I would like to get out	0.2%	0.3%	0.2%	0.2%	0.3%	0.2%	0.1%	0.2%	0.2%	0.3%	1.0%	0.0%	0.1%	0.3%	0.3%	0.2%	0.3%	0.2%	0.1%	0.3%	0.2%




Students with a parent or caregiver who had been incarcerated reported that they were more likely to use substances than students whose parents had never been to jail or prison. Of students reporting parent/caregiver incarceration, 17.5% used alcohol, 12.9% used marijuana, and 5.3% misused prescription drugs in the past 30 days. In contrast, of students whose parents had never been incarcerated reported use rates for these substances of 8.1%, 4.0%, and 1.6%, respectively.

Students whose parent or caregiver had been incarcerated reported reduced rates of substance use from 2019 to 2021.

FIGURE 38

PARENT/CAREGIVER JAIL TIME AND YOUTH SUBSTANCE USE




COVID-19 IMPACTS AND RELATIONSHIPS



The 2021 IHYS included a "mark all that apply" question asking students to report whether they experienced one or more of seven named impacts: getting sick with COVID-19, having a family member in their home lose a job, having to move or change homes, having to skip a meal to due their family not having enough money for food, experiencing mental health problems, experiencing in-home conflict, and having difficulty keeping up with school due to not having a reliable computer or internet connection. Students could also mark "None of these" for this question. The survey found that 36.0% of youth reported that they personally were sick with the coronavirus or coronavirus systems, 5.0% reported that one or more people living in the home lost their jobs, 3.6% that they had to move or change homes, and 2.5% reported having skipped one or more meals because their family didn't have enough money to buy food. Further, 21.9% of all students reported feeling anxious, sad, or hopeless, with twelfth grade students reporting the highest at 29.9%; 11.9% reported that people in their home were fighting a lot; and 11.6% reported that they had difficulty keeping up with school work because they didn't have access to a reliable computer or internet service.

FIGURE 39



Figures 40 and 41 illustrate how these COVID-19 Impacts data relate to past-month marijuana use and past-year suicide consideration. The data show that students experiencing COVID-19 impacts (i.e., the dark bars in these charts) were more likely than those not experiencing COVID-19

impacts (i.e., the light bars in the charts). For example, of students who experienced having to skip one or more meals, 55.7% had considered suicide in the past year, while of students who did not experience food scarcity, the rate of suicide consideration was 19.2%. It's important to note that many of these items are identified as general Social Determinants of Health, which have always been shown to correlate with substance use and mental health issues.

TABLE 55

COVID-19 IMPACTS BY GRADE, GENDER, AND HUB

FULL QUESTION	PRESENTED DATA	GRADE LEVEL					GENDER			HUB		
		State Total	6th Grade	8th Grade	10th Grade	12th Grade	Male	Female	Other	North Hub	West Hub	East Hub
		2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021
Did you experience any of the following due to the coronavirus or coronavirus symptoms?	I was sick with the coronavirus or coronavirus symptoms.	36.0%	28.1%	34.7%	39.0%	41.4%	34.0%	38.2%	34.1%	34.6%	36.5%	36.1%
	One or more people living in my home lost their job.	5.0%	4.2%	4.4%	5.1%	6.4%	4.6%	5.3%	8.3%	6.3%	5.9%	3.7%
	I had to move or change homes.	3.6%	2.4%	3.5%	3.9%	4.4%	3.0%	4.0%	6.6%	4.1%	3.9%	3.0%
	Skipped one or more meals because my family didn't have enough money to buy food	2.5%	1.0%	2.1%	3.4%	3.3%	1.9%	2.7%	6.9%	3.3%	2.3%	2.3%
	I felt anxious, sad, or hopeless.	21.9%	14.2%	18.2%	24.5%	29.9%	13.0%	29.1%	46.0%	24.9%	26.1%	16.2%
	People in my home were fighting a lot.	11.9%	7.3%	10.7%	14.2%	14.9%	7.0%	15.9%	25.3%	14.2%	13.4%	9.4%
	I had difficulty keeping up with school work because I didn't have access to a reliable computer or internet service.	11.6%	5.2%	11.6%	14.5%	14.3%	9.5%	13.3%	20.5%	15.4%	12.6%	9.2%
	None of these	46.5%	56.9%	49.6%	42.8%	37.6%	52.8%	41.2%	31.3%	44.1%	43.9%	50.2%

FIGURE 40

COVID-19 IMPACTS AND MARIJUANA USE





FIGURE 41

COVID-19 IMPACTS AND CONSIDERATION OF SUICIDE





In the 2021 IHYS, students were asked to report their level of agreement to eight statements about their school experience during remote/online learning (see Table 56 below, and continued on page 71). Response options were: strongly agree, agree, neutral, disagree, strongly disagree, and "I have not participated in online learning." The results are fairly similar across the grades and hubs.

The data showed that:

- 59.7% marked strongly agree/agree to the statement "I miss spending time at school, learning with other students in person."
- 57.8% of all students marked strongly agree/agree to the statement "I miss spending time at school, learning with my teachers in person."
- 26.7% of students marked "Strongly Agree" or "Agree" to the statement "When I am learning online, I understand my teacher's instructions."
- 23.9% of students marked strongly agree/agree to the statement "I stay focused when doing online school work."

- 6.1% marked strongly disagree/disagree to the statement "I have access to a computer or internet access to complete my school work."
- 14.7% of students marked strongly disagree/disagree to the statement "I have a quiet space to use to do online school work."
- 14.7% of students marked strongly agree/agree to the statement "My learning improved when my classes were being taught online due to COVID," while 57.7% of students marked strongly disagree/disagree to this statement.
- 18.9% of students marked strongly disagree/disagree to the statement "It is easy to use the online learning platform my school has chosen (e.g. Canvas, Google Classroom, or other online learning website)," with the more 12th graders reporting disagreement in comparison to other grades (20.9% marking strongly disagree/disagree).

TABLE 56

REMOTE/ONLINE LEARNING EXPERIENCES AND PERCEPTIONS

Full question	Presented Data	State Total	Grade Level				Gender			Hub/Region		
			6th Grade	8th Grade	10th Grade	12th Grade	Male	Female	Other	North Hub	West Hub	East Hub
I miss spending time at school, learning with other students in person.	Strongly Agree	33.5%	36.8%	31.7%	32.1%	33.9%	33.0%	34.6%	24.2%	36.0%	33.2%	32.7%
	Agree	26.2%	25.7%	26.9%	25.2%	27.0%	25.6%	27.2%	21.5%	24.8%	28.3%	24.5%
	Neutral	23.2%	20.2%	24.5%	25.1%	22.2%	23.4%	22.5%	28.6%	20.9%	22.4%	24.9%
	Disagree	5.6%	4.2%	4.7%	5.8%	7.6%	5.4%	5.4%	11.0%	5.5%	5.6%	5.6%
	Strongly Disagree	5.0%	4.2%	4.4%	5.2%	6.1%	5.4%	4.4%	8.2%	5.3%	4.8%	5.1%
	I have not participated in online learning	6.6%	8.9%	7.7%	6.7%	3.3%	7.3%	6.0%	6.6%	7.5%	5.7%	7.2%
I miss spending time at school, learning with my teachers in person.	Strongly Agree	29.7%	34.4%	26.4%	26.7%	32.3%	28.8%	31.2%	18.3%	30.5%	29.8%	29.2%
	Agree	28.1%	26.1%	27.5%	27.8%	30.8%	26.3%	30.2%	23.2%	29.2%	28.7%	27.0%
	Neutral	24.0%	21.0%	26.2%	25.6%	22.6%	25.6%	22.1%	28.5%	22.1%	24.0%	24.8%
	Disagree	6.6%	5.7%	7.2%	7.2%	6.0%	6.5%	6.1%	14.6%	5.1%	7.0%	6.7%
	Strongly Disagree	5.3%	4.5%	4.9%	6.5%	5.1%	5.8%	4.6%	8.2%	5.4%	5.0%	5.6%
	I have not participated in online learning	6.4%	8.4%	7.7%	6.2%	3.2%	6.9%	5.8%	7.2%	7.7%	5.5%	6.8%
When I am learning online, I understand my teacher's instructions.	Strongly Agree	9.1%	12.7%	8.0%	8.5%	7.8%	10.2%	8.2%	6.1%	8.2%	9.1%	9.5%
	Agree	17.6%	19.4%	16.3%	15.7%	19.7%	19.0%	16.4%	14.6%	16.2%	19.4%	16.3%
	Neutral	27.2%	27.4%	27.3%	27.5%	26.4%	27.1%	27.2%	29.0%	25.7%	27.2%	27.7%
	Disagree	20.5%	16.9%	21.0%	21.1%	22.3%	19.4%	21.9%	17.0%	22.2%	20.4%	19.9%
	Strongly Disagree	18.1%	12.9%	18.0%	20.7%	20.1%	16.0%	19.6%	26.0%	19.6%	17.5%	18.3%
	I have not participated in online learning	7.4%	10.6%	9.3%	6.5%	3.8%	8.3%	6.6%	7.4%	8.1%	6.3%	8.4%
I stay focused when doing online school work.	Strongly Agree	9.4%	15.7%	7.5%	8.1%	7.4%	10.0%	9.0%	5.9%	8.8%	8.8%	10.3%
	Agree	14.5%	18.2%	13.2%	13.2%	14.2%	15.0%	14.1%	11.7%	12.7%	14.3%	15.4%
	Neutral	23.7%	24.1%	25.5%	24.3%	20.6%	24.7%	23.0%	21.9%	21.4%	24.5%	23.7%
	Disagree	20.3%	17.6%	21.5%	19.7%	22.1%	20.0%	20.8%	18.8%	21.0%	20.7%	19.7%
	Strongly Disagree	24.6%	14.3%	22.6%	28.1%	31.7%	22.2%	26.2%	34.2%	28.1%	25.3%	22.4%
	I have not participated in online learning	7.5%	10.1%	9.7%	6.6%	3.9%	8.2%	6.9%	7.6%	8.0%	6.5%	8.5%

REMOTE/ONLINE LEARNING EXPERIENCES AND PERCEPTIONS DATA IS CONTINUED ON PAGE 71

TABLE 56, CONTINUED

REMOTE/ONLINE LEARNING EXPERIENCES AND PERCEPTIONS, Continued													
Full question	Presented Data	State Total	Grade Level				Gender			Hub/Region			
			6th Grade	8th Grade	10th Grade	12th Grade	Male	Female	Other	North Hub	West Hub	East Hub	
My learning improved when my classes were taught online due to COVID-19.	Strongly Agree	7.3%	8.5%	5.9%	6.7%	8.5%	8.0%	6.5%	9.2%	6.9%	7.0%	7.8%	
	Agree	7.4%	8.2%	7.0%	7.5%	7.1%	8.3%	6.8%	3.5%	6.3%	7.8%	7.4%	
	Neutral	19.8%	18.9%	18.8%	21.8%	19.4%	21.1%	18.4%	19.4%	17.5%	19.4%	21.1%	
	Disagree	22.0%	23.2%	23.0%	20.6%	21.4%	21.0%	23.2%	18.6%	23.1%	22.2%	21.3%	
	Strongly Disagree	35.7%	30.3%	35.7%	36.4%	39.5%	33.2%	37.9%	40.8%	38.1%	36.6%	33.7%	
	I have not participated in online learning	7.8%	10.8%	9.6%	7.0%	4.2%	8.5%	7.2%	8.5%	8.2%	6.9%	8.8%	
I have access to a computer or the internet to complete my online school work.	Strongly Agree	47.0%	46.4%	45.3%	45.8%	50.7%	46.7%	47.7%	42.4%	43.6%	48.2%	47.0%	
	Agree	28.0%	25.8%	28.0%	28.4%	29.4%	27.0%	29.0%	26.5%	27.7%	30.6%	25.3%	
	Neutral	12.4%	11.4%	12.6%	14.1%	11.2%	12.5%	12.0%	16.9%	14.3%	10.7%	13.6%	
	Disagree	3.0%	3.4%	3.4%	3.2%	2.1%	3.3%	2.8%	1.0%	3.5%	2.8%	3.1%	
	Strongly Disagree	3.1%	3.8%	2.8%	2.5%	3.5%	3.2%	2.8%	7.3%	3.7%	2.2%	3.8%	
	I have not participated in online learning	6.5%	9.1%	7.9%	6.0%	3.1%	7.3%	5.7%	5.7%	7.2%	5.5%	7.2%	
I have a quiet space that I am able to use when doing online school work.	Strongly Agree	31.1%	31.3%	29.2%	29.6%	34.7%	31.7%	31.1%	23.9%	29.9%	32.0%	30.6%	
	Agree	28.1%	25.1%	27.2%	28.1%	31.9%	28.6%	28.1%	19.2%	27.6%	31.3%	25.0%	
	Neutral	19.4%	17.1%	21.2%	21.6%	17.1%	17.8%	20.3%	32.8%	20.4%	18.0%	20.6%	
	Disagree	7.9%	8.4%	7.8%	8.5%	6.8%	7.7%	8.1%	6.9%	8.0%	7.5%	8.2%	
	Strongly Disagree	6.8%	8.6%	6.3%	6.5%	6.0%	6.5%	6.7%	11.4%	6.8%	5.6%	8.0%	
	I have not participated in online learning	6.7%	9.5%	8.3%	5.8%	3.4%	7.8%	5.7%	5.7%	7.3%	5.6%	7.6%	
It is easy to use the online learning platform my school has chosen (e.g. Canvas, Google Classroom, or other online learning website).	Strongly Agree	24.0%	27.8%	22.9%	23.0%	23.1%	24.9%	23.6%	18.2%	20.1%	23.1%	26.5%	
	Agree	25.6%	21.6%	26.3%	25.3%	28.7%	24.8%	26.9%	19.2%	25.5%	27.4%	23.8%	
	Neutral	24.7%	22.0%	24.4%	27.9%	23.9%	23.8%	25.0%	31.5%	26.8%	24.6%	24.0%	
	Disagree	9.0%	9.5%	8.5%	8.3%	9.7%	8.9%	8.9%	10.1%	9.1%	9.7%	8.1%	
	Strongly Disagree	9.9%	9.4%	9.7%	9.3%	11.2%	9.7%	9.8%	14.3%	11.2%	9.4%	10.0%	
	I have not participated in online learning	6.8%	9.7%	8.2%	6.1%	3.4%	7.8%	5.7%	6.8%	7.3%	5.8%	7.6%	

The COVID-19 pandemic exacerbates many challenges Idaho families face. Parents and caregivers can connect to financial assistance, food pantries, medical care, and other free or reduced-cost programs at findhelp.org.

Idaho Healthy Youth Survey

** Thank you for agreeing to participate in this survey. The purpose of this survey is to learn about Idaho students' thoughts, feelings, and actions in relation to substance use, mental health issues, and other health behavior.

** **The survey is completely voluntary and anonymous. DO NOT put your name on the questionnaire.**

** This is not a test, so there are no right or wrong answers. We would like you to work quickly so you can finish.

** All of the questions should be answered by completely filling in one of the answer spaces. If you do not find an answer that fits exactly, use the one that comes closest. If any question does not apply to you, or you are not sure what it means, just leave it blank. You can skip any question that you do not wish to answer.

** Your answers will be read by a computer. Please follow these instructions carefully.

- **Use a #2 pencil only.**
- Make heavy marks inside the circles.
- Completely erase any answer you want to change.
- Make no other markings or comments on the answer pages.



Please fill in the following information with the help of your teacher/survey assistant.

0	1	2	3	4
5	6	7	8	9

School Number:

0	1	2	3	4
5	6	7	8	9

District Number:

1. How old are you?

- 12 years old or younger
- 13 years old
- 14 years old
- 15 years old
- 16 years old
- 17 years old
- 18 years old or older

2. What is your gender?

- Male
- Female
- Other

3. What grade are you in?

- 6th grade
- 7th grade
- 8th grade
- 9th grade
- 10th grade
- 11th grade
- 12th grade
- ungraded or other grade

4. Which one of these groups best describes you? (Select all that apply.)

- American Indian or Alaska Native
- Asian
- Black or African American
- Hispanic or Latino/a
- Native Hawaiian or Other Pacific Islander
- White
- Other

The following questions ask about prescription drugs.

Prescription drug misuse is taking a prescription medication such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, Xanax or other opioids, stimulants, or depressants, in a manner or dose other than prescribed, taking someone else's prescription, or taking a medication to get high.

5. How wrong do your parents/caregivers feel it would be for you to misuse prescription drugs?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

6. How wrong do your friends feel it would be for you to misuse prescription drugs?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

7. How wrong do you feel it would be for someone your age to misuse prescription drugs?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

PLEASE DO NOT WRITE IN THIS AREA

SERIAL

8. How much do you think people risk harming themselves physically or in other ways when they misuse prescription drugs?

- No risk
- Slight risk
- Moderate risk
- Great risk

9. If you wanted to get some prescription drugs to misuse, how easy would it be for you to get some?

- Don't know
- Can't get
- Very difficult
- Fairly difficult
- Fairly easy
- Very easy

10. Where did you get the prescription drugs you misused during the past year?

(Select all that apply.)

- I did not misuse prescription drugs in the past year.
- I bought it from a dealer or stranger.
- I bought it from a friend or family member.
- I bought it on the internet.
- A friend or family member gave it to me for free.
- I took it from a family member or friend.
- From a prescription I had
- I got it some other way.

11. How many of your closest friends misuse prescription drugs?

- None
- A few
- Most
- All

12. During the past 30 days, on how many days did you misuse prescription drugs?

- 0 days
- 1 day
- 2 days
- 3 to 5 days
- 6 to 9 days
- 10 to 19 days
- 20 or more days

13. During your life, how many times have you misused prescription drugs?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

14. How old were you when you misused prescription drugs for the first time?

- I have never misused prescription drugs.
- 8 years old or younger
- 9 or 10 years old
- 11 or 12 years old
- 13 or 14 years old
- 15 or 16 years old
- 17 years old or older

15. What types of prescription drugs have you ever misused? (Select all that apply.)

- Pain relievers (examples: hydrocodone, oxycodone, Vicodin, methadone, tramadol, codeine, fentanyl)
- Depressants (examples: Xanax, klonopin, valium)
- Stimulants (examples: Adderall, Ritalin, vyvanse, Dexedrine, dextrostat)
- I have never misused these types of prescription drugs.

16. During the past 6 months, where did you misuse prescription drugs? (Select all that apply.)

- I did not misuse prescription drugs during the past 6 months.
- At my home
- At another person's home
- When riding in, or driving a car or other vehicle
- At a restaurant, bar, or club
- At an open area such as a park, campground, field, or parking lot
- At a public event such as a concert or sporting event
- On school property
- Some other place

The following questions ask about alcohol. For these questions, drinking alcohol does not include drinking a few sips of wine for religious purposes.

17. How wrong do your parents/caregivers feel it would be for you to have one or two alcoholic beverages nearly every day?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

18. How wrong do your parents/caregivers feel it would be for you to have five or more alcoholic beverages once or twice a week?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

19. How wrong do your friends feel it would be for you to have one or two alcoholic beverages nearly every day?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

20. How wrong do your friends feel it would be for you to have five or more alcoholic beverages once or twice per week?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

21. How wrong do you feel it would be for someone your age to have one or two alcoholic beverages nearly every day?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

22. How wrong do you feel it would be for someone your age to have five or more alcoholic beverages once or twice per week?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

23. How wrong do your parents/caregivers feel it would be for you to attend a party in a private home where alcoholic beverages were available to you?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

24. How wrong do you feel it would be for someone your age to attend a party in a home where alcoholic drinks were available to them?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong



25. How much do you think people risk harming themselves physically or in other ways when they have one or two alcoholic beverages nearly every day?
- No risk
 Slight risk
 Moderate risk
 Great risk
26. How much do you think people risk harming themselves physically or in other ways when they have five or more alcoholic beverages once or twice a week?
- No risk
 Slight risk
 Moderate risk
 Great risk
27. If you wanted to get some alcohol, how easy would it be for you to get some?
- Don't know
 Can't get
 Very difficult
 Fairly difficult
 Fairly easy
 Very easy
28. During the past 30 days, how did you get the alcohol you drank? (Select all that apply.)
- I did not drink alcohol during the past 30 days.
 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station.
 I bought it at a restaurant, bar, or club.
 I bought it at a public event such as a concert or sporting event.
 I gave someone I know money to buy it for me.
 I gave someone I didn't know money to buy it for me.
 A friend gave it to me for free.
 A family member gave it to me for free.
 I took it from a store or family member.
 I bought it online.
 I got it some other way.
29. How many of your closest friends drink alcohol?
- None
 A few
 Most
 All
30. During the past 30 days, on how many days did you have at least one drink of alcohol?
- 0 days
 1 day
 2 days
 3 to 5 days
 6 to 9 days
 10 to 19 days
 20 or more days
31. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?
- 0 days
 1 day
 2 days
 3 to 5 days
 6 to 9 days
 10 to 19 days
 20 or more days
32. During your life, how many times have you had at least one drink of alcohol?
- 0 times
 1 or 2 times
 3 to 9 times
 10 to 19 times
 20 to 39 times
 40 to 99 times
 100 or more times

33. How old were you when you had your first drink of alcohol?
- I have never had a drink of alcohol.
 8 years old or younger
 9 or 10 years old
 11 or 12 years old
 13 or 14 years old
 15 or 16 years old
 17 years old or older
34. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?
- I did not drink alcohol during the past 30 days.
 1 or 2 drinks
 3 drinks
 4 drinks
 5 drinks
 6 or 7 drinks
 8 or 9 drinks
 10 or more drinks
35. Have your parents/caregivers ever hosted parties with alcohol for you and your friends?
- Yes
 No
36. Have your parents/caregivers ever allowed you to have parties with alcohol when they are away?
- Yes
 No
37. Have you ever drunk alcohol with your parent's knowledge?
- Yes
 No
38. During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been drinking alcohol?
- 0 times
 1 time
 2 or 3 times
 4 or 5 times
 6 or more times
39. During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been drinking alcohol?
- I did not drive a car or other vehicle during the past 30 days.
 0 times
 1 time
 2 or 3 times
 4 or 5 times
 6 or more times
40. During the past 6 months, where did you drink alcohol? (Select all that apply.)
- I did not drink alcohol during the past 6 months.
 At my home
 At another person's home
 When riding in or driving a car or other vehicle
 At a restaurant, bar, or club
 At an open area such as a park, campground, field, or parking lot
 At a public event such as a concert or sporting event
 On school property
 Some other place

The following questions ask about electronic vapor products. Electronic vapor products include e-cigarettes, e-cigars, e-pipes, e-hookahs, vape pipes, vape pens, hookah-pens, personal vaporizers, or mods. Some brand examples include JUUL, eGO, Halo, NJOY, blu, and Vuse.

41. How much do you think people risk harming themselves physically or in other ways when they use a vape pen or e-cigarette?
 No risk
 Slight risk
 Moderate risk
 Great risk

42. During the past 30 days, on how many days did you use a vape pen or e-cigarette?
 0 days
 1 or 2 days
 3 to 5 days
 6 to 9 days
 10 to 19 days
 20 to 29 days
 All 30 days

43. During your life, how many times have you used a vape pen or e-cigarette?
 0 times
 1 or 2 times
 3 to 9 times
 10 to 19 times
 20 to 39 times
 40 to 99 times
 100 or more times

44. How wrong do your parents/caregivers feel it would be for you to use e-cigarettes?
 Very wrong
 Wrong
 A little bit wrong
 Not at all wrong

45. How wrong do your friends feel it would be for you to use e-cigarettes?
 Very wrong
 Wrong
 A little bit wrong
 Not at all wrong

46. How wrong do you feel it would be for someone your age to use e-cigarettes?
 Very wrong
 Wrong
 A little bit wrong
 Not at all wrong

47. During the past 30 days, what type of substances did you use in an electronic cigarette, also called e-cigs, or vape pens? (Select all that apply.)
 I did not use an electronic cigarette.
 Liquid with nicotine in it
 Liquid with THC (marijuana) in it
 Liquid with flavor only (no nicotine or THC)
 Don't know

48. During the past 30 days, how did you get your own electronic vapor products? (Select all that apply.)
 I did not use electronic vapor products during the past 30 days.
 I bought them in a store such as a convenience store, supermarket, discount store or gas station.
 I bought them on the Internet.
 I gave someone I know money to buy them for me.
 I gave someone I didn't know money to buy them for me.
 I borrowed (or bummed) them from someone else.
 A friend gave them to me for free.
 A family member gave them to me for free.
 I took them from a store or family member.
 I got them some other way.

49. What are the reasons you have used e-cigarettes? (Select all that apply.)
 I have never tried an e-cigarette.
 Friend or family member used them.
 To try to quit using other tobacco products, such as cigarettes.
 They cost less than other tobacco products, such as cigarettes.
 They are easier to get than other tobacco products, such as cigarettes.
 Famous people on TV or in movies use them.
 They are less harmful than other forms of tobacco, such as cigarettes.
 They are available in flavors, such as mint, candy, fruit, or chocolate.
 I used them for some other reason.

The following questions ask about tobacco which includes cigarettes, chewing tobacco, cigars, cigarillos, snus, whole leaf tobacco, and hookah. Do NOT consider electronic vapor products for questions 50 to 61 below.

50. How wrong do your parents/caregivers feel it would be for you to use tobacco?
 Very wrong
 Wrong
 A little bit wrong
 Not at all wrong

51. How wrong do your friends feel it would be for you to use tobacco?
 Very wrong
 Wrong
 A little bit wrong
 Not at all wrong

52. How wrong do you feel it would be for someone your age to use tobacco?
 Very wrong
 Wrong
 A little bit wrong
 Not at all wrong

53. If you wanted to get some tobacco, how easy would it be for you to get some?
 Don't know
 Can't get
 Very difficult
 Fairly difficult
 Fairly easy
 Very easy

54. During the past 30 days, how did you get the tobacco products you used? (Select all that apply.)
 I did not use tobacco during the past 30 days.
 I bought them in a store such as a convenience store, supermarket, discount store or gas station.
 I bought them on the internet.
 I gave someone I know money to buy them for me.
 I gave someone I didn't know money to buy them for me.
 A friend gave them to me for free.
 A family member gave them to me for free.
 I took them from a store or family member.
 I got them some other way.

55. How many of your closest friends use tobacco?
 None
 A few
 Most
 All

56. During your life, how many times have you used tobacco?
 0 times
 1 or 2 times
 3 to 9 times
 10 to 19 times
 20 to 39 times
 40 or more times

57. How old were you when you used tobacco for the first time?

- I have never used tobacco.
- 8 years old or younger
- 9 or 10 years old
- 11 or 12 years old
- 13 or 14 years old
- 15 or 16 years old
- 17 years old or older

58. How much do you think people risk harming themselves physically or in other ways when they smoke one or more packs of cigarettes per day?

- No risk
- Slight risk
- Moderate risk
- Great risk

59. During the past 30 days, on how many days did you smoke part or all of a cigarette?

- 0 days
- 1 day
- 2 days
- 3 to 5 days
- 6 to 9 days
- 10 to 19 days
- 20 or more days

60. How much do you think people risk harming themselves physically or in other ways when they use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?

- No risk
- Slight risk
- Moderate risk
- Great risk

61. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?

- 0 days
- 1 or 2 days
- 3 to 5 days
- 6 to 9 days
- 10 to 19 days
- 20 to 29 days
- All 30 days

The following questions ask about marijuana, also called pot, grass, weed, cannabis, or ganja.

62. How wrong do your parents/caregivers feel it would be for you to use marijuana?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

63. How wrong do your friends feel it would be for you to use marijuana?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

64. How wrong do you feel it would be for someone your age to use marijuana?

- Very wrong
- Wrong
- A little bit wrong
- Not at all wrong

65. How much do you think people risk harming themselves physically or in other ways when they use marijuana once or twice a week?

- No risk
- Slight risk
- Moderate risk
- Great risk

66. If you wanted to get some marijuana, how easy would it be for you to get some?

- Don't know
- Can't get
- Very difficult
- Fairly difficult
- Fairly easy
- Very easy

67. During the past 30 days, how did you get the marijuana that you used? (Select all that apply.)

- I did not use marijuana during the past 30 days.
- I bought it from a dealer or stranger.
- I bought it from a friend or family member.
- I bought it on the internet.
- A friend or family member gave it to me for free.
- I took it from a friend or family member.
- I bought it from a marijuana dispensary.
- I grew it myself.
- I got it some other way.

68. During the past 30 days, on how many days did you use marijuana?

- 0 days
- 1 or 2 days
- 3 to 5 days
- 6 to 9 days
- 10 to 19 days
- 20 to 29 days
- All 30 days

69. During your life, how many times have you used marijuana?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 to 99 times
- 100 or more times

70. How old were you when you used marijuana for the first time?

- I have never used marijuana.
- 8 years old or younger
- 9 or 10 years old
- 11 or 12 years old
- 13 or 14 years old
- 15 or 16 years old
- 17 years old or older

71. How many of your closest friends use marijuana?

- None
- A few
- Most
- All

72. On the days that you use marijuana, how many times do you typically use it in one day?

- I have never used marijuana.
- 1 time
- 2 times
- 3 times
- 4 times
- 5 times
- 6 or more times

73. Have you ever used marijuana with your parent's knowledge?

- Yes
- No

74. During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been using marijuana?

- 0 times
- 1 time
- 2 or 3 times
- 4 or 5 times
- 6 or more times



75. During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been using any marijuana?

- I did not drive a car or other vehicle during the past 30 days.
- 0 times
- 1 time
- 2 or 3 times
- 4 or 5 times
- 6 or more times

76. During the past 30 days, how did you use marijuana? (Select all that apply.)

- I did not use marijuana during the past 30 days.
- I smoked it.
- I ate it (in an edible, candy, tincture, or other food).
- I used a vaporizer.
- I dabbed it.
- I used it in some other way.

77. During the past 6 months, where did you use marijuana? (Select all that apply.)

- I did not use marijuana during the past 6 months.
- At my home
- At another person's home
- When riding in or driving a car or other vehicle
- At an open area such as a park, campground, field or parking lot
- At a public event such as a concert or sporting event
- On school property
- Some other place

The following questions ask about other substances.

78. How much do you think people risk harming themselves physically or in other ways when they use other drugs such as heroin, cocaine, LSD, or methamphetamines?

- No risk
- Slight risk
- Moderate risk
- Great risk

79. If you wanted to get other drugs such as heroin, cocaine, LSD, or methamphetamines, how easy would it be for you to get some?

- Don't know
- Can't get
- Very difficult
- Fairly difficult
- Fairly easy
- Very easy

80. During the past 30 days, on how many days did you use other drugs such as heroin, cocaine, LSD, or methamphetamines?

- 0 days
- 1 day
- 2 days
- 3 to 5 days
- 6 to 9 days
- 10 to 19 days
- 20 or more days

81. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

82. During the past 30 days, how many times have you used synthetic drugs (also called K2, Pink, Bath Salts, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

83. During your life, how many times have you used lorcetab?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

84. During your life, how many times have you used ecstasy (also called MDMA)?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

85. During your life, how many times have you used cocaine, including powder, crack, or freebase?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

86. During your life, how many times have you used methamphetamine (also called speed, crystal, crank, or ice)?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

87. During your life, how many times have you used heroin (also known as smack, junk, or China White)?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

88. During your life, how many times have you used over-the-counter drugs to get high?

- 0 times
- 1 or 2 times
- 3 to 9 times
- 10 to 19 times
- 20 to 39 times
- 40 or more times

The following questions ask about communication with your parents.

89. When you are away from home, how often do your parents/caregivers know where you are?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time

90. When you are away from home, how often do your parents/caregivers know who you are with?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time

91. During the past 12 months, have you talked with at least one of your parents/caregivers about the dangers of tobacco, alcohol, or drug use?

- Yes
- No

92. In the past 6 months, have you and either of your parents/caregivers discussed specific things you could do to stay away from drugs?

- Yes
 No

93. In the past 6 months, have you and either of your parents/caregivers discussed family rules or expectations about using drugs?

- Yes
 No

94. In the past 6 months, have you and either of your parents/caregivers discussed drug use in movies, music, and on TV?

- Yes
 No

95. Where do you currently live?

- At home with my family
 In a foster home
 In a group home/residential facility
 In a shelter
 I live alone.
 I have no regular home.
 Some other place

96. Have one or more of your parents/caregivers ever served time in jail or prison?

- Yes No Don't know

97. Have one or more of your parents/caregivers ever served time in the military?

- Yes No Don't know

The following questions ask about your experiences at school.

98. During the past 12 months, how would you describe your grades in school?

- Mostly A's
 Mostly B's
 Mostly C's
 Mostly D's
 Mostly F's
 None of these grades

99. During the past 30 days, on how many days did you have an unexcused absence from school (skipped or cut school)?

- None
 1 day
 2 days
 3 days
 4-5 days
 6-10 days
 11 or more days

100. How important is it for you to finish high school?

- Very important
 Important
 Not very important
 Not at all important

101. How likely are you to complete a post high school program such as vocational training program, military service, community college, or 4-year college?

- Very likely
 Likely
 Not very likely
 Not at all likely

102. I feel I belong at this school.

- Always
 Most of the time
 Not often
 Never
 Not sure

103. During the average week, on how many days do you participate in supervised after-school activities either at school or away from school? Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.

- 0 days
 1 day
 2 days
 3 or more days

Bullying is when students tease, threaten, spread rumors about, hit, shove, or hurt another student over and over again. It is not bullying when two students of about the same strength or power argue or fight or tease each other in a friendly way.

104. During the past 12 months, have you been bullied?

- Yes
 No

105. If you or someone else was bullied, did you report it to the school?

- I have never been bullied or witnessed someone else being bullied.
 Yes
 No

A gang is a group of individuals that identify themselves under one name or symbol, and whose members engage in criminal activity. Gangs typically intimidate others and control particular areas by using violence.

106. Do you personally know anyone that is in a gang?

- Yes
 No
 Not sure

107. Do gangs cause trouble at your school?

- Yes
 No
 Not sure

108. Have you ever belonged to a gang?

- No, and I don't want to
 No, but I would like to
 Yes, in the past
 Yes, I belong now
 Yes, but I would like to get out

The following questions ask about mental health and suicide. If you or someone you know needs help, a variety of free, confidential and anonymous support is available 24/7 by dialing 988.

109. During the past 12 months, have you seriously considered attempting suicide?

- Yes
 No

110. During the past 12 months, have you made a plan about how you would attempt suicide?

- Yes
 No



111. During the past 12 months, have you attempted

- Yes
- No

112. During the past 30 days, about how often did you feel nervous?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time

113. During the past 30 days, about how often did you feel hopeless?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time

114. During the past 30 days, about how often did you feel restless or fidgety?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time

115. During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time

116. During the past 30 days, about how often did you feel that everything was an effort?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time

117. During the past 30 days, about how often did you feel worthless?

- All the time
- Most of the time
- Some of the time
- A little of the time
- None of the time


118. I know how to say "no" when someone wants me to do things I know are wrong or dangerous.

- Strongly agree
- Agree
- Neither agree nor disagree
- Disagree
- Strongly disagree

119. Many youth and families in Idaho were affected by the Coronavirus (also known as COVID-19). Did you experience any of the following due to the coronavirus or coronavirus symptoms? (Select one or more responses).

- I was sick with the coronavirus or coronavirus symptoms.
- One or more people living in my home lost their job.
- I had to move or change homes.
- Skipped one or more meals because my family didn't have enough money to buy food.
- I felt anxious, sad, or hopeless.
- People in my home were fighting a lot.
- I had difficulty keeping up with school work because I didn't have access to a reliable computer or internet service.
- None of these

120. How much do you agree or disagree with the following statements about LEARNING ONLINE:



a. I miss spending time at school, learning with other students in person.	<input type="radio"/>				
b. I miss spending time at school, learning with my teachers in person.	<input type="radio"/>				
c. When I am learning online, I understand my teacher's instructions.	<input type="radio"/>				
d. I stay focused when doing online school work.	<input type="radio"/>				
e. My learning improved when my classes were taught online due to COVID-19.	<input type="radio"/>				
f. I have access to a computer or the internet to complete my online school work.	<input type="radio"/>				
g. I have a quiet space that I am able to use when doing online school work.	<input type="radio"/>				
h. It is easy to use the online learning platform my school has chosen (e.g. Canvas, Google Classroom, or other online learning website).	<input type="radio"/>				

121. How honest were you in filling out this survey?

- I was very honest.
- I was honest pretty much all the time.
- I was honest some of the time.
- I was honest once in a while.
- I was not honest at all.

Thank you for completing the survey. If you should have any questions or concerns after taking this survey, please talk with your school counselor or a trusted adult.

This section contains extra questions you might be asked to complete. Instructions will be given to you by your teacher or survey administrator.

Extra Questions
Start with 201

Responses

	a	b	c	d	e	f	g	h	i
201.	<input type="radio"/>								
202.	<input type="radio"/>								
203.	<input type="radio"/>								
204.	<input type="radio"/>								
205.	<input type="radio"/>								
206.	<input type="radio"/>								
207.	<input type="radio"/>								
208.	<input type="radio"/>								
209.	<input type="radio"/>								
210.	<input type="radio"/>								
211.	<input type="radio"/>								
212.	<input type="radio"/>								
213.	<input type="radio"/>								
214.	<input type="radio"/>								
215.	<input type="radio"/>								
216.	<input type="radio"/>								
217.	<input type="radio"/>								
218.	<input type="radio"/>								
219.	<input type="radio"/>								
220.	<input type="radio"/>								

Bach Harrison, L.L.C.
Phone: 801-359-2064

116 South 500 East
Salt Lake City, Utah 84102

APPENDIX B: 2021 IHYS FREQUENCY REPORT BY GRADE AND GENDER

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q5 How wrong do your parents/ caregivers feel it would be for you to misuse prescription drugs?	Very Wrong	84.1%	85.2%	85.5%	84.5%	84.8%	83.2%	83.6%	84.3%	85.8%	84.2%	85.9%	88.1%	86.7%	83.6%	86.1%	70.0%	71.3%	84.5%	77.8%	75.8%
	Wrong	12.4%	12.4%	11.3%	12.7%	12.2%	12.7%	13.5%	12.3%	11.9%	12.6%	11.4%	10.3%	10.3%	13.6%	11.4%	23.3%	24.7%	11.6%	10.2%	17.9%
	A Little Bit Wrong	2.2%	1.2%	1.8%	2.0%	1.8%	2.6%	1.6%	2.0%	1.4%	1.9%	1.6%	0.8%	1.6%	2.0%	1.5%	3.6%	2.5%	2.3%	12.0%	4.7%
	Not Wrong at All	1.4%	1.1%	1.4%	0.8%	1.2%	1.5%	1.3%	1.5%	0.8%	1.3%	1.1%	0.9%	1.4%	0.8%	1.0%	3.0%	1.5%	1.6%		1.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q6 How wrong do your friends feel it would be for you to misuse prescription drugs?	Very Wrong	63.6%	56.5%	53.2%	51.0%	56.1%	59.8%	52.8%	50.7%	49.0%	53.1%	68.7%	61.6%	56.9%	53.6%	60.1%	48.2%	42.8%	35.2%	42.8%	42.0%
	Wrong	29.8%	33.7%	33.3%	33.5%	32.6%	32.2%	36.1%	35.8%	35.1%	34.8%	26.5%	30.7%	30.4%	32.2%	30.0%	39.1%	39.2%	37.7%	30.1%	36.8%
	A Little Bit Wrong	5.0%	7.7%	10.2%	12.3%	8.8%	5.8%	8.2%	9.9%	12.8%	9.1%	3.7%	6.6%	9.7%	11.3%	7.8%	11.4%	14.8%	21.1%	22.0%	17.3%
	Not Wrong at All	1.6%	2.1%	3.4%	3.1%	2.5%	2.2%	2.9%	3.5%	3.1%	2.9%	1.1%	1.1%	3.0%	2.9%	2.0%	1.3%	3.2%	6.0%	5.1%	3.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q7 How wrong do you feel it would be for someone your age to misuse prescription drugs?	Very Wrong	82.3%	70.1%	62.5%	60.9%	68.9%	80.0%	67.5%	61.8%	60.2%	67.4%	85.6%	74.8%	65.1%	62.6%	71.9%	69.8%	45.9%	36.0%	45.9%	48.5%
	Wrong	13.2%	23.8%	28.3%	30.0%	23.9%	14.1%	25.7%	28.8%	30.9%	24.9%	11.6%	20.5%	26.6%	28.5%	21.9%	24.2%	38.1%	44.9%	39.5%	37.1%
	A Little Bit Wrong	3.1%	4.7%	7.1%	7.4%	5.6%	4.0%	4.8%	7.1%	7.0%	5.7%	2.0%	3.9%	6.2%	7.5%	4.9%	4.8%	14.3%	17.5%	12.7%	12.7%
	Not Wrong at All	1.3%	1.4%	2.1%	1.7%	1.6%	1.8%	2.0%	2.3%	2.0%	2.0%	0.8%	0.7%	2.0%	1.4%	1.2%	1.3%	1.7%	1.6%	1.9%	1.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q8 How much do you think people risk harming themselves physically or in other ways when they misuse prescription drugs?	No risk	3.0%	1.5%	1.6%	1.5%	1.9%	3.7%	2.1%	1.6%	1.9%	2.3%	2.1%	0.9%	1.6%	0.8%	1.4%	4.5%	0.8%	1.3%	5.3%	2.7%
	Slight risk	6.2%	4.7%	4.4%	5.7%	5.2%	7.4%	5.2%	5.3%	6.5%	6.0%	5.0%	4.0%	3.8%	4.8%	4.4%	6.2%	6.8%		5.3%	4.6%
	Moderate risk	25.0%	27.5%	28.8%	27.4%	27.2%	25.8%	29.3%	30.5%	29.9%	28.9%	23.7%	25.1%	26.0%	24.8%	24.9%	32.6%	32.3%	44.4%	29.3%	35.0%
	Great risk	65.7%	66.4%	65.2%	65.4%	65.7%	63.1%	63.4%	62.6%	61.7%	62.7%	69.2%	70.0%	68.6%	69.6%	69.3%	56.6%	60.1%	54.3%	60.2%	57.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q9 If you wanted to get some prescription drugs to misuse, how easy would it be for you to get some?	Don't know	50.3%	49.7%	43.6%	39.8%	45.9%	51.5%	50.6%	46.4%	45.0%	48.4%	48.8%	49.1%	41.3%	35.0%	43.6%	52.8%	44.5%	36.4%	31.2%	41.4%
	Can't get	15.8%	9.0%	5.9%	4.0%	8.6%	16.2%	8.4%	6.5%	2.3%	8.4%	15.8%	9.5%	5.3%	5.9%	9.0%	9.4%	10.6%	4.1%		6.4%
	Very difficult	16.3%	12.1%	8.7%	6.2%	10.8%	14.8%	12.0%	9.8%	6.3%	10.8%	18.0%	13.1%	7.9%	6.1%	11.2%	13.2%	1.8%	3.1%	4.6%	5.2%
	Fairly difficult	7.8%	9.9%	11.1%	12.5%	10.3%	8.8%	9.9%	10.6%	11.8%	10.3%	6.5%	10.1%	11.5%	13.2%	10.4%	10.3%	8.4%	12.0%	12.9%	10.7%
	Fairly easy	6.3%	13.5%	20.8%	24.3%	16.2%	5.7%	13.4%	17.4%	21.5%	14.4%	6.8%	12.8%	23.4%	26.1%	17.4%	9.8%	22.5%	32.9%	42.5%	26.7%
	Very easy	3.6%	5.8%	10.0%	13.2%	8.1%	3.1%	5.6%	9.2%	13.0%	7.7%	4.0%	5.4%	10.6%	13.7%	8.4%	4.6%	12.1%	11.5%	8.8%	9.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10a Where did you get the prescription drugs you misused during the past year? I did not misuse prescription drugs in the past year.	Yes	95.6%	96.5%	94.3%	93.3%	95.0%	94.4%	96.3%	94.9%	94.6%	95.1%	96.9%	97.0%	94.4%	93.2%	95.4%	94.7%	92.2%	85.2%	73.4%	86.9%
	No	4.4%	3.5%	5.7%	6.7%	5.0%	5.6%	3.7%	5.1%	5.4%	4.9%	3.1%	3.0%	5.6%	6.8%	4.6%	5.3%	7.8%	14.8%	26.6%	13.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10b Where did you get the prescription drugs you misused during the past year? I bought it from a dealer or stranger.	Yes	0.5%	0.8%	1.8%	1.7%	1.2%	0.7%	0.8%	1.6%	1.4%	1.1%	0.3%	0.6%	1.9%	1.8%	1.2%		1.9%	2.7%	3.7%	2.1%
	No	99.5%	99.2%	98.2%	98.3%	98.8%	99.3%	99.2%	98.4%	98.6%	98.9%	99.7%	99.4%	98.1%	98.2%	98.8%	100.0%	98.1%	97.3%	96.3%	97.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10c Where did you get the prescription drugs you misused during the past year? I bought it from a friend or family member.	Yes	0.5%	0.5%	1.2%	1.3%	0.9%	0.8%	0.4%	1.1%	0.9%	0.8%	0.3%	0.4%	1.2%	1.4%	0.9%		1.8%	2.7%	5.5%	2.4%
	No	99.5%	99.5%	98.8%	98.7%	99.1%	99.2%	99.6%	98.9%	99.1%	99.2%	99.7%	99.6%	98.8%	98.6%	99.1%	100.0%	98.2%	97.3%	94.5%	97.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10d Where did you get the prescription drugs you misused during the past year? I bought it on the internet.	Yes	0.2%	0.2%	0.8%	0.7%	0.5%	0.3%	0.3%	0.7%	0.4%	0.4%	0.1%	0.1%	0.8%	0.6%	0.4%		0.9%	2.7%	7.4%	2.5%
	No	99.8%	99.8%	99.2%	99.3%	99.5%	99.7%	99.7%	99.3%	99.6%	99.6%	99.9%	99.9%	99.2%	99.4%	99.6%	100.0%	99.1%	97.3%	92.6%	97.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10e Where did you get the prescription drugs you misused during the past year? A friend or family member gave it to me for free.	Yes	0.8%	0.6%	1.9%	2.0%	1.3%	0.8%	0.8%	1.8%	1.4%	1.2%	0.9%	0.4%	1.7%	2.1%	1.2%		0.9%	6.1%	9.5%	3.9%
	No	99.2%	99.4%	98.1%	98.0%	98.7%	99.2%	99.2%	98.2%	98.6%	98.8%	99.1%	99.6%	98.3%	97.9%	98.8%	100.0%	99.1%	93.9%	90.5%	96.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10f Where did you get the prescription drugs you misused during the past year? I took it from a family member or friend.	Yes	0.7%	1.0%	1.6%	1.9%	1.3%	0.8%	0.9%	1.3%	1.0%	1.0%	0.6%	1.0%	1.6%	2.2%	1.4%		3.2%	6.9%	13.1%	5.6%
	No	99.3%	99.0%	98.4%	98.1%	98.7%	99.2%	99.1%	98.7%	99.0%	99.0%	99.4%	99.0%	98.4%	97.8%	98.6%	100.0%	96.8%	93.1%	86.9%	94.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10g Where did you get the prescription drugs you misused during the past year? From a prescription I had.	Yes	3.8%	2.1%	2.9%	3.5%	3.0%	3.8%	2.2%	2.3%	2.2%	2.6%	3.6%	1.8%	3.1%	4.1%	3.1%	5.2%	4.8%	6.6%	16.4%	7.8%
	No	96.2%	97.9%	97.1%	96.5%	97.0%	96.2%	97.8%	97.7%	97.8%	97.4%	96.4%	98.2%	96.9%	95.9%	96.9%	94.8%	95.2%	93.4%	83.6%	92.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q10h Where did you get the prescription drugs you misused during the past year? I got it some other way.	Yes	1.2%	1.0%	2.1%	1.8%	1.5%	1.5%	1.0%	2.5%	1.6%	1.6%	0.9%	0.8%	1.4%	1.5%	1.2%	1.9%	4.1%	7.2%	8.6%	5.4%
	No	98.8%	99.0%	97.9%	98.2%	98.5%	98.5%	99.0%	97.5%	98.4%	98.4%	99.1%	99.2%	98.6%	98.5%	98.8%	98.1%	95.9%	92.8%	91.4%	94.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q11 How many of your closest friends misuse prescription drugs?	None	92.6%	85.7%	83.1%	81.4%	85.7%	92.3%	87.3%	86.7%	85.5%	88.0%	93.3%	84.8%	80.8%	77.9%	84.1%	86.5%	76.4%	64.9%	69.5%	74.0%
	A few	6.9%	13.3%	15.4%	17.1%	13.2%	7.2%	11.7%	12.2%	13.3%	11.1%	6.3%	14.2%	17.5%	20.6%	14.7%	12.2%	23.6%	31.4%	23.7%	23.3%
	Most	0.3%	0.7%	1.1%	1.2%	0.8%	0.3%	0.6%	0.5%	1.0%	0.6%	0.3%	0.8%	1.5%	1.3%	1.0%	1.3%		3.7%	1.7%	1.6%
	All	0.1%	0.3%	0.4%	0.3%	0.3%	0.2%	0.4%	0.6%	0.2%	0.3%	0.1%	0.2%	0.2%	0.1%	0.1%					5.1%

		Total					Male					Female					Other					
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q12 During the past 30 days, on how many days did you misuse prescription drugs?	0 days	97.5%	97.7%	96.1%	97.3%	97.2%	97.0%	97.4%	96.4%	98.0%	97.2%	98.2%	98.3%	96.2%	97.2%	97.4%	97.2%	94.5%	91.2%	88.5%	92.9%	
	1 day	0.9%	0.6%	1.1%	1.0%	0.9%	1.3%	0.5%	1.2%	0.9%	1.0%	0.6%	0.6%	0.9%	1.0%	0.8%	1.0%	0.8%	2.8%	2.9%	1.8%	
	2 days	0.2%	0.6%	0.5%	0.5%	0.4%	0.3%	0.5%	0.3%	0.1%	0.3%	0.1%	0.7%	0.8%	0.7%	0.6%		1.3%		2.0%	0.8%	
	3 to 5 days	0.4%	0.3%	0.8%	0.3%	0.4%	0.3%	0.3%	0.2%	0.2%	0.2%	0.5%	0.3%	1.2%	0.5%	0.6%	1.8%		2.7%		1.1%	
	6 to 9 days	0.4%	0.2%	0.4%	0.2%	0.3%	0.4%	0.1%	0.6%	0.3%	0.3%	0.5%	0.1%	0.1%	0.1%	0.2%		2.3%	1.7%		1.2%	
	10 to 19 days	0.3%	0.2%	0.2%	0.4%	0.3%	0.5%	0.2%	0.2%	0.2%	0.3%	0.1%	0.1%	0.3%	0.5%	0.2%					3.4%	0.7%
	20 or more days	0.3%	0.5%	0.8%	0.3%	0.5%	0.5%	0.9%	1.0%	0.4%	0.7%	0.2%		0.5%		0.2%		1.2%	1.6%	3.2%	1.5%	

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q13 During your life, how many times have you misused prescription drugs?	0 times	91.6%	91.9%	89.5%	87.0%	90.0%	90.6%	92.7%	91.3%	88.7%	90.9%	93.1%	92.0%	88.8%	86.3%	90.1%	85.4%	79.0%	72.8%	69.9%	76.9%
	1 or 2 times	5.9%	5.5%	5.3%	7.0%	5.9%	6.5%	4.7%	4.4%	7.2%	5.7%	4.8%	5.6%	5.9%	6.7%	5.8%	12.8%	13.8%	7.8%	9.0%	11.0%
	3 to 9 times	1.4%	1.5%	2.4%	2.5%	1.9%	1.8%	1.4%	2.0%	1.7%	1.7%	1.0%	1.4%	2.3%	3.2%	2.0%		3.6%	9.2%	5.1%	4.6%
	10 to 19 times	0.4%	0.6%	1.1%	1.2%	0.8%	0.2%	0.5%	0.7%	0.9%	0.6%	0.6%	0.7%	1.2%	1.4%	0.9%		2.2%	5.3%	4.6%	3.0%
	20 to 39 times	0.4%	0.3%	0.6%	1.1%	0.6%	0.4%	0.5%	0.4%	0.7%	0.5%	0.2%	0.1%	0.6%	1.5%	0.6%	1.8%		3.3%		1.3%
	40 or more times	0.4%	0.2%	1.2%	1.2%	0.7%	0.5%	0.2%	1.2%	0.8%	0.7%	0.3%	0.2%	1.1%	0.9%	0.6%		1.4%	1.6%	11.4%	3.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q14 How old were you when you misused prescription drugs for the first time?	I have never misused prescription	91.8%	92.7%	90.1%	88.1%	90.8%	90.6%	92.9%	92.3%	90.8%	91.7%	93.5%	93.3%	89.4%	86.6%	90.7%	86.3%	83.4%	69.4%	67.4%	76.9%
	8 years old or younger	4.7%	1.7%	0.8%	0.8%	2.0%	5.5%	2.0%	1.0%	0.9%	2.4%	3.8%	1.6%	0.4%	0.4%	1.5%	4.0%		3.5%	4.5%	2.8%
	9 or 10 years old	2.2%	0.7%	0.4%	0.2%	0.9%	2.5%	0.8%	0.2%	0.2%	0.9%	1.6%	0.7%	0.5%	0.2%	0.7%	7.3%		1.4%		2.0%
	11 or 12 years old	1.3%	3.1%	1.9%	0.8%	1.8%	1.4%	3.0%	1.3%	0.8%	1.7%	1.1%	2.5%	2.4%	0.4%	1.6%	2.5%	11.4%	3.9%	5.6%	6.2%
	13 or 14 years old		1.7%	4.6%	3.0%	2.3%		1.1%	3.3%	1.6%	1.5%		2.0%	5.3%	4.1%	2.9%		5.2%	11.5%	8.0%	6.3%
	15 or 16 years old			1.8%	5.8%	1.8%			1.2%	4.5%	1.3%			2.0%	6.7%	2.1%			7.6%	14.6%	5.1%
	17 years old or older	0.1%	0.1%	0.5%	1.3%	0.5%	0.1%	0.2%	0.7%	1.0%	0.5%	0.1%			1.6%	0.4%			2.7%		0.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q15a What types of prescription drugs have you ever misused? Pain relievers (hydrocodone, oxycodone, Vicodin, methadone, tramadol, codeine, fentanyl).	Yes	5.8%	5.0%	6.9%	7.6%	6.3%	5.7%	4.1%	6.2%	5.1%	5.3%	5.4%	5.4%	6.5%	9.2%	6.6%	14.4%	11.6%	21.7%	24.2%	17.5%
	No	94.2%	95.0%	93.1%	92.4%	93.7%	94.3%	95.9%	93.8%	94.9%	94.7%	94.6%	94.6%	93.5%	90.8%	93.4%	85.6%	88.4%	78.3%	75.8%	82.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q15b What types of prescription drugs have you ever misused? Depressants (Xanax, klonopin, valium)	Yes	1.1%	1.3%	3.5%	4.8%	2.7%	1.8%	1.0%	2.0%	2.5%	1.8%	0.5%	1.4%	4.2%	6.5%	3.2%	0.7%	3.1%	14.0%	14.4%	7.8%
	No	98.9%	98.7%	96.5%	95.2%	97.3%	98.2%	99.0%	98.0%	97.5%	98.2%	99.5%	98.6%	95.8%	93.5%	96.8%	99.3%	96.9%	86.0%	85.6%	92.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q15c What types of prescription drugs have you ever misused? Stimulants (Adderall, Ritalin, vyvanse, Dexedrine, dextrostat)	Yes	0.9%	1.1%	3.2%	5.6%	2.7%	1.1%	0.9%	2.9%	4.2%	2.2%	0.6%	0.9%	2.3%	6.2%	2.4%	0.7%	5.3%	21.3%	19.7%	11.6%
	No	99.1%	98.9%	96.8%	94.4%	97.3%	98.9%	99.1%	97.1%	95.8%	97.8%	99.4%	99.1%	97.7%	93.8%	97.6%	99.3%	94.7%	78.7%	80.3%	88.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q15d What types of prescription drugs have you ever misused? I have never misused these types of prescription drugs.	Yes	93.7%	94.3%	91.3%	89.1%	92.2%	93.0%	95.4%	93.1%	92.3%	93.5%	94.6%	94.0%	90.9%	86.9%	91.6%	91.3%	85.1%	73.3%	71.9%	80.5%
	No	6.3%	5.7%	8.7%	10.9%	7.8%	7.0%	4.6%	6.9%	7.7%	6.5%	5.4%	6.0%	9.1%	13.1%	8.4%	8.7%	14.9%	26.7%	28.1%	19.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16b During the past 6 months, where did you misuse prescription drugs? At my home	Yes	3.9%	2.9%	5.2%	4.9%	4.2%	4.2%	2.2%	3.1%	3.1%	3.2%	3.5%	3.0%	6.5%	5.6%	4.7%	5.2%	9.9%	15.7%	23.0%	13.2%
	No	96.1%	97.1%	94.8%	95.1%	95.8%	95.8%	97.8%	96.9%	96.9%	96.8%	96.5%	97.0%	93.5%	94.4%	95.3%	94.8%	90.1%	84.3%	77.0%	86.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16c During the past 6 months, where did you misuse prescription drugs? At another person's home	Yes	1.0%	0.6%	2.1%	2.1%	1.4%	1.2%	0.5%	1.6%	1.3%	1.1%	0.7%	0.5%	2.1%	2.7%	1.5%	2.6%	7.7%	7.8%	4.5%	
	No	99.0%	99.4%	97.9%	97.9%	98.6%	98.8%	99.5%	98.4%	98.7%	98.9%	99.3%	99.5%	97.9%	97.3%	98.5%	100.0%	97.4%	92.3%	92.2%	95.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16d During the past 6 months, where did you misuse prescription drugs? When riding in or driving a car or other vehicle	Yes	0.4%	0.2%	1.0%	1.4%	0.7%	0.6%	0.1%	0.7%	0.9%	0.6%	0.1%	0.2%	0.8%	1.2%	0.6%	1.4%	6.2%	10.8%	4.4%	
	No	99.6%	99.8%	99.0%	98.6%	99.3%	99.4%	99.9%	99.3%	99.1%	99.4%	99.9%	99.8%	99.2%	98.8%	99.4%	100.0%	98.6%	93.8%	89.2%	95.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16e During the past 6 months, where did you misuse prescription drugs? At a restaurant, bar, or club	Yes	0.4%	0.2%	0.5%	0.6%	0.4%	0.7%	0.2%	0.3%	0.4%	0.4%	0.1%	0.1%	0.3%	0.5%	0.2%	1.4%	6.2%	5.0%	3.1%	
	No	99.6%	99.8%	99.5%	99.4%	99.6%	99.3%	99.8%	99.7%	99.6%	99.6%	99.9%	99.9%	99.7%	99.5%	99.8%	100.0%	98.6%	93.8%	95.0%	96.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16f During the past 6 months, where did you misuse prescription drugs? At an open area such as a park, campground, field, or parking lot	Yes	0.4%	0.3%	1.3%	1.3%	0.8%	0.6%	0.2%	0.9%	0.7%	0.6%	0.2%	0.2%	1.2%	1.5%	0.8%	2.4%	9.1%	9.9%	5.2%	
	No	99.6%	99.7%	98.7%	98.7%	99.2%	99.4%	99.8%	99.1%	99.3%	99.4%	99.8%	99.8%	98.8%	98.5%	99.2%	100.0%	97.6%	90.9%	90.1%	94.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16g During the past 6 months, where did you misuse prescription drugs? At a public event such as a concert or sporting event	Yes	0.3%	0.2%	1.0%	1.1%	0.6%	0.4%	0.2%	1.0%	0.7%	0.6%	0.1%	0.1%	0.4%	1.2%	0.5%	1.4%	7.7%	5.0%	3.6%	
	No	99.7%	99.8%	99.0%	98.9%	99.4%	99.6%	99.8%	99.0%	99.3%	99.4%	99.9%	99.9%	99.6%	98.8%	99.5%	100.0%	98.6%	92.3%	95.0%	96.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16h During the past 6 months, where did you misuse prescription drugs? On school property	Yes	0.4%	0.4%	1.2%	1.6%	0.9%	0.4%	0.4%	0.9%	1.3%	0.7%	0.4%	0.5%	0.9%	1.3%	0.8%			10.7%	10.7%	5.1%
	No	99.6%	99.6%	98.8%	98.4%	99.1%	99.6%	99.6%	99.1%	98.7%	99.3%	99.6%	99.5%	99.1%	98.7%	99.2%	100.0%	100.0%	89.3%	89.3%	94.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q16i During the past 6 months, where did you misuse prescription drugs? Some other place	Yes	0.9%	0.8%	1.7%	1.3%	1.2%	1.3%	0.8%	1.2%	1.5%	1.2%	0.4%	0.9%	1.6%	0.8%	1.0%	1.9%		8.9%	3.7%	3.6%
	No	99.1%	99.2%	98.3%	98.7%	98.8%	98.7%	99.2%	98.8%	98.5%	98.8%	99.6%	99.1%	98.4%	99.2%	99.0%	98.1%	100.0%	91.1%	96.3%	96.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q17 How wrong do your parents/caregivers feel it would be for you to have one or two alcoholic beverages nearly every day?	Very Wrong	83.4%	77.8%	71.2%	62.1%	73.8%	83.3%	78.3%	70.8%	62.1%	73.9%	84.5%	78.3%	72.2%	62.9%	74.6%	68.8%	65.3%	62.2%	49.5%	62.0%
	Wrong	13.9%	16.8%	21.0%	24.6%	19.0%	13.9%	16.4%	20.6%	24.7%	18.8%	13.0%	16.7%	20.7%	24.4%	18.7%	27.7%	23.8%	29.5%	25.0%	26.4%
	A Little Bit Wrong	2.0%	4.4%	6.0%	10.4%	5.6%	2.3%	4.1%	6.4%	10.5%	5.7%	1.6%	4.4%	5.7%	9.7%	5.3%	2.2%	7.9%	5.6%	20.7%	8.7%
	Not Wrong at All	0.7%	0.9%	1.8%	2.9%	1.6%	0.5%	1.1%	2.1%	2.7%	1.6%	0.9%	0.6%	1.4%	3.0%	1.4%	1.3%	3.0%	2.7%	4.8%	2.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q18 How wrong do your parents/caregivers feel it would be for you to have five or more alcoholic beverages once or twice a week?	Very Wrong	89.3%	85.5%	78.8%	69.6%	81.0%	88.9%	86.5%	79.7%	68.9%	81.3%	90.7%	85.5%	78.6%	70.9%	81.5%	74.2%	73.1%	66.9%	60.1%	69.0%
	Wrong	8.6%	11.4%	16.0%	19.5%	13.8%	8.7%	10.5%	14.5%	19.9%	13.3%	7.6%	11.7%	16.8%	18.9%	13.7%	24.5%	19.8%	26.4%	21.5%	22.9%
	A Little Bit Wrong	1.5%	2.5%	4.3%	8.5%	4.1%	1.7%	2.3%	4.8%	8.9%	4.3%	1.3%	2.5%	3.8%	7.8%	3.8%		5.7%	5.3%	13.7%	6.0%
	Not Wrong at All	0.6%	0.5%	0.9%	2.4%	1.1%	0.7%	0.7%	0.9%	2.2%	1.1%	0.5%	0.3%	0.8%	2.4%	1.0%	1.3%	1.4%	1.4%	4.8%	2.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q19 How wrong do your friends feel it would be for you to have one or two alcoholic beverages nearly every day?	Very Wrong	74.1%	63.4%	50.2%	41.6%	57.4%	72.5%	61.5%	49.7%	40.4%	56.3%	76.8%	66.5%	51.6%	43.1%	59.5%	56.3%	48.8%	37.4%	35.5%	44.5%
	Wrong	20.0%	24.9%	27.6%	27.0%	24.9%	20.5%	26.4%	30.1%	27.4%	26.1%	18.9%	23.4%	24.9%	27.0%	23.5%	32.1%	24.3%	31.2%	21.6%	27.2%
	A Little Bit Wrong	4.7%	9.1%	14.6%	20.0%	12.0%	5.7%	9.3%	14.1%	20.4%	12.2%	3.4%	7.8%	14.7%	19.6%	11.3%	6.9%	21.8%	19.2%	22.2%	18.1%
	Not Wrong at All	1.2%	2.7%	7.6%	11.4%	5.7%	1.3%	2.8%	6.0%	11.8%	5.4%	1.0%	2.4%	8.9%	10.4%	5.6%	4.6%	5.1%	12.2%	20.7%	10.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q20 How wrong do your friends feel it would be for you to have five or more alcoholic beverages once or twice per week?	Very Wrong	82.7%	70.7%	56.9%	43.8%	63.7%	81.2%	68.7%	58.7%	43.3%	63.3%	85.1%	73.8%	55.9%	45.2%	65.1%	68.2%	58.9%	44.6%	30.9%	51.4%
	Wrong	13.5%	20.9%	24.5%	24.8%	20.9%	14.3%	22.8%	24.9%	24.3%	21.6%	12.2%	18.9%	23.9%	25.7%	20.2%	20.0%	22.0%	28.7%	16.7%	22.3%
	A Little Bit Wrong	2.8%	6.0%	12.5%	19.2%	10.0%	3.3%	5.6%	10.5%	19.9%	9.6%	1.8%	5.7%	13.8%	17.6%	9.7%	10.3%	14.4%	23.1%	34.8%	20.0%
	Not Wrong at All	1.0%	2.4%	6.1%	12.2%	5.3%	1.2%	2.9%	5.9%	12.5%	5.5%	0.9%	1.6%	6.5%	11.6%	5.1%	1.5%	4.7%	3.6%	17.6%	6.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q21 How wrong do you feel it would be for someone your age to have one or two alcoholic beverages nearly every day?	Very Wrong	83.8%	72.0%	60.7%	48.2%	66.4%	83.2%	73.0%	62.2%	48.7%	67.1%	85.5%	72.7%	60.5%	49.1%	67.0%	67.7%	50.5%	42.3%	25.5%	46.9%
	Wrong	13.6%	21.5%	26.1%	30.0%	22.8%	13.8%	20.3%	25.2%	29.8%	22.2%	12.7%	21.9%	26.4%	29.9%	22.8%	25.5%	31.8%	33.9%	34.2%	31.5%
	A Little Bit Wrong	1.8%	5.1%	10.5%	16.0%	8.3%	2.2%	5.2%	9.3%	15.3%	7.9%	1.3%	4.3%	11.1%	16.0%	8.1%	5.5%	14.4%	19.9%	27.7%	16.6%
	Not Wrong at All	0.7%	1.4%	2.7%	5.8%	2.6%	0.9%	1.5%	3.3%	6.2%	2.9%	0.5%	1.1%	2.1%	5.0%	2.1%	1.3%	3.3%	3.9%	12.6%	4.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q22 How wrong do you feel it would be for someone your age to have five or more alcoholic beverages once or twice per week?	Very Wrong	88.8%	78.5%	66.5%	50.4%	71.4%	87.5%	78.0%	69.8%	49.7%	71.7%	91.1%	80.8%	64.6%	52.4%	72.3%	75.5%	56.1%	45.6%	29.0%	52.0%
	Wrong	9.4%	16.6%	22.3%	28.3%	19.1%	10.2%	16.3%	20.8%	28.7%	18.8%	7.7%	15.6%	23.2%	28.1%	18.7%	23.1%	33.1%	31.5%	25.0%	28.8%
	A Little Bit Wrong	1.2%	3.8%	8.1%	14.7%	6.8%	1.5%	4.3%	5.8%	14.7%	6.4%	0.9%	2.8%	9.3%	13.3%	6.5%		8.6%	22.9%	39.6%	16.9%
	Not Wrong at All	0.6%	1.1%	3.1%	6.5%	2.8%	0.8%	1.3%	3.5%	6.9%	3.0%	0.3%	0.8%	2.8%	6.2%	2.5%	1.3%	2.2%		6.4%	2.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q23 How wrong do your parents/caregivers feel it would be for you to attend a party in a private home where alcoholic beverages were available to you?	Very Wrong	73.8%	60.1%	50.2%	39.9%	56.1%	73.2%	58.6%	52.3%	39.1%	56.1%	75.4%	63.1%	48.3%	40.7%	56.8%	55.9%	44.9%	46.9%	38.7%	46.4%
	Wrong	19.8%	26.5%	29.7%	28.7%	26.2%	19.7%	28.2%	29.5%	31.3%	27.1%	19.5%	24.4%	30.3%	26.2%	25.2%	28.7%	30.2%	25.3%	25.0%	27.5%
	A Little Bit Wrong	4.8%	10.5%	14.2%	18.9%	12.1%	5.1%	10.6%	13.1%	17.2%	11.4%	4.0%	10.2%	14.8%	21.0%	12.5%	12.6%	13.8%	21.8%	13.5%	15.6%
	Not Wrong at All	1.6%	2.8%	5.9%	12.5%	5.6%	1.9%	2.7%	5.1%	12.4%	5.4%	1.1%	2.3%	6.6%	12.1%	5.5%	2.8%	11.2%	6.0%	22.9%	10.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q24 How wrong do you feel it would be for someone your age to attend a party in a home where alcoholic drinks were available to you?	Very Wrong	69.4%	49.8%	36.7%	26.8%	45.8%	68.9%	49.7%	41.7%	26.2%	46.9%	70.4%	51.4%	32.6%	27.5%	45.4%	60.5%	30.2%	22.8%	25.2%	33.7%
	Wrong	22.6%	30.5%	28.4%	24.5%	26.6%	21.9%	30.7%	28.4%	27.4%	27.2%	23.5%	30.2%	28.7%	22.4%	26.3%	18.8%	31.1%	24.8%	10.5%	22.5%
	A Little Bit Wrong	5.8%	14.4%	21.2%	23.9%	16.3%	6.6%	13.5%	18.2%	22.4%	15.1%	4.3%	14.3%	23.8%	25.6%	17.1%	17.9%	25.9%	27.2%	22.0%	23.7%
	Not Wrong at All	2.2%	5.4%	13.7%	24.8%	11.3%	2.6%	6.1%	11.8%	24.0%	10.8%	1.8%	4.1%	14.8%	24.6%	11.2%	2.8%	12.8%	25.2%	42.4%	20.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q25 How much do you think people risk harming themselves physically or in other ways when they have one or two alcoholic beverages nearly every day?	No risk	3.2%	2.3%	2.9%	4.8%	3.3%	4.0%	3.1%	3.6%	6.2%	4.2%	2.4%	1.5%	2.4%	3.2%	2.3%	3.3%	2.7%	1.4%	9.7%	4.0%
	Slight risk	12.0%	12.9%	16.0%	17.9%	14.6%	12.0%	13.3%	17.0%	19.3%	15.3%	11.4%	11.8%	15.2%	16.7%	13.7%	20.7%	22.1%	12.1%	13.4%	17.3%
	Moderate risk	30.6%	34.5%	35.6%	36.1%	34.2%	31.9%	36.0%	35.5%	37.2%	35.2%	28.7%	33.1%	35.1%	34.1%	32.8%	37.1%	34.2%	45.2%	48.9%	40.8%
	Great risk	54.2%	50.2%	45.4%	41.2%	47.9%	52.1%	47.6%	43.8%	37.2%	45.3%	57.5%	53.7%	47.3%	46.1%	51.1%	38.8%	40.9%	41.3%	28.0%	37.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q26 How much do you think people risk harming themselves physically or in other ways when they have five or more alcoholic beverages once or twice a week?	No risk	3.2%	2.1%	2.4%	4.7%	3.1%	3.8%	3.6%	2.9%	5.2%	3.8%	2.5%	0.4%	2.0%	3.9%	2.1%	5.5%	2.3%	3.1%	9.7%	4.7%
	Slight risk	7.8%	8.5%	10.2%	14.8%	10.2%	8.5%	8.8%	9.8%	17.5%	11.0%	7.0%	8.0%	10.5%	11.6%	9.3%	9.9%	11.7%	9.6%	23.0%	13.1%
	Moderate risk	24.4%	30.8%	32.0%	31.6%	29.8%	25.3%	31.8%	32.9%	32.0%	30.5%	22.8%	29.2%	30.6%	31.2%	28.5%	35.4%	39.7%	39.6%	31.3%	36.9%
	Great risk	64.6%	58.5%	55.4%	48.9%	56.9%	62.4%	55.8%	54.4%	45.3%	54.6%	67.8%	62.4%	56.9%	53.3%	60.1%	49.3%	46.4%	47.8%	36.0%	45.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q27 If you wanted to get some alcohol, how easy would it be for you to get some?	Don't know	37.6%	34.4%	29.5%	23.8%	31.4%	37.1%	36.9%	34.4%	27.5%	34.1%	38.2%	33.1%	24.8%	20.1%	29.1%	36.3%	19.3%	25.0%	24.2%	25.4%
	Can't get	24.6%	14.0%	7.9%	4.2%	12.7%	26.4%	14.2%	8.6%	4.1%	13.4%	23.0%	14.3%	7.8%	4.5%	12.4%	18.2%	8.2%		3.4%	7.0%
	Very difficult	17.6%	13.4%	8.3%	5.6%	11.3%	16.9%	12.5%	8.5%	5.3%	10.9%	18.9%	15.1%	8.5%	5.9%	12.1%	9.5%	3.0%	3.3%	2.8%	4.4%
	Fairly difficult	8.1%	10.6%	11.4%	11.1%	10.4%	7.6%	11.0%	11.9%	10.9%	10.4%	8.1%	10.3%	11.3%	11.1%	10.2%	18.0%	11.0%	7.4%	15.2%	12.4%
	Fairly easy	7.6%	16.6%	21.1%	26.7%	18.0%	7.2%	15.2%	17.9%	27.0%	16.7%	7.8%	16.6%	23.4%	26.3%	18.6%	10.4%	34.8%	35.3%	28.2%	28.4%
	Very easy	4.5%	10.9%	21.7%	28.5%	16.3%	4.8%	10.2%	18.7%	25.1%	14.5%	4.0%	10.7%	24.2%	32.1%	17.7%	7.6%	23.8%	29.0%	26.3%	22.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28a During the past 30 days, how did you get the alcohol you drank? I did not drink alcohol during the past 30 days.	Yes	98.1%	96.3%	90.5%	80.5%	91.5%	97.5%	96.8%	92.9%	83.1%	92.8%	98.8%	96.1%	88.4%	78.5%	90.6%	96.9%	93.8%	87.2%	70.5%	87.8%
	No	1.9%	3.7%	9.5%	19.5%	8.5%	2.5%	3.2%	7.1%	16.9%	7.2%	1.2%	3.9%	11.6%	21.5%	9.4%	3.1%	6.2%	12.8%	29.5%	12.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28b During the past 30 days, how did you get the alcohol you drank? I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	Yes	0.3%	0.2%	0.8%	1.7%	0.7%	0.4%	0.1%	0.9%	1.5%	0.7%	0.2%	0.2%	0.5%	1.7%	0.6%		1.0%	4.2%	3.4%	2.1%
	No	99.7%	99.8%	99.2%	98.3%	99.3%	99.6%	99.9%	99.1%	98.5%	99.3%	99.8%	99.8%	99.5%	98.3%	99.4%	100.0%	99.0%	95.8%	96.6%	97.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28c During the past 30 days, how did you get the alcohol you drank? I bought it at a restaurant, bar, or club	Yes	0.2%	0.1%	0.9%	0.7%	0.5%	0.4%	0.2%	1.5%	0.7%	0.7%	0.1%		0.1%	0.7%	0.2%		1.0%	2.8%	3.4%	1.8%
	No	99.8%	99.9%	99.1%	99.3%	99.5%	99.6%	99.8%	98.5%	99.3%	99.3%	99.9%	100.0%	99.9%	99.3%	99.8%	100.0%	99.0%	97.2%	96.6%	98.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28d During the past 30 days, how did you get the alcohol you drank? I bought it at a public event such as a concert or sporting event	Yes	0.2%	0.1%	0.8%	0.6%	0.4%	0.2%	0.1%	1.0%	0.6%	0.5%	0.1%		0.5%	0.5%	0.3%	0.7%	1.0%	2.8%	3.4%	1.9%
	No	99.8%	99.9%	99.2%	99.4%	99.6%	99.8%	99.9%	99.0%	99.4%	99.5%	99.9%	100.0%	99.5%	99.5%	99.7%	99.3%	99.0%	97.2%	96.6%	98.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28e During the past 30 days, how did you get the alcohol you drank? I gave someone I knew money to buy it for me	Yes	0.4%	0.3%	2.6%	7.0%	2.5%	0.4%	0.4%	2.8%	5.2%	2.1%	0.3%	0.1%	2.4%	9.0%	2.9%		1.0%	2.8%	5.8%	2.3%
	No	99.6%	99.7%	97.4%	93.0%	97.5%	99.6%	99.6%	97.2%	94.8%	97.9%	99.7%	99.9%	97.6%	91.0%	97.1%	100.0%	99.0%	97.2%	94.2%	97.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28f During the past 30 days, how did you get the alcohol you drank? I gave someone I didn't know money to buy it for me	Yes	0.2%	0.1%	1.1%	1.5%	0.7%	0.3%	0.1%	1.4%	1.2%	0.7%	0.1%	0.0%	0.6%	1.5%	0.5%	1.4%	1.0%	2.8%	5.2%	2.4%
	No	99.8%	99.9%	98.9%	98.5%	99.3%	99.7%	99.9%	98.6%	98.8%	99.3%	99.9%	100.0%	99.4%	98.5%	99.5%	98.6%	99.0%	97.2%	94.8%	97.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28g During the past 30 days, how did you get the alcohol you drank? A friend gave it to me for free	Yes	0.2%	0.6%	4.2%	10.0%	3.6%	0.2%	0.5%	3.5%	8.3%	3.0%	0.1%	0.4%	4.8%	11.4%	4.1%		3.3%	6.4%	15.7%	6.0%
	No	99.8%	99.4%	95.8%	90.0%	96.4%	99.8%	99.5%	96.5%	91.7%	97.0%	99.9%	99.6%	95.2%	88.6%	95.9%	100.0%	96.7%	93.6%	84.3%	94.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28h During the past 30 days, how did you get the alcohol you drank? A family member gave it to me for free	Yes	0.7%	1.6%	4.4%	7.0%	3.3%	0.8%	1.1%	4.0%	4.3%	2.5%	0.6%	1.8%	4.4%	8.9%	3.9%		5.6%	9.5%	18.3%	8.1%
	No	99.3%	98.4%	95.6%	93.0%	96.7%	99.2%	98.9%	96.0%	95.7%	97.5%	99.4%	98.2%	95.6%	91.1%	96.1%	100.0%	94.4%	90.5%	81.7%	91.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28i During the past 30 days, how did you get the alcohol you drank? I took it from a store or family member	Yes	0.5%	0.8%	2.3%	2.7%	1.6%	0.5%	0.5%	1.5%	2.1%	1.2%	0.5%	0.9%	2.9%	2.9%	1.8%	1.7%	4.0%	4.7%	8.8%	4.7%
	No	99.5%	99.2%	97.7%	97.3%	98.4%	99.5%	99.5%	98.5%	97.9%	98.8%	99.5%	99.1%	97.1%	97.1%	98.2%	98.3%	96.0%	95.3%	91.2%	95.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28j During the past 30 days, how did you get the alcohol you drank? I got it some other way	Yes	0.1%	0.0%	0.5%	0.5%	0.3%	0.1%		0.7%	0.4%	0.3%	0.1%		0.1%	0.2%	0.1%		1.0%	2.8%	6.5%	2.4%
	No	99.9%	100.0%	99.5%	99.5%	99.7%	99.9%	100.0%	99.3%	99.6%	99.7%	99.9%	100.0%	99.9%	99.8%	99.9%	100.0%	99.0%	97.2%	93.5%	97.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q28k During the past 30 days, how did you get the alcohol you drank? I got it some other way	Yes	0.9%	1.5%	3.0%	4.1%	2.3%	1.2%	1.5%	2.4%	4.5%	2.4%	0.5%	1.3%	3.3%	3.8%	2.2%		4.8%	5.8%	4.5%	4.0%
	No	99.1%	98.5%	97.0%	95.9%	97.7%	98.8%	98.5%	97.6%	95.5%	97.6%	99.5%	98.7%	96.7%	96.2%	97.8%	100.0%	95.2%	94.2%	95.5%	96.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q29 How many of your closest friends drink alcohol?	None	92.8%	80.1%	61.1%	42.4%	69.5%	94.2%	83.3%	68.3%	47.0%	73.7%	91.5%	77.7%	55.2%	38.0%	65.8%	89.7%	68.0%	44.8%	38.3%	60.1%
	A few	6.6%	17.3%	27.7%	35.5%	21.6%	5.3%	15.0%	24.1%	33.6%	19.2%	7.8%	18.6%	30.3%	37.2%	23.4%	10.3%	32.0%	40.0%	39.2%	31.1%
	Most	0.6%	2.1%	9.0%	15.0%	6.5%	0.5%	1.2%	5.5%	12.8%	4.8%	0.7%	3.1%	12.1%	17.0%	8.1%			13.8%	18.3%	7.5%
	All	0.1%	0.5%	2.2%	7.1%	2.4%	0.1%	0.5%	2.1%	6.6%	2.2%		0.6%	2.4%	7.8%	2.6%			1.4%	4.2%	1.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q30 During the past 30 days, on how many days did you have at least one drink of alcohol?	0 days	97.6%	95.3%	88.7%	78.4%	90.2%	97.1%	95.9%	90.9%	80.9%	91.4%	98.2%	95.3%	86.7%	76.5%	89.3%	96.2%	88.9%	84.1%	66.5%	84.7%
	1 day	1.3%	2.1%	3.4%	6.6%	3.3%	1.4%	1.9%	2.6%	6.0%	2.9%	1.1%	1.8%	4.3%	6.8%	3.5%	3.1%	7.9%	3.2%	11.4%	6.3%
	2 days	0.2%	1.2%	2.2%	5.3%	2.2%	0.2%	0.8%	1.2%	4.1%	1.5%	0.3%	1.6%	3.0%	6.2%	2.7%	0.7%	1.8%	6.4%	10.3%	4.5%
	3 to 5 days	0.2%	0.7%	2.4%	5.1%	2.0%	0.3%	0.6%	2.0%	4.1%	1.7%	0.1%	0.7%	2.8%	6.2%	2.4%		1.5%	1.7%	4.3%	1.8%
	6 to 9 days	0.1%	0.3%	1.4%	2.4%	1.0%	0.2%	0.2%	1.0%	2.5%	0.9%		0.4%	1.8%	2.0%	1.1%			1.8%	6.2%	1.7%
	10 to 19 days	0.2%	0.2%	0.8%	1.4%	0.6%	0.3%	0.3%	1.1%	1.8%	0.8%	0.1%	0.1%	0.7%	1.1%	0.5%					
	20 or more days	0.4%	0.2%	1.0%	0.9%	0.6%	0.6%	0.4%	1.2%	0.6%	0.7%	0.2%	0.1%	0.7%	1.2%	0.5%			2.8%	1.3%	1.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q31 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?	0 days	99.4%	98.6%	94.1%	88.3%	95.2%	99.3%	98.4%	94.6%	88.9%	95.4%	99.5%	98.7%	93.6%	87.8%	95.0%	100.0%	100.0%	94.0%	86.6%	95.6%
	1 day	0.2%	0.5%	2.0%	4.5%	1.7%	0.3%	0.6%	1.7%	3.7%	1.5%	0.1%	0.4%	2.2%	5.1%	1.9%			3.2%	7.9%	2.5%
	2 days	0.1%	0.4%	0.9%	2.8%	1.0%		0.4%	0.9%	3.2%	1.1%	0.1%	0.4%	1.0%	2.6%	1.0%					
	3 to 5 days	0.0%	0.2%	0.8%	2.0%	0.7%	0.0%	0.2%	0.4%	1.6%	0.5%		0.2%	1.2%	2.4%	0.9%				1.1%	0.2%
	6 to 9 days	0.1%	0.1%	0.8%	1.3%	0.6%	0.1%	0.1%	0.8%	1.5%	0.6%	0.1%	0.1%	0.9%	0.9%	0.5%				3.1%	0.6%
	10 to 19 days	0.0%	0.0%	0.2%	0.6%	0.2%	0.1%	0.1%	0.2%	0.5%	0.2%			0.3%	0.6%	0.2%					

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q32 During your life, how many times have you had at least one drink of alcohol?	0 times	83.5%	75.0%	63.0%	49.7%	68.0%	83.2%	75.5%	69.1%	52.3%	70.3%	84.6%	75.4%	58.5%	48.1%	66.7%	69.2%	64.4%	40.0%	32.3%	52.1%
	1 or 2 times	11.6%	13.2%	13.0%	13.4%	12.8%	10.9%	13.5%	12.8%	12.9%	12.6%	11.5%	12.7%	13.3%	14.3%	12.9%	24.4%	15.2%	11.7%	5.6%	14.2%
	3 to 9 times	3.2%	6.3%	9.8%	12.1%	7.8%	3.8%	5.8%	7.0%	12.0%	7.1%	2.4%	6.3%	11.8%	11.6%	8.1%	5.7%	13.3%	20.2%	22.2%	15.4%
	10 to 19 times	0.9%	2.4%	5.4%	7.0%	3.9%	0.8%	2.4%	3.8%	7.0%	3.5%	1.0%	2.2%	6.5%	6.7%	4.1%		4.2%	12.4%	12.8%	7.3%
	20 to 39 times	0.6%	1.7%	3.7%	5.7%	2.9%	0.9%	1.3%	3.0%	4.8%	2.4%	0.3%	2.2%	4.2%	6.3%	3.2%			5.7%	12.1%	4.1%
	40 to 99 times	0.3%	0.8%	2.4%	5.4%	2.2%	0.3%	0.6%	1.6%	3.8%	1.5%	0.2%	0.9%	3.1%	7.0%	2.7%	0.7%	2.9%	5.2%	6.0%	3.7%
	100 or more times	0.1%	0.6%	2.7%	6.7%	2.4%	0.1%	0.9%	2.6%	7.2%	2.6%	0.0%	0.4%	2.5%	6.0%	2.2%			4.7%	9.0%	3.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q33 How old were you when you had your first drink of alcohol, other than a few sips?	I have never had a drink of alcohol.	82.5%	72.9%	60.6%	48.6%	66.4%	82.2%	73.4%	65.9%	51.5%	68.6%	83.7%	73.5%	56.6%	46.8%	65.2%	67.9%	59.7%	40.1%	30.1%	50.1%
	8 years old or younger	8.1%	8.9%	6.5%	4.8%	7.1%	8.0%	9.3%	7.2%	5.9%	7.7%	8.0%	8.5%	5.2%	3.3%	6.3%	10.2%	8.5%	15.2%	10.8%	11.2%
	9 or 10 years old	6.2%	5.4%	4.3%	2.3%	4.6%	6.1%	5.2%	5.2%	1.9%	4.6%	5.6%	5.3%	3.5%	2.2%	4.2%	16.6%	9.6%	4.5%	10.3%	9.8%
	11 or 12 years old	3.1%	8.6%	7.3%	4.7%	6.0%	3.5%	8.1%	5.9%	3.7%	5.4%	2.7%	8.3%	8.5%	5.0%	6.2%	5.3%	19.6%	10.0%	16.1%	13.3%
	13 or 14 years old		4.0%	13.7%	12.1%	7.4%		3.8%	8.6%	11.2%	5.8%		4.4%	17.7%	12.6%	8.8%		2.5%	28.8%	18.1%	12.3%
	15 or 16 years old			7.3%	20.1%	6.6%			6.7%	17.5%	5.8%			8.4%	23.5%	7.7%				8.5%	1.8%
	17 years old or older	0.1%	0.1%	0.3%	7.4%	1.8%	0.2%	0.2%	0.5%	8.3%	2.2%	0.0%			6.5%	1.5%			1.4%	6.1%	1.6%

		Total					Male					Female					Other					
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q34 During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?	I did not drink alcohol during the past	98.0%	95.1%	87.7%	76.9%	89.6%	97.9%	95.6%	89.8%	79.6%	90.9%	98.1%	94.9%	85.8%	75.1%	88.6%	97.2%	90.9%	85.5%	62.2%	85.0%	
	1 or 2 drinks	1.6%	2.9%	4.8%	7.1%	4.1%	1.6%	2.0%	3.3%	6.0%	3.2%	1.6%	3.5%	6.0%	7.9%	4.8%	2.8%	7.3%	6.4%	13.0%	7.2%	
	3 drinks	0.1%	0.7%	1.9%	2.4%	1.3%	0.2%	0.7%	1.2%	1.8%	1.0%	0.1%	0.7%	2.4%	2.7%	1.5%			3.2%	9.3%	2.7%	
	4 drinks	0.1%	0.3%	1.1%	2.6%	1.0%	0.1%	0.4%	1.0%	1.4%	0.7%		0.3%	1.2%	3.9%	1.3%			1.7%	1.9%	0.8%	
	5 drinks	0.2%	0.2%	0.8%	2.3%	0.8%	0.2%	0.3%	0.5%	1.5%	0.6%	0.1%	0.2%	1.1%	2.9%	1.1%				4.8%	1.0%	
	6 or 7 drinks		0.3%	1.5%	3.5%	1.3%		0.4%	1.4%	3.1%	1.2%		0.1%	1.6%	3.7%	1.3%			0.8%	1.8%	7.6%	2.3%
	8 or 9 drinks		0.1%	0.8%	2.0%	0.7%		0.1%	0.4%	2.5%	0.7%		0.2%	1.2%	1.5%	0.7%						
	10 or more drinks	0.1%	0.3%	1.5%	3.2%	1.2%	0.1%	0.5%	2.3%	4.1%	1.7%	0.1%		0.7%	2.3%	0.7%			0.9%	1.4%	1.3%	0.9%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q35 Have your parents/caregivers ever hosted parties with alcohol for you and your friends?	2.8%	3.2%	4.0%	4.5%	3.6%	3.6%	3.5%	4.4%	3.8%	3.8%	1.9%	2.7%	3.7%	4.5%	3.2%	3.8%	5.4%	3.2%	16.6%	6.8%
Yes	97.2%	96.8%	96.0%	95.5%	96.4%	96.4%	96.5%	95.6%	96.2%	96.2%	98.1%	97.3%	96.3%	95.5%	96.8%	96.2%	94.6%	96.8%	83.4%	93.2%
No																				

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q36 Have your parents/caregivers ever allowed you to have parties with alcohol when they are away?	0.9%	1.9%	3.1%	5.2%	2.7%	0.7%	1.9%	4.0%	4.6%	2.7%	1.3%	1.7%	2.1%	5.2%	2.5%		3.2%	4.2%	15.5%	5.3%
Yes	99.1%	98.1%	96.9%	94.8%	97.3%	99.3%	98.1%	96.0%	95.4%	97.3%	98.7%	98.3%	97.9%	94.8%	97.5%	100.0%	96.8%	95.8%	84.5%	94.7%
No																				

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q37 Have you ever drunk alcohol with your parent/caregiver's knowledge?	9.9%	16.2%	24.9%	33.0%	20.9%	10.1%	16.7%	21.7%	29.3%	19.3%	9.2%	14.8%	27.1%	35.7%	21.6%	16.6%	28.0%	38.4%	50.4%	33.0%
Yes	90.1%	83.8%	75.1%	67.0%	79.1%	89.9%	83.3%	78.3%	70.7%	80.7%	90.8%	85.2%	72.9%	64.3%	78.4%	83.4%	72.0%	61.6%	49.6%	67.0%
No																				

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q38 During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been drinking alcohol?	84.9%	84.6%	88.1%	90.2%	86.9%	86.1%	87.3%	91.1%	91.8%	89.0%	84.4%	82.5%	84.8%	88.9%	85.1%	74.1%	77.0%	92.9%	86.8%	82.6%
0 times	6.1%	6.2%	4.8%	4.6%	5.5%	5.9%	5.5%	3.2%	4.0%	4.7%	5.9%	6.6%	6.6%	5.0%	6.1%	13.5%	9.2%	2.4%	8.3%	8.1%
1 time	4.2%	4.8%	3.5%	2.8%	3.9%	3.8%	4.2%	3.0%	2.2%	3.3%	4.6%	5.1%	4.2%	3.6%	4.4%	6.0%	8.3%		1.8%	4.3%
2 or 3 times	1.3%	1.4%	1.2%	0.7%	1.2%	0.9%	0.8%	0.7%	0.5%	0.7%	1.4%	2.0%	1.5%	0.9%	1.5%	4.8%	2.3%	3.3%		2.6%
4 or 5 times	3.4%	2.9%	2.4%	1.6%	2.6%	3.3%	2.2%	2.1%	1.5%	2.3%	3.7%	3.7%	2.8%	1.7%	3.0%	1.6%	3.2%	1.4%	3.1%	2.3%
6 or more times																				

		Total					Male					Female					Other					
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q39 During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been drinking alcohol?	I did not drive a car or other vehicle	79.7%	81.6%	60.5%	48.8%	68.0%	78.4%	81.2%	60.4%	47.7%	67.4%	81.2%	81.3%	60.2%	49.3%	68.1%	78.6%	89.8%	64.5%	60.4%	74.6%	
	0 times	19.5%	17.7%	38.0%	47.9%	30.5%	20.7%	17.9%	37.8%	49.0%	30.9%	18.2%	18.2%	38.5%	47.7%	30.5%	20.0%	7.8%	34.1%	32.7%	22.6%	
	1 time	0.4%	0.3%	0.6%	1.8%	0.8%	0.5%	0.5%	0.5%	2.1%	0.9%	0.4%	0.2%	0.8%	1.1%	0.6%				5.6%	1.2%	
	2 or 3 times	0.2%	0.1%	0.4%	0.9%	0.4%	0.2%	0.2%	0.5%	0.4%	0.3%	0.2%	0.1%	0.4%	1.6%	0.5%						
	4 or 5 times	0.1%	0.0%	0.1%	0.3%	0.1%	0.1%		0.2%	0.4%	0.2%	0.1%			0.3%	0.1%		0.9%			0.3%	
	6 or more times	0.1%	0.3%	0.4%	0.3%	0.2%	0.1%	0.1%	0.5%	0.4%	0.3%		0.3%	0.2%		0.1%	1.4%	1.4%	1.4%	1.3%	1.4%	

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q40a During the past 6 months, where did you drink alcohol? I did not drink alcohol during the past 6 months.	Yes	95.4%	89.9%	80.0%	66.6%	83.1%	94.7%	91.4%	85.3%	70.5%	85.7%	96.4%	88.9%	75.4%	63.9%	81.1%	92.2%	81.7%	70.4%	47.2%	73.8%
	No	4.6%	10.1%	20.0%	33.4%	16.9%	5.3%	8.6%	14.7%	29.5%	14.3%	3.6%	11.1%	24.6%	36.1%	18.9%	7.8%	18.3%	29.6%	52.8%	26.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q40b During the past 6 months, where did you drink alcohol? At my home	Yes	3.6%	8.0%	13.1%	18.6%	10.8%	3.9%	7.0%	9.2%	14.9%	8.7%	2.9%	8.6%	16.2%	21.1%	12.2%	10.7%	14.8%	23.3%	39.9%	21.4%
	No	96.4%	92.0%	86.9%	81.4%	89.2%	96.1%	93.0%	90.8%	85.1%	91.3%	97.1%	91.4%	83.8%	78.9%	87.8%	89.3%	85.2%	76.7%	60.1%	78.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q40c During the past 6 months, where did you drink alcohol? At another person's home	Yes	0.9%	3.0%	10.8%	21.4%	8.9%	0.8%	2.3%	8.0%	17.6%	7.0%	1.0%	3.7%	13.1%	24.2%	10.4%	0.7%	3.5%	14.7%	39.7%	13.3%
	No	99.1%	97.0%	89.2%	78.6%	91.1%	99.2%	97.7%	92.0%	82.4%	93.0%	99.0%	96.3%	86.9%	75.8%	89.6%	99.3%	96.5%	85.3%	60.3%	86.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q40d During the past 6 months, where did you drink alcohol? When riding in or driving a car or other vehicle	Yes	0.3%	0.2%	2.0%	3.7%	1.5%	0.4%	0.3%	1.6%	2.7%	1.2%	0.2%	0.2%	2.2%	4.6%	1.8%			4.9%	4.7%	2.3%
	No	99.7%	99.8%	98.0%	96.3%	98.5%	99.6%	99.7%	98.4%	97.3%	98.8%	99.8%	99.8%	97.8%	95.4%	98.2%	100.0%	100.0%	95.1%	95.3%	97.7%

	Total					Male					Female					Other					
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q40e During the past 6 months, where did you drink alcohol? At a restaurant, bar, or club	Yes	0.1%	0.4%	1.1%	2.1%	0.9%	0.2%	0.2%	0.9%	1.7%	0.7%	0.1%	0.5%	1.3%	2.0%	1.0%	0.9%	2.9%	12.1%	3.5%	
	No	99.9%	99.6%	98.9%	97.9%	99.1%	99.8%	99.8%	99.1%	98.3%	99.3%	99.9%	99.5%	98.7%	98.0%	99.0%	100.0%	99.1%	97.1%	87.9%	96.5%

	Total					Male					Female					Other					
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q40f During the past 6 months, where did you drink alcohol? At an open area such as a park, campground, field, or parking lot	Yes	0.7%	0.9%	3.2%	4.6%	2.3%	0.9%	0.5%	2.5%	4.6%	2.1%	0.4%	1.3%	3.8%	4.4%	2.5%	1.1%	1.9%	5.9%	7.2%	3.9%
	No	99.3%	99.1%	96.8%	95.4%	97.7%	99.1%	99.5%	97.5%	95.4%	97.9%	99.6%	98.7%	96.2%	95.6%	97.5%	98.9%	98.1%	94.1%	92.8%	96.1%

	Total					Male					Female					Other					
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q40g During the past 6 months, where did you drink alcohol? At a public event such as a concert or sporting event	Yes	0.2%	0.2%	1.0%	2.6%	1.0%	0.3%	0.1%	1.1%	2.0%	0.9%	0.2%	0.8%	2.9%	1.0%	1.5%	2.9%	6.4%	2.4%		
	No	99.8%	99.8%	99.0%	97.4%	99.0%	99.7%	99.9%	98.9%	98.0%	99.1%	100.0%	99.8%	99.2%	97.1%	99.0%	98.5%	100.0%	97.1%	93.6%	97.6%

	Total					Male					Female					Other					
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q40h During the past 6 months, where did you drink alcohol? On school property	Yes	0.2%	0.3%	0.8%	1.1%	0.6%	0.4%	0.2%	0.7%	0.5%	0.4%	0.1%	0.5%	0.8%	1.3%	0.7%	2.9%	6.6%	2.1%		
	No	99.8%	99.7%	99.2%	98.9%	99.4%	99.6%	99.8%	99.3%	99.5%	99.6%	99.9%	99.5%	99.2%	98.7%	99.3%	100.0%	100.0%	97.1%	93.4%	97.9%

	Total					Male					Female					Other					
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q40i During the past 6 months, where did you drink alcohol? Some other place	Yes	1.0%	1.6%	4.6%	7.5%	3.6%	1.4%	1.0%	4.4%	8.0%	3.6%	0.5%	2.3%	4.8%	6.9%	3.6%	0.9%	4.3%	11.0%	3.7%	
	No	99.0%	98.4%	95.4%	92.5%	96.4%	98.6%	99.0%	95.6%	92.0%	96.4%	99.5%	97.7%	95.2%	93.1%	96.4%	100.0%	99.1%	95.7%	89.0%	96.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q41 How much do you think people risk harming themselves physically or in other ways when they use a vape pen or e-cigarette?	No risk	3.5%	3.6%	6.5%	7.8%	5.3%	4.4%	5.0%	7.9%	9.8%	6.7%	2.6%	2.1%	5.1%	5.5%	3.8%	2.9%	2.6%	7.1%	12.5%	5.9%
	Slight risk	8.3%	13.3%	16.3%	17.6%	13.9%	8.5%	13.5%	16.8%	20.3%	14.8%	7.6%	12.1%	15.2%	15.1%	12.6%	15.1%	24.3%	24.9%	14.0%	20.4%
	Moderate risk	23.6%	27.8%	29.2%	33.2%	28.5%	22.7%	27.5%	28.5%	31.8%	27.6%	24.0%	27.8%	29.4%	33.4%	28.7%	32.9%	33.5%	36.8%	52.2%	38.2%
	Great risk	64.7%	55.3%	48.0%	41.4%	52.3%	64.4%	54.0%	46.9%	38.0%	50.9%	65.9%	58.0%	50.3%	46.1%	54.9%	49.1%	39.6%	31.2%	21.2%	35.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q42 During the past 30 days, on how many days did you use a vape pen or e-cigarette?	0 days	98.3%	94.7%	89.5%	81.9%	91.2%	98.2%	95.4%	92.3%	85.3%	92.9%	98.4%	94.6%	87.3%	78.5%	89.7%	98.2%	86.8%	79.3%	81.7%	86.1%
	1 or 2 days	1.1%	2.2%	2.2%	3.2%	2.2%	1.0%	1.8%	1.8%	1.9%	1.6%	1.2%	2.2%	2.2%	4.5%	2.5%	1.1%	7.4%	6.4%	4.6%	5.2%
	3 to 5 days	0.2%	1.0%	1.3%	2.2%	1.2%	0.2%	0.9%	1.2%	1.7%	1.0%	0.0%	1.0%	1.4%	2.7%	1.3%	0.7%	2.0%	1.5%	3.1%	1.8%
	6 to 9 days	0.1%	0.5%	1.3%	1.6%	0.9%	0.1%	0.4%	0.9%	1.7%	0.8%	0.1%	0.6%	1.8%	1.6%	1.1%		0.9%			0.3%
	10 to 19 days	0.0%	0.5%	1.4%	1.9%	1.0%		0.4%	0.7%	1.6%	0.7%	0.1%	0.4%	2.2%	2.1%	1.2%		3.0%		4.3%	1.8%
	20 to 29 days	0.1%	0.3%	1.8%	2.1%	1.0%	0.1%	0.4%	1.0%	2.3%	0.9%	0.1%	0.2%	2.2%	2.0%	1.1%			6.3%		1.7%
	All 30 days	0.2%	0.8%	2.6%	7.1%	2.6%	0.4%	0.7%	2.0%	5.7%	2.1%		0.9%	2.9%	8.6%	3.0%			6.6%	6.3%	3.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q43 During your life, how many times have you used a vape pen or e-cigarette?	0 times	94.8%	87.0%	80.1%	67.5%	82.5%	94.7%	88.7%	84.5%	69.3%	84.5%	95.3%	85.8%	77.5%	66.4%	81.2%	89.9%	78.5%	56.5%	55.5%	70.2%
	1 or 2 times	3.2%	5.1%	5.0%	7.5%	5.2%	3.4%	4.7%	4.4%	8.1%	5.1%	2.7%	5.6%	4.7%	6.3%	4.9%	6.9%	4.8%	17.1%	17.7%	11.2%
	3 to 9 times	0.9%	2.4%	3.0%	4.4%	2.7%	0.7%	1.6%	2.2%	3.5%	2.0%	0.9%	3.0%	3.8%	5.2%	3.2%	2.4%	4.5%	5.3%	6.1%	4.6%
	10 to 19 times	0.5%	1.5%	1.9%	2.6%	1.7%	0.6%	1.1%	1.3%	2.2%	1.3%	0.4%	1.8%	2.6%	3.1%	2.0%		4.4%	1.4%	2.4%	2.3%
	20 to 39 times	0.3%	1.2%	2.3%	2.3%	1.5%	0.2%	0.9%	1.9%	1.5%	1.1%	0.3%	1.5%	2.6%	3.0%	1.9%		1.8%	4.0%	5.0%	2.7%
	40 to 99 times	0.1%	1.0%	1.9%	2.5%	1.4%	0.1%	1.0%	1.5%	3.4%	1.5%	0.1%	0.8%	2.2%	1.6%	1.2%	0.7%	2.9%	1.9%		1.6%
	100 or more times	0.2%	1.8%	5.7%	13.2%	5.1%	0.2%	2.0%	4.3%	12.0%	4.5%	0.3%	1.6%	6.5%	14.4%	5.6%		2.9%	13.8%	13.3%	7.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q44 How wrong do your parents/caregivers feel it would be for you to use a vape pen or e-cigarette?	Very Wrong	89.4%	82.9%	78.0%	70.6%	80.2%	89.2%	84.5%	76.6%	68.9%	79.9%	90.2%	82.2%	80.4%	72.7%	81.3%	79.2%	69.3%	65.1%	66.5%	69.7%
	Wrong	9.3%	13.7%	17.4%	20.2%	15.2%	8.9%	12.9%	18.4%	22.0%	15.5%	9.2%	14.1%	16.0%	18.3%	14.5%	15.3%	20.1%	24.0%	23.3%	20.8%
	A Little Bit Wrong	1.2%	2.8%	3.5%	7.0%	3.6%	1.5%	1.9%	4.1%	7.2%	3.6%	0.6%	3.3%	2.8%	6.9%	3.4%	5.5%	9.7%	5.6%	5.9%	6.9%
	Not Wrong at All	0.2%	0.6%	1.0%	2.1%	1.0%	0.4%	0.8%	0.8%	2.0%	1.0%		0.4%	0.9%	2.1%	0.8%		0.9%	5.3%	4.2%	2.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q45 How wrong do your friends feel it would be for you to use a vape pen or e-cigarette?	Very Wrong	75.5%	63.6%	51.7%	38.9%	57.4%	75.6%	65.4%	56.3%	37.8%	59.0%	76.5%	63.2%	48.6%	39.8%	56.8%	56.5%	44.0%	29.6%	42.2%	42.3%
	Wrong	19.2%	21.0%	22.6%	22.5%	21.3%	18.3%	20.3%	22.6%	25.3%	21.6%	19.3%	21.1%	22.7%	19.7%	20.8%	32.5%	27.0%	22.6%	20.8%	25.6%
	A Little Bit Wrong	4.2%	10.0%	12.8%	18.3%	11.3%	4.7%	9.2%	10.3%	18.1%	10.5%	3.4%	10.7%	14.9%	18.1%	11.9%	7.2%	12.4%	19.1%	22.3%	15.2%
	Not Wrong at All	1.2%	5.4%	12.9%	20.4%	9.9%	1.3%	5.1%	10.8%	18.7%	8.9%	0.8%	4.9%	13.8%	22.4%	10.5%	3.8%	16.5%	28.7%	14.7%	16.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q46 How wrong do you feel it would be for someone your age to use a vape pen or e-cigarette?	Very Wrong	85.8%	69.2%	57.1%	45.9%	64.4%	85.8%	72.3%	61.2%	44.6%	66.2%	86.6%	67.4%	55.0%	47.2%	63.7%	73.4%	49.3%	26.7%	47.3%	47.8%
	Wrong	10.9%	20.6%	24.8%	27.5%	21.0%	10.5%	18.3%	24.5%	29.2%	20.6%	10.7%	22.6%	24.4%	25.6%	21.1%	20.3%	25.9%	34.0%	29.8%	27.8%
	A Little Bit Wrong	2.7%	7.7%	13.1%	17.1%	10.2%	3.0%	6.9%	10.3%	16.6%	9.1%	2.1%	7.9%	15.3%	17.8%	10.9%	6.3%	16.8%	22.8%	14.3%	15.7%
	Not Wrong at All	0.6%	2.5%	5.1%	9.5%	4.4%	0.7%	2.5%	4.1%	9.7%	4.2%	0.6%	2.1%	5.3%	9.4%	4.3%		8.0%	16.5%	8.6%	8.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q47a During the past 30 days, what type of substances did you use in an electronic cigarette? I did not use an electronic	Yes	96.7%	91.7%	84.9%	78.5%	88.0%	96.5%	92.6%	87.8%	79.5%	89.2%	97.0%	91.5%	83.0%	77.6%	87.2%	94.5%	83.1%	73.3%	75.7%	81.3%
	No	3.3%	8.3%	15.1%	21.5%	12.0%	3.5%	7.4%	12.2%	20.5%	10.8%	3.0%	8.5%	17.0%	22.4%	12.8%	5.5%	16.9%	26.7%	24.3%	18.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q47b During the past 30 days, what type of substances did you use in an electronic cigarette? Liquid with nicotine in it	Yes	0.9%	3.8%	9.2%	16.4%	7.5%	1.1%	3.0%	7.2%	12.8%	5.9%	0.6%	4.4%	10.7%	19.6%	8.8%	2.1%	7.1%	16.4%	23.2%	12.0%
	No	99.1%	96.2%	90.8%	83.6%	92.5%	98.9%	97.0%	92.8%	87.2%	94.1%	99.4%	95.6%	89.3%	80.4%	91.2%	97.9%	92.9%	83.6%	76.8%	88.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q47c During the past 30 days, what type of substances did you use in an electronic cigarette? Liquid with THC (marijuana) in it	Yes	0.3%	1.6%	5.1%	7.9%	3.7%	0.4%	1.7%	3.2%	7.5%	3.2%	0.1%	1.4%	6.1%	7.7%	3.8%	1.5%	1.5%	17.2%	17.0%	9.0%
	No	99.7%	98.4%	94.9%	92.1%	96.3%	99.6%	98.3%	96.8%	92.5%	96.8%	99.9%	98.6%	93.9%	92.3%	96.2%	98.5%	98.5%	82.8%	83.0%	91.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q47d During the past 30 days, what type of substances did you use in an electronic cigarette? Liquid with flavor only (no nicotine or THC)	Yes	1.0%	1.5%	3.0%	2.7%	2.1%	0.9%	1.5%	2.1%	1.7%	1.6%	1.1%	1.6%	3.4%	3.1%	2.3%	0.8%	0.9%	9.1%	12.3%	5.5%
	No	99.0%	98.5%	97.0%	97.3%	97.9%	99.1%	98.5%	97.9%	98.3%	98.4%	98.9%	98.4%	96.6%	96.9%	97.7%	99.2%	99.1%	90.9%	87.7%	94.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q47e During the past 30 days, what type of substances did you use in an electronic cigarette? Don't know	Yes	3.6%	5.0%	6.2%	4.5%	4.9%	4.0%	4.5%	6.7%	6.4%	5.4%	3.2%	5.1%	5.5%	2.2%	4.1%	5.1%	9.3%	9.3%	10.0%	8.6%
	No	96.4%	95.0%	93.8%	95.5%	95.1%	96.0%	95.5%	93.3%	93.6%	94.6%	96.8%	94.9%	94.5%	97.8%	95.9%	94.9%	90.7%	90.7%	90.0%	91.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48a During the past 30 days, how did you get your own electronic vapor products? I did not use electronic vapor during the past 30 days.	Yes	98.5%	94.7%	88.8%	81.5%	90.9%	98.4%	95.3%	92.6%	84.6%	92.8%	99.0%	94.5%	86.0%	78.7%	89.5%	94.7%	89.0%	77.6%	75.2%	84.3%
	No	1.5%	5.3%	11.2%	18.5%	9.1%	1.6%	4.7%	7.4%	15.4%	7.2%	1.0%	5.5%	14.0%	21.3%	10.5%	5.3%	11.0%	22.4%	24.8%	15.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48b During the past 30 days, how did you get your own electronic vapor products? I bought them in a store such as a convenience store, supermarket, discount store or gas station	Yes	0.2%	0.1%	1.1%	4.5%	1.4%	0.2%	0.1%	1.7%	4.0%	1.4%	0.2%	0.1%	0.4%	4.7%	1.3%		0.9%	2.9%	7.9%	2.7%
	No	99.8%	99.9%	98.9%	95.5%	98.6%	99.8%	99.9%	98.3%	96.0%	98.6%	99.8%	99.9%	99.6%	95.3%	98.7%	100.0%	99.1%	97.1%	92.1%	97.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48c During the past 30 days, how did you get your own electronic vapor products? I bought them on the internet	Yes	0.1%	0.3%	0.7%	1.1%	0.5%	0.2%	0.1%	1.0%	0.5%	0.4%	0.1%	0.5%	0.3%	1.2%	0.5%		2.9%	9.4%	2.7%	
	No	99.9%	99.7%	99.3%	98.9%	99.5%	99.8%	99.9%	99.0%	99.5%	99.6%	99.9%	99.5%	99.7%	98.8%	99.5%	100.0%	100.0%	97.1%	90.6%	97.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48d During the past 30 days, how did you get your own electronic vapor products? I gave someone I knew money to buy them for me	Yes	0.2%	1.1%	4.3%	8.8%	3.5%	0.3%	0.9%	2.5%	7.2%	2.6%	0.2%	1.2%	5.6%	10.1%	4.3%		2.4%	9.2%	13.7%	6.1%
	No	99.8%	98.9%	95.7%	91.2%	96.5%	99.7%	99.1%	97.5%	92.8%	97.4%	99.8%	98.8%	94.4%	89.9%	95.7%	100.0%	97.6%	90.8%	86.3%	93.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48e During the past 30 days, how did you get your own electronic vapor products? I gave someone I didn't know money to buy them for me	Yes	0.1%	0.2%	1.1%	1.3%	0.7%	0.2%	0.1%	1.3%	1.0%	0.7%	0.1%	0.2%	0.7%	1.2%	0.6%		4.9%	7.9%	3.0%	
	No	99.9%	99.8%	98.9%	98.7%	99.3%	99.8%	99.9%	98.7%	99.0%	99.3%	99.9%	99.8%	99.3%	98.8%	99.4%	100.0%	100.0%	95.1%	92.1%	97.0%

		Total					Male					Female					Other					
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q48f During the past 30 days, how did you get your own electronic vapor products? I borrowed (or bummed) them from someone else.	Yes	0.6%	2.3%	5.4%	7.0%	3.8%	0.7%	1.8%	3.6%	4.4%	2.6%	0.4%	2.9%	6.6%	8.9%	4.7%		2.9%	1.9%	15.2%	17.4%	9.0%
	No	99.4%	97.7%	94.6%	93.0%	96.2%	99.3%	98.2%	96.4%	95.6%	97.4%	99.6%	97.1%	93.4%	91.1%	95.3%	97.1%	98.1%	84.8%	82.6%	91.0%	

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48g During the past 30 days, how did you get your own electronic vapor products? A friend gave them to me for free	Yes	0.4%	1.5%	4.5%	5.2%	2.9%	0.4%	1.5%	3.3%	4.1%	2.3%	0.5%	1.3%	5.4%	6.3%	3.4%		4.3%	7.8%	6.0%	4.7%
	No	99.6%	98.5%	95.5%	94.8%	97.1%	99.6%	98.5%	96.7%	95.9%	97.7%	99.5%	98.7%	94.6%	93.7%	96.6%	100.0%	95.7%	92.2%	94.0%	95.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48h During the past 30 days, how did you get your own electronic vapor products? A family member gave them to me for free	Yes	0.4%	1.0%	1.6%	1.6%	1.2%	0.2%	0.8%	1.5%	1.0%	0.9%	0.4%	1.3%	1.6%	1.7%	1.3%	3.5%	0.9%	4.3%	8.6%	4.0%
	No	99.6%	99.0%	98.4%	98.4%	98.8%	99.8%	99.2%	98.5%	99.0%	99.1%	99.6%	98.7%	98.4%	98.3%	98.7%	96.5%	99.1%	95.7%	91.4%	96.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48i During the past 30 days, how did you get your own electronic vapor products? I took them from a store or family member	Yes	0.3%	0.6%	0.9%	0.4%	0.5%	0.4%	0.8%	0.7%	0.1%	0.5%	0.2%	0.3%	0.9%	0.3%	0.4%	0.7%	1.0%	2.9%	6.0%	2.5%
	No	99.7%	99.4%	99.1%	99.6%	99.5%	99.6%	99.2%	99.3%	99.9%	99.5%	99.8%	99.7%	99.1%	99.7%	99.6%	99.3%	99.0%	97.1%	94.0%	97.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q48j During the past 30 days, how did you get your own electronic vapor products? I got them some other way	Yes	0.3%	1.4%	3.1%	3.6%	2.1%	0.4%	1.2%	2.5%	3.7%	1.9%	0.1%	1.4%	3.3%	3.2%	2.1%		3.4%	8.8%	8.1%	5.1%
	No	99.7%	98.6%	96.9%	96.4%	97.9%	99.6%	98.8%	97.5%	96.3%	98.1%	99.9%	98.6%	96.7%	96.8%	97.9%	100.0%	96.6%	91.2%	91.9%	94.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49a What are the reasons you have used e-cigarettes? I have never tried an e-cigarette.	Yes	96.7%	90.2%	82.8%	71.5%	85.4%	95.8%	91.4%	87.0%	73.1%	87.0%	97.9%	89.6%	80.6%	70.3%	84.6%	92.9%	82.5%	54.9%	64.9%	73.5%
	No	3.3%	9.8%	17.2%	28.5%	14.6%	4.2%	8.6%	13.0%	26.9%	13.0%	2.1%	10.4%	19.4%	29.7%	15.4%	7.1%	17.5%	45.1%	35.1%	26.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49b What are the reasons you have used e-cigarettes? Friend or family member used them.	Yes	2.8%	4.7%	8.0%	12.3%	6.9%	3.2%	3.8%	6.4%	11.2%	6.1%	2.4%	5.4%	8.6%	12.5%	7.3%	3.2%	8.8%	22.1%	27.4%	15.1%
	No	97.2%	95.3%	92.0%	87.7%	93.1%	96.8%	96.2%	93.6%	88.8%	93.9%	97.6%	94.6%	91.4%	87.5%	92.7%	96.8%	91.3%	77.9%	72.6%	84.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49c What are the reasons you have used e-cigarettes? To try to quit using other tobacco products, such as cigarettes.	Yes	0.2%	0.3%	1.0%	2.2%	0.9%	0.4%	0.5%	1.5%	1.8%	1.0%	0.1%		0.4%	2.2%	0.7%		1.5%	3.6%	9.2%	3.4%
	No	99.8%	99.7%	99.0%	97.8%	99.1%	99.6%	99.5%	98.5%	98.2%	99.0%	99.9%	100.0%	99.6%	97.8%	99.3%	100.0%	98.5%	96.4%	90.8%	96.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49d What are the reasons you have used e-cigarettes? They cost less than other tobacco products, such as cigarettes.	Yes	0.3%	0.2%	0.8%	1.3%	0.6%	0.4%	0.2%	0.9%	1.6%	0.8%	0.2%		0.5%	0.8%	0.4%		1.5%	3.6%	5.9%	2.7%
	No	99.7%	99.8%	99.2%	98.7%	99.4%	99.6%	99.8%	99.1%	98.4%	99.2%	99.8%	100.0%	99.5%	99.2%	99.6%	100.0%	98.5%	96.4%	94.1%	97.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49e What are the reasons you have used e-cigarettes? They are easier to get than other tobacco products, such as cigarettes.	Yes	0.3%	0.7%	1.9%	2.8%	1.4%	0.4%	0.8%	2.0%	3.3%	1.6%	0.2%	0.6%	1.2%	1.9%	1.0%		2.3%	9.5%	9.2%	5.2%
	No	99.7%	99.3%	98.1%	97.2%	98.6%	99.6%	99.2%	98.0%	96.7%	98.4%	99.8%	99.4%	98.8%	98.1%	99.0%	100.0%	97.8%	90.5%	90.8%	94.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49f What are the reasons you have used e-cigarettes? Famous people on TV or in movies use them.	Yes	0.3%	0.3%	0.4%	0.7%	0.4%	0.4%	0.3%	0.6%	0.8%	0.5%	0.2%	0.1%		0.3%	0.1%	1.5%	1.5%	2.9%	5.9%	2.8%
	No	99.7%	99.7%	99.6%	99.3%	99.6%	99.6%	99.7%	99.4%	99.2%	99.5%	99.8%	99.9%	100.0%	99.7%	99.9%	98.5%	98.5%	97.1%	94.1%	97.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49g What are the reasons you have used e-cigarettes? They are less harmful than other forms of tobacco, such as cigarettes.	Yes	0.4%	0.7%	2.4%	4.9%	2.1%	0.6%	0.7%	2.0%	4.9%	2.0%	0.1%	0.5%	2.4%	4.5%	1.9%	0.7%	4.0%	8.3%	10.3%	5.8%
	No	99.6%	99.3%	97.6%	95.1%	97.9%	99.4%	99.3%	98.0%	95.1%	98.0%	99.9%	99.5%	97.6%	95.5%	98.1%	99.3%	96.0%	91.7%	89.7%	94.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49h What are the reasons you have used e-cigarettes? They are available in flavors, such as mint, candy, fruit, or chocolate.	Yes	0.6%	1.9%	4.0%	7.0%	3.3%	0.7%	1.3%	3.3%	5.1%	2.5%	0.5%	2.5%	4.1%	8.4%	3.9%	0.7%	2.3%	13.4%	14.2%	7.4%
	No	99.4%	98.1%	96.0%	93.0%	96.7%	99.3%	98.7%	96.7%	94.9%	97.5%	99.5%	97.5%	95.9%	91.6%	96.1%	99.3%	97.8%	86.6%	85.8%	92.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q49i What are the reasons you have used e-cigarettes? I used them for some other reason.	Yes	1.3%	5.9%	10.4%	15.2%	8.2%	1.8%	4.7%	6.7%	13.7%	6.6%	0.7%	6.3%	12.5%	15.7%	8.9%	2.4%	14.3%	31.6%	34.1%	20.7%
	No	98.7%	94.1%	89.6%	84.8%	91.8%	98.2%	95.3%	93.3%	86.3%	93.4%	99.3%	93.7%	87.5%	84.3%	91.1%	97.6%	85.8%	68.4%	65.9%	79.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q50 How wrong do your parents/ caregivers feel it would be for you to use tobacco?	Very Wrong	92.1%	87.4%	83.6%	74.4%	84.5%	91.2%	87.5%	82.1%	71.4%	83.3%	93.6%	88.0%	85.5%	77.2%	86.0%	83.4%	79.6%	77.5%	77.0%	79.3%
	Wrong	6.7%	10.8%	13.8%	18.9%	12.5%	7.5%	10.5%	15.4%	21.0%	13.5%	5.7%	10.6%	11.7%	17.0%	11.3%	10.1%	17.2%	21.0%	15.5%	16.4%
	A Little Bit Wrong	0.9%	1.2%	1.7%	4.9%	2.2%	0.8%	1.3%	2.0%	5.8%	2.4%	0.7%	1.1%	1.5%	4.1%	1.8%	4.9%	0.9%	1.5%	6.3%	3.0%
	Not Wrong at All	0.3%	0.5%	0.8%	1.8%	0.8%	0.6%	0.6%	0.4%	1.8%	0.8%	0.0%	0.3%	1.2%	1.8%	0.8%	1.6%	2.4%		1.1%	1.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q51 How wrong do your friends feel it would be for you to use tobacco?	Very Wrong	82.8%	74.5%	63.9%	55.6%	69.2%	81.6%	74.0%	65.6%	53.0%	68.7%	84.5%	76.0%	64.3%	58.2%	70.6%	77.2%	61.4%	32.7%	55.3%	55.6%
	Wrong	14.7%	18.5%	23.5%	22.9%	20.0%	15.2%	19.0%	22.9%	25.3%	20.6%	14.3%	17.6%	23.0%	20.3%	18.9%	12.9%	23.3%	41.9%	25.2%	26.6%
	A Little Bit Wrong	1.6%	5.2%	8.0%	13.9%	7.1%	2.0%	4.9%	6.9%	13.0%	6.6%	0.9%	4.9%	8.8%	15.1%	7.4%	5.2%	12.4%	12.8%	10.1%	10.5%
	Not Wrong at All	0.9%	1.8%	4.6%	7.6%	3.7%	1.2%	2.1%	4.6%	8.7%	4.1%	0.3%	1.5%	3.9%	6.4%	3.0%	4.8%	3.0%	12.6%	9.4%	7.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q52 How wrong do you feel it would be for someone your age to use tobacco?	Very Wrong	88.3%	78.9%	70.1%	59.7%	74.3%	87.8%	80.5%	71.1%	58.2%	74.6%	89.5%	78.7%	70.7%	61.6%	75.0%	79.1%	60.5%	46.7%	53.4%	59.2%
	Wrong	9.8%	16.9%	21.3%	24.9%	18.3%	9.6%	15.8%	21.5%	26.3%	18.3%	9.6%	17.2%	20.3%	23.2%	17.7%	16.7%	26.3%	32.8%	30.8%	27.0%
	A Little Bit Wrong	1.3%	2.9%	6.5%	10.2%	5.2%	1.7%	2.3%	5.4%	9.4%	4.6%	0.7%	2.9%	6.7%	10.8%	5.3%	2.7%	11.1%	17.7%	12.8%	11.5%
	Not Wrong at All	0.6%	1.3%	2.2%	5.2%	2.3%	0.9%	1.4%	2.0%	6.1%	2.5%	0.2%	1.2%	2.2%	4.4%	2.0%	1.5%	2.1%	2.8%	2.9%	2.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q53 If you wanted to get some tobacco, how easy would it be for you to get some?	Don't know	42.5%	46.5%	46.2%	41.8%	44.4%	42.2%	48.9%	48.6%	43.2%	45.9%	43.3%	44.7%	44.6%	40.7%	43.4%	32.9%	36.8%	35.7%	37.8%	35.9%
	Can't get	30.0%	19.5%	12.1%	7.5%	17.2%	31.5%	18.6%	13.0%	6.9%	17.5%	28.6%	20.2%	11.9%	8.3%	17.1%	28.6%	21.7%	0.6%	4.4%	13.8%
	Very difficult	18.0%	15.3%	12.7%	8.4%	13.6%	16.8%	13.2%	12.1%	7.2%	12.4%	19.2%	17.3%	13.7%	9.9%	15.0%	18.5%	16.1%	8.0%	5.6%	12.2%
	Fairly difficult	4.7%	7.0%	8.3%	10.2%	7.6%	4.3%	7.6%	7.9%	9.3%	7.3%	5.0%	6.4%	7.6%	10.9%	7.5%	8.5%	6.1%	23.9%	12.9%	12.7%
	Fairly easy	2.9%	7.9%	12.8%	16.8%	10.1%	3.1%	7.7%	10.5%	16.5%	9.4%	2.6%	7.6%	14.6%	16.5%	10.4%	4.7%	12.9%	20.3%	29.2%	16.6%
	Very easy	1.9%	3.9%	7.9%	15.2%	7.1%	2.2%	3.8%	7.9%	16.9%	7.5%	1.3%	3.8%	7.6%	13.7%	6.6%	6.7%	6.4%	11.6%	10.2%	8.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54a During the past 30 days, how did you get the tobacco products you used? I did not use tobacco during the past 30 days.	Yes	99.5%	98.4%	96.5%	94.7%	97.3%	99.1%	98.4%	97.1%	94.7%	97.4%	99.9%	98.6%	96.7%	94.7%	97.5%	98.5%	96.7%	85.1%	95.0%	93.6%
	No	0.5%	1.6%	3.5%	5.3%	2.7%	0.9%	1.6%	2.9%	5.3%	2.6%	0.1%	1.4%	3.3%	5.3%	2.5%	1.5%	3.3%	14.9%	5.0%	6.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54b During the past 30 days, how did you get the tobacco products you used? I bought them in a store such as a convenience store, supermarket, discount store or gas station	Yes	0.2%	0.2%	0.5%	1.4%	0.6%	0.4%	0.1%	0.8%	1.2%	0.6%		0.2%	0.1%	1.4%	0.4%		0.6%	3.0%	3.4%	1.7%
	No	99.8%	99.8%	99.5%	98.6%	99.4%	99.6%	99.9%	99.2%	98.8%	99.4%	100.0%	99.8%	99.9%	98.6%	99.6%	100.0%	99.4%	97.0%	96.6%	98.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54c During the past 30 days, how did you get the tobacco products you used? I bought them on the internet	Yes	0.1%	0.2%	0.4%	0.3%	0.3%	0.1%	0.2%	0.6%	0.3%	0.3%		0.2%	0.1%	0.3%	0.2%			3.0%	2.3%	1.3%
	No	99.9%	99.8%	99.6%	99.7%	99.7%	99.9%	99.8%	99.4%	99.7%	99.7%	100.0%	99.8%	99.9%	99.7%	99.8%	100.0%	100.0%	97.0%	97.7%	98.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54d During the past 30 days, how did you get the tobacco products you used? I gave someone I knew money to buy them for me	Yes	0.1%	0.3%	1.3%	1.7%	0.8%	0.2%	0.2%	1.6%	1.5%	0.9%		0.3%	0.6%	1.8%	0.7%			6.5%	2.3%	2.2%
	No	99.9%	99.7%	98.7%	98.3%	99.2%	99.8%	99.8%	98.4%	98.5%	99.1%	100.0%	99.7%	99.4%	98.2%	99.3%	100.0%	100.0%	93.5%	97.7%	97.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54e During the past 30 days, how did you get the tobacco products you used? I gave someone I didn't know money to buy them for me	Yes	0.3%	0.1%	0.5%	0.6%	0.4%	0.5%	0.1%	0.9%	0.4%	0.4%		0.1%		0.7%	0.2%	1.1%		3.0%	4.2%	1.9%
	No	99.7%	99.9%	99.5%	99.4%	99.6%	99.5%	99.9%	99.1%	99.6%	99.6%	100.0%	99.9%	100.0%	99.3%	99.8%	98.9%	100.0%	97.0%	95.8%	98.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54f During the past 30 days, how did you get the tobacco products you used? A friend gave them to me for free	Yes	0.1%	0.5%	1.9%	2.1%	1.1%	0.1%	0.8%	1.9%	2.2%	1.2%	0.1%	0.1%	1.5%	1.9%	0.9%		1.5%	7.8%	4.2%	3.5%
	No	99.9%	99.5%	98.1%	97.9%	98.9%	99.9%	99.2%	98.1%	97.8%	98.8%	99.9%	99.9%	98.5%	98.1%	99.1%	100.0%	98.5%	92.2%	95.8%	96.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54g During the past 30 days, how did you get the tobacco products you used? A family member gave them to me for free	Yes	0.1%	0.3%	0.6%	0.5%	0.4%	0.0%	0.3%	0.5%	0.3%	0.3%	0.1%	0.4%	0.5%	0.6%	0.4%			4.4%	4.2%	2.1%
	No	99.9%	99.7%	99.4%	99.5%	99.6%	100.0%	99.7%	99.5%	99.7%	99.7%	99.9%	99.6%	99.5%	99.4%	99.6%	100.0%	100.0%	95.6%	95.8%	97.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total

q54h During the past 30 days, how did you get the tobacco products you used? I took them from a store or family member	Yes	0.0%	0.3%	0.6%	0.5%	0.4%	0.3%	0.8%	0.6%	0.4%	0.1%	0.3%	0.1%	0.2%	0.2%	0.9%	4.6%	2.3%	2.0%	
	No	100.0%	99.7%	99.4%	99.5%	99.6%	100.0%	99.7%	99.2%	99.4%	99.6%	99.9%	99.7%	99.9%	99.8%	99.8%	100.0%	99.1%	95.4%	97.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q54i During the past 30 days, how did you get the tobacco products you used? I got them some other way	Yes	0.3%	0.4%	1.7%	1.5%	1.0%	0.6%	0.4%	1.8%	1.7%	1.1%	0.0%	0.5%	1.4%	1.2%	0.8%	1.5%	0.9%	6.5%	4.2%	3.2%
	No	99.7%	99.6%	98.3%	98.5%	99.0%	99.4%	99.6%	98.2%	98.3%	98.9%	100.0%	99.5%	98.6%	98.8%	99.2%	98.5%	99.1%	93.5%	95.8%	96.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q55 How many of your closest friends use tobacco?	None	96.1%	90.1%	83.7%	73.6%	85.9%	95.6%	91.7%	85.1%	73.0%	86.5%	96.6%	89.2%	83.1%	74.7%	85.9%	95.0%	80.8%	71.1%	65.7%	78.0%
	A few	3.6%	9.0%	13.8%	22.0%	12.1%	3.9%	7.9%	12.7%	22.8%	11.7%	3.2%	9.5%	14.1%	20.9%	12.0%	5.0%	16.9%	25.4%	27.0%	18.8%
	Most	0.2%	0.8%	2.1%	3.0%	1.5%	0.3%	0.4%	1.9%	2.8%	1.3%	0.1%	1.1%	2.2%	3.2%	1.7%	2.4%	3.5%	2.9%	2.3%	
	All	0.1%	0.1%	0.4%	1.3%	0.5%	0.2%	0.3%	1.3%	0.4%	0.4%	0.1%	0.2%	0.6%	1.2%	0.5%	4.4%	0.9%			

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q56 During your life, how many times have you used tobacco?	0 times	98.0%	95.1%	90.5%	83.0%	91.7%	97.4%	94.8%	90.8%	81.6%	91.3%	98.6%	95.6%	91.2%	85.3%	92.7%	97.9%	93.4%	74.6%	68.3%	84.1%
	1 or 2 times	1.6%	2.6%	4.4%	7.3%	3.9%	2.2%	2.8%	4.5%	7.3%	4.2%	0.9%	2.5%	4.0%	6.5%	3.5%	1.4%	1.3%	7.1%	20.9%	6.9%
	3 to 9 times	0.3%	0.9%	2.0%	3.3%	1.6%	0.3%	0.8%	1.4%	3.9%	1.6%	0.2%	1.0%	2.2%	2.7%	1.5%	0.8%	0.9%	8.0%	3.6%	3.3%
	10 to 19 times	0.1%	0.5%	1.1%	1.3%	0.7%	0.0%	0.9%	1.3%	1.0%	0.8%	0.1%	0.1%	0.7%	1.5%	0.6%	2.7%	1.9%	1.1%		
	20 to 39 times	0.1%	0.3%	0.5%	1.3%	0.5%	0.2%	0.4%	1.7%	0.5%	0.5%	0.1%	0.2%	0.6%	0.8%	0.4%	3.0%	1.5%	3.3%	2.0%	
	40 or more times	0.1%	0.5%	1.6%	3.7%	1.5%	0.1%	0.5%	1.5%	4.4%	1.6%	0.5%	1.4%	3.1%	1.2%		1.5%	6.2%	1.9%	2.5%	

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total

q57 How old were you when you used tobacco for the first time?	I have never used tobacco	97.6%	95.1%	90.0%	83.3%	91.6%	97.0%	95.0%	90.2%	82.0%	91.2%	98.3%	95.3%	90.9%	85.5%	92.5%	96.3%	93.4%	73.1%	68.2%	83.4%
	8 years old or younger	0.8%	0.6%	0.7%	1.0%	0.8%	1.0%	0.6%	0.5%	1.0%	0.8%	0.6%	0.7%	0.9%	1.0%	0.8%	0.7%			1.9%	0.6%
	9 or 10 years old	0.6%	0.9%	1.0%	0.9%	0.8%	0.8%	0.7%	1.0%	1.3%	0.9%	0.5%	1.1%	1.0%	0.5%	0.8%		1.5%			0.5%
	11 or 12 years old	0.9%	1.9%	1.8%	1.7%	1.6%	1.1%	2.3%	1.9%	1.5%	1.7%	0.6%	1.5%	1.5%	1.8%	1.4%	3.0%	2.4%	4.6%	1.9%	3.0%
	13 or 14 years old		1.3%	4.3%	3.9%	2.4%		1.2%	4.0%	3.2%	2.1%		1.3%	3.9%	3.7%	2.2%		2.7%	13.9%	19.0%	8.5%
	15 or 16 years old		0.1%	2.1%	6.5%	2.1%			2.2%	8.2%	2.5%		0.1%	1.8%	4.8%	1.6%			5.5%	9.0%	3.3%
	17 years old or older	0.1%	0.1%	0.2%	2.7%	0.7%	0.1%	0.1%	0.2%	2.8%	0.8%				2.7%	0.7%			3.0%		0.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q58 How much do you think people risk harming themselves physically or in other ways when they smoke one or more packs of cigarettes per day?	No risk	3.8%	4.5%	6.8%	8.0%	5.7%	4.9%	6.2%	9.5%	10.6%	7.8%	2.7%	2.7%	4.0%	4.9%	3.6%	2.7%	4.8%	6.8%	14.3%	6.9%
	Slight risk	6.0%	6.8%	6.1%	6.3%	6.3%	6.9%	7.0%	6.3%	6.2%	6.6%	5.0%	6.3%	5.9%	6.7%	6.0%	7.6%	9.2%	6.5%		6.3%
	Moderate risk	16.8%	19.3%	19.5%	19.7%	18.9%	14.8%	18.4%	19.5%	20.0%	18.2%	18.3%	19.8%	19.7%	19.3%	19.3%	25.5%	23.0%	18.9%	20.7%	22.0%
	Great risk	73.4%	69.5%	67.6%	66.1%	69.1%	73.5%	68.4%	64.7%	63.2%	67.4%	74.0%	71.1%	70.4%	69.1%	71.1%	64.2%	62.9%	67.7%	65.0%	64.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q59 During the past 30 days, on how many days did you smoke part or all of a cigarette?	0 days	99.3%	98.8%	97.3%	96.1%	97.9%	99.1%	99.1%	97.5%	95.8%	97.9%	99.4%	98.8%	97.9%	96.6%	98.2%	100.0%	95.3%	86.5%	94.3%	93.7%
	1 day	0.5%	0.4%	0.8%	1.5%	0.8%	0.6%	0.4%	0.7%	1.3%	0.7%	0.4%	0.4%	0.8%	1.5%	0.8%		0.9%	3.6%	3.8%	2.0%
	2 days	0.0%	0.1%	0.5%	0.4%	0.3%		0.2%	0.6%	0.4%	0.3%	0.1%		0.2%	0.4%	0.2%		1.5%	5.0%	1.9%	2.2%
	3 to 5 days		0.2%	0.5%	0.7%	0.4%		0.7%	0.8%	0.4%			0.4%	0.2%	0.7%	0.3%		0.9%	3.0%		1.1%
	6 to 9 days	0.1%	0.1%	0.1%	0.5%	0.2%	0.0%	0.2%	0.1%	0.7%	0.2%	0.1%	0.1%	0.1%	0.4%	0.1%					
	10 to 19 days		0.2%	0.4%	0.2%	0.2%		0.1%	0.2%	0.1%	0.1%			0.3%	0.5%	0.3%		1.5%	1.9%		1.0%
	20 or more days	0.1%	0.1%	0.3%	0.6%	0.3%	0.3%	0.1%	0.2%	1.0%	0.4%			0.4%	0.2%	0.2%					

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q60 How much do you think people risk harming themselves physically or in other ways when they use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?	No risk	3.3%	4.2%	7.3%	7.3%	5.5%	3.9%	5.7%	10.0%	9.9%	7.3%	2.7%	2.5%	4.9%	4.6%	3.7%	3.0%	7.3%	4.7%	9.0%	6.1%
	Slight risk	6.6%	8.1%	8.4%	8.4%	7.9%	7.7%	9.4%	9.3%	9.0%	8.9%	5.0%	6.3%	7.3%	7.7%	6.6%	13.1%	11.9%	11.3%	10.2%	11.6%
	Moderate risk	21.4%	25.5%	25.3%	29.9%	25.5%	21.2%	24.8%	25.3%	31.5%	25.7%	20.5%	25.9%	24.7%	28.3%	24.9%	37.7%	27.8%	34.5%	29.1%	31.9%
	Great risk	68.8%	62.2%	58.9%	54.4%	61.0%	67.2%	60.0%	55.3%	49.6%	58.1%	71.8%	65.2%	63.0%	59.4%	64.8%	46.1%	53.0%	49.5%	51.7%	50.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q61 During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?	0 days	99.7%	99.3%	98.5%	97.5%	98.8%	99.6%	99.1%	98.4%	96.5%	98.4%	99.8%	99.6%	98.5%	98.7%	99.1%	100.0%	99.1%	99.1%	96.2%	98.7%
	1 or 2 days	0.2%	0.4%	0.6%	1.1%	0.6%	0.3%	0.7%	0.2%	1.3%	0.6%	0.1%	0.1%	1.0%	0.7%	0.5%		0.9%		1.9%	0.7%
	3 to 5 days	0.0%	0.1%	0.1%	0.2%	0.1%	0.0%			0.3%	0.1%		0.1%	0.2%	0.1%	0.1%				1.9%	0.4%
	6 to 9 days	0.0%	0.0%	0.4%	0.4%	0.2%		0.1%	0.8%	0.6%	0.4%	0.1%		0.2%	0.2%	0.1%					
	10 to 19 days		0.1%	0.2%	0.3%	0.1%			0.2%	0.5%	0.2%		0.1%	0.1%		0.1%				0.9%	0.2%
	20 to 29 days			0.0%	0.2%	0.1%				0.3%	0.1%			0.1%	0.1%	0.1%					
	All 30 days		0.1%	0.2%	0.3%	0.2%		0.2%	0.5%	0.6%	0.3%		0.1%		0.1%	0.0%					

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q62 How wrong do your parents/caregivers feel it would be for you to use marijuana?	Very Wrong	92.7%	86.3%	76.8%	66.4%	80.6%	92.0%	85.4%	78.7%	65.1%	80.4%	94.5%	88.0%	76.6%	68.8%	81.9%	77.4%	75.7%	54.4%	50.3%	65.1%
	Wrong	6.4%	8.9%	13.9%	17.9%	11.7%	6.8%	10.1%	12.6%	19.0%	12.1%	5.3%	7.3%	14.7%	16.7%	11.0%	18.5%	13.2%	20.5%	17.8%	17.2%
	A Little Bit Wrong	0.5%	3.4%	6.6%	11.3%	5.4%	0.6%	3.1%	5.7%	12.6%	5.4%	0.2%	3.5%	6.8%	9.3%	5.0%	2.5%	6.9%	16.4%	23.1%	11.9%
	Not Wrong at All	0.4%	1.4%	2.7%	4.4%	2.2%	0.7%	1.4%	3.0%	3.3%	2.1%		1.2%	2.0%	5.3%	2.1%	1.5%	4.2%	8.7%	8.8%	5.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q63 How wrong do your friends feel it would be for you to use marijuana?	Very Wrong	86.0%	74.4%	58.4%	42.4%	65.4%	85.0%	74.3%	61.7%	41.9%	66.0%	88.3%	76.2%	57.7%	43.6%	66.3%	64.3%	53.5%	20.9%	33.0%	42.7%
	Wrong	11.9%	15.6%	18.0%	15.8%	15.4%	12.4%	15.9%	18.6%	16.5%	15.9%	10.7%	14.9%	16.9%	15.3%	14.6%	23.4%	20.6%	25.2%	10.2%	20.2%
	A Little Bit Wrong	1.4%	5.6%	10.0%	17.3%	8.5%	1.8%	5.1%	8.5%	17.6%	8.1%	0.6%	5.6%	11.1%	17.1%	8.7%	9.2%	12.0%	15.8%	14.0%	12.8%
	Not Wrong at All	0.7%	4.4%	13.6%	24.5%	10.7%	0.9%	4.8%	11.2%	24.0%	10.0%	0.3%	3.3%	14.3%	24.0%	10.4%	3.1%	14.0%	38.1%	42.9%	24.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q64 How wrong do you feel it would be for someone your age to use marijuana?	Very Wrong	90.5%	77.0%	62.3%	45.4%	68.8%	89.9%	77.4%	67.1%	46.2%	70.4%	92.5%	78.2%	60.2%	45.2%	68.8%	66.7%	54.9%	24.7%	34.9%	45.0%
	Wrong	7.4%	14.3%	17.1%	18.5%	14.4%	7.3%	13.9%	16.2%	18.9%	14.1%	6.5%	13.9%	17.4%	18.4%	14.2%	23.5%	24.4%	25.6%	12.1%	22.0%
	A Little Bit Wrong	1.4%	5.9%	11.7%	19.2%	9.5%	1.7%	5.9%	9.6%	18.5%	8.8%	0.8%	5.4%	12.8%	19.3%	9.6%	8.2%	12.8%	23.4%	28.0%	17.9%
	Not Wrong at All	0.7%	2.9%	8.9%	16.9%	7.3%	1.0%	2.8%	7.1%	16.4%	6.7%	0.3%	2.5%	9.6%	17.1%	7.3%	1.6%	7.9%	26.2%	25.1%	15.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q65 How much do you think people risk harming themselves physically or in other ways when they use marijuana once or twice a week?	No risk	4.3%	6.7%	14.2%	19.2%	11.1%	5.0%	8.0%	16.5%	22.8%	12.9%	3.4%	5.4%	11.2%	14.7%	8.7%	7.4%	7.2%	26.3%	33.9%	17.8%
	Slight risk	6.5%	13.3%	17.9%	26.7%	16.1%	7.1%	14.0%	16.1%	26.7%	15.9%	5.4%	11.3%	18.9%	26.5%	15.7%	14.9%	30.0%	26.4%	29.5%	25.8%
	Moderate risk	21.3%	22.2%	25.8%	24.1%	23.4%	21.2%	21.4%	24.5%	24.1%	22.8%	21.0%	22.7%	26.6%	24.0%	23.7%	28.2%	27.0%	31.8%	24.8%	28.1%
	Great risk	67.9%	57.7%	42.2%	30.1%	49.5%	66.7%	56.6%	42.9%	26.4%	48.4%	70.2%	60.6%	43.3%	34.7%	52.0%	49.5%	35.8%	15.5%	11.8%	28.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q66 If you wanted to get some marijuana, how easy would it be for you to get some?	Don't know	44.2%	47.2%	45.1%	37.6%	43.7%	44.4%	49.5%	50.0%	41.6%	46.5%	44.5%	45.5%	41.1%	34.0%	41.4%	37.8%	40.3%	33.5%	31.1%	36.1%
	Can't get	33.3%	23.3%	12.3%	7.0%	18.9%	34.4%	23.6%	13.9%	6.7%	19.7%	32.2%	23.5%	11.2%	7.5%	18.4%	29.5%	15.6%	5.8%	3.8%	13.3%
	Very difficult	16.7%	15.1%	10.4%	7.8%	12.5%	15.3%	13.6%	9.8%	6.8%	11.4%	18.5%	16.7%	11.2%	9.2%	13.9%	12.7%	14.2%	6.2%	2.3%	9.3%
	Fairly difficult	2.8%	5.8%	8.4%	8.4%	6.4%	2.6%	5.6%	7.4%	7.6%	5.8%	2.6%	4.9%	9.6%	9.0%	6.6%	9.9%	19.5%	4.9%	13.2%	12.3%
	Fairly easy	1.9%	4.7%	13.3%	17.1%	9.2%	2.0%	3.9%	10.5%	16.9%	8.2%	1.5%	5.4%	14.9%	17.0%	9.8%	4.0%	5.4%	30.2%	22.5%	15.4%
	Very easy	1.1%	3.9%	10.6%	22.0%	9.3%	1.3%	3.8%	8.5%	20.5%	8.4%	0.6%	3.9%	11.9%	23.3%	9.9%	6.1%	4.9%	19.4%	27.1%	13.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q67a During the past 30 days, how did you get the marijuana that you used? I did not use marijuana during the past 30 days.	Yes	99.6%	97.3%	92.7%	86.4%	94.1%	99.4%	96.9%	93.6%	86.6%	94.2%	99.9%	98.0%	92.5%	86.7%	94.2%	98.5%	95.2%	82.1%	79.5%	89.1%
	No	0.4%	2.7%	7.3%	13.6%	5.9%	0.6%	3.1%	6.4%	13.4%	5.8%	0.1%	2.0%	7.5%	13.3%	5.8%	1.5%	4.8%	17.9%	20.5%	10.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q67b During the past 30 days, how did you get the marijuana that you used? I bought it from a dealer or stranger.	Yes	0.3%	0.8%	2.3%	4.5%	1.9%	0.4%	1.5%	2.6%	4.5%	2.2%	0.1%	0.2%	1.6%	4.7%	1.6%			7.5%	2.3%	2.5%
	No	99.7%	99.2%	97.7%	95.5%	98.1%	99.6%	98.5%	97.4%	95.5%	97.8%	99.9%	99.8%	98.4%	95.3%	98.4%	100.0%	100.0%	92.5%	97.7%	97.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total

q67c During the past 30 days, how did you get the marijuana that you used? I bought it from a friend or family member.	Yes	0.1%	0.7%	2.8%	4.4%	2.0%	0.2%	0.8%	3.1%	5.0%	2.2%	0.7%	2.2%	3.5%	1.6%	8.7%	8.6%	4.1%
	No	99.9%	99.3%	97.2%	95.6%	98.0%	99.8%	99.2%	96.9%	95.0%	97.8%	100.0%	99.3%	97.8%	96.5%	98.4%	100.0%	100.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q67d During the past 30 days, how did you get the marijuana that you used? I bought it on the internet.	Yes	0.2%	0.0%	0.5%	0.9%	0.4%	0.3%	0.1%	0.6%	1.1%	0.5%	0.2%	0.5%	0.2%	3.0%	4.8%	1.8%				
	No	99.8%	100.0%	99.5%	99.1%	99.6%	99.7%	99.9%	99.4%	98.9%	99.5%	100.0%	100.0%	99.8%	99.5%	99.8%	100.0%	100.0%	97.0%	95.2%	98.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q67e During the past 30 days, how did you get the marijuana that you used? A friend or family member gave it to me for free.	Yes	0.2%	1.2%	4.3%	6.5%	3.0%	0.2%	1.6%	3.5%	5.0%	2.6%	0.7%	4.4%	7.6%	3.2%	1.5%	3.3%	15.1%	13.8%	8.3%	
	No	99.8%	98.8%	95.7%	93.5%	97.0%	99.8%	98.4%	96.5%	95.0%	97.4%	100.0%	99.3%	95.6%	92.4%	96.8%	98.5%	96.7%	84.9%	86.2%	91.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q67f During the past 30 days, how did you get the marijuana that you used? I took it from a family member or friend.	Yes	0.1%	0.4%	1.8%	2.0%	1.1%	0.2%	0.7%	1.5%	1.2%	0.9%	0.1%	0.2%	1.8%	2.4%	1.1%	5.9%	8.6%	3.4%		
	No	99.9%	99.6%	98.2%	98.0%	98.9%	99.8%	99.3%	98.5%	98.8%	99.1%	99.9%	99.8%	98.2%	97.6%	98.9%	100.0%	100.0%	94.1%	91.4%	96.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q67g During the past 30 days, how did you get the marijuana that you used? I bought it from a marijuana dispensary	Yes	0.2%		1.3%	2.0%	0.9%	0.4%		1.9%	2.0%	1.0%	0.6%	1.9%	0.6%	3.0%	4.0%	1.6%				
	No	99.8%	100.0%	98.7%	98.0%	99.1%	99.6%	100.0%	98.1%	98.0%	99.0%	100.0%	100.0%	99.4%	98.1%	99.4%	100.0%	100.0%	97.0%	96.0%	98.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total

q67h During the past 30 days, how did you get the marijuana that you used? I grew it myself	Yes	0.2%	0.1%	0.9%	0.8%	0.5%	0.4%	1.3%	0.7%	0.6%	0.1%	0.3%	0.8%	0.3%	4.7%	4.2%	2.2%			
	No	99.8%	99.9%	99.1%	99.2%	99.5%	99.6%	100.0%	98.7%	99.3%	99.4%	100.0%	99.9%	99.7%	99.2%	99.7%	100.0%	100.0%	95.3%	95.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q67i During the past 30 days, how did you get the marijuana that you used? I got it some other way.	Yes	0.2%	0.9%	2.9%	3.0%	1.7%	0.3%	1.0%	2.7%	3.7%	1.9%	0.1%	0.7%	3.0%	2.4%	1.5%	1.5%	3.7%	2.3%	2.0%	
	No	99.8%	99.1%	97.1%	97.0%	98.3%	99.7%	99.0%	97.3%	96.3%	98.1%	99.9%	99.3%	97.0%	97.6%	98.5%	100.0%	98.5%	96.3%	97.7%	98.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q68 During the past 30 days, on how many days did you use marijuana?	0 days	99.6%	97.8%	93.1%	86.6%	94.3%	99.5%	97.5%	94.6%	86.4%	94.6%	99.7%	98.2%	92.4%	87.3%	94.4%	100.0%	94.2%	82.7%	77.7%	88.9%
	1 or 2 days	0.1%	1.1%	2.1%	3.8%	1.8%	0.2%	1.0%	1.7%	3.0%	1.4%	0.1%	1.0%	2.5%	4.3%	2.0%	2.8%	1.5%	9.0%	3.1%	
	3 to 5 days	0.0%	0.1%	1.4%	1.6%	0.8%	0.2%	1.0%	2.0%	0.8%	0.8%	0.1%	0.1%	1.7%	1.2%	0.8%	1.9%	1.7%	0.9%		
	6 to 9 days	0.1%	0.5%	0.9%	1.9%	0.8%	0.1%	0.7%	0.4%	1.6%	0.7%	0.2%	1.1%	2.0%	0.8%	0.8%	1.5%	6.4%	3.3%	2.9%	
	10 to 19 days	0.1%	0.3%	0.5%	2.0%	0.7%	0.3%	0.5%	2.7%	0.8%	0.8%	0.2%	0.2%	0.3%	1.4%	0.5%	3.0%	1.9%	1.2%		
	20 to 29 days	0.1%	0.1%	0.9%	1.4%	0.6%	0.1%	0.5%	1.6%	0.5%	0.5%	0.2%	1.1%	1.1%	0.6%	0.6%	3.1%	1.9%	1.2%		
	All 30 days	0.1%	0.2%	1.1%	2.8%	1.0%	0.1%	0.3%	1.3%	2.8%	1.1%	1.0%	2.6%	0.9%	0.9%	1.5%	1.5%	4.4%	1.8%		

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q69 During your life, how many times have you used marijuana?	0 times	98.9%	94.8%	85.3%	73.5%	88.2%	98.7%	95.2%	88.4%	75.5%	89.6%	99.3%	95.0%	83.3%	72.4%	87.5%	97.8%	86.5%	69.7%	58.7%	78.5%
	1 or 2 times	0.8%	2.0%	4.2%	5.9%	3.2%	1.1%	1.2%	2.4%	5.1%	2.4%	0.5%	2.5%	5.8%	6.3%	3.8%	0.8%	5.4%	5.3%	13.2%	6.1%
	3 to 9 times	0.1%	1.4%	3.4%	5.4%	2.5%	0.1%	1.4%	2.7%	5.0%	2.3%	0.1%	1.2%	3.9%	5.8%	2.8%	1.4%	2.6%	5.0%	4.4%	3.4%
	10 to 19 times	0.1%	0.5%	1.7%	2.3%	1.2%	0.1%	0.5%	1.4%	1.7%	0.9%	0.1%	0.6%	1.9%	2.8%	1.3%	0.9%	3.8%	4.4%	2.2%	
	20 to 39 times	0.1%	0.5%	1.4%	2.4%	1.1%	0.6%	1.4%	1.0%	0.8%	0.8%	0.1%	1.6%	3.7%	1.3%	1.3%	3.0%	3.8%	1.8%		
	40 to 99 times	0.1%	0.5%	0.9%	3.1%	1.1%	0.7%	0.6%	3.3%	1.1%	1.1%	0.2%	1.0%	2.7%	1.0%	1.0%	5.1%	7.1%	2.9%		
	100 or more times	0.0%	0.4%	3.2%	7.4%	2.7%	0.4%	3.2%	8.4%	2.9%	2.9%	0.1%	0.3%	2.6%	6.3%	2.3%	1.5%	11.1%	8.3%	5.2%	

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q70 How old were you when you used marijuana for the first time?	I have never used marijuana.	98.9%	94.7%	85.0%	72.8%	88.0%	98.7%	95.2%	88.3%	74.8%	89.5%	99.2%	94.9%	82.8%	71.9%	87.2%	97.9%	86.7%	70.4%	52.5%	77.6%
	8 years old or younger	0.3%	0.2%	0.5%	0.6%	0.4%	0.3%	0.2%	0.8%	0.7%	0.5%	0.2%	0.2%	0.3%	0.4%	0.3%	2.1%			1.9%	0.8%
	9 or 10 years old	0.4%	0.4%	0.2%	0.6%	0.4%	0.6%	0.2%	0.2%	0.5%	0.4%	0.2%	0.4%	0.3%	0.6%	0.4%		2.4%		1.9%	1.1%
	11 or 12 years old	0.4%	2.3%	2.1%	1.8%	1.7%	0.3%	2.3%	2.1%	1.2%	1.5%	0.5%	2.1%	2.2%	2.0%	1.7%		6.1%	1.0%	7.9%	3.8%
	13 or 14 years old		2.3%	7.4%	6.3%	4.0%		2.1%	5.3%	5.4%	3.2%		2.4%	8.8%	6.7%	4.6%		4.8%	14.5%	12.8%	8.1%
	15 or 16 years old			4.7%	13.8%	4.5%			3.2%	13.0%	3.9%			5.5%	14.3%	4.9%			14.1%	18.0%	7.5%
	17 years old or older			0.1%	4.1%	1.0%			0.2%	4.2%	1.0%			4.0%	0.9%					5.0%	1.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q71 How many of your closest friends use marijuana?	None	97.0%	86.4%	68.5%	51.0%	75.8%	96.0%	87.8%	75.3%	53.0%	78.3%	98.0%	85.9%	64.4%	49.7%	74.3%	97.0%	75.9%	32.8%	40.5%	61.2%
	A few	2.7%	10.9%	22.1%	31.5%	16.8%	3.4%	9.9%	18.5%	29.6%	15.2%	1.8%	11.3%	23.4%	33.2%	17.6%	3.0%	18.5%	54.7%	33.5%	28.3%
	Most	0.2%	2.0%	7.1%	12.8%	5.5%	0.3%	1.9%	4.9%	12.2%	4.7%	0.2%	1.9%	9.3%	13.0%	6.1%		4.1%	7.5%	18.5%	7.2%
	All	0.1%	0.7%	2.3%	4.7%	1.9%	0.2%	0.4%	1.4%	5.1%	1.7%		1.0%	2.9%	4.2%	2.0%		1.5%	4.9%	7.5%	3.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q72 On the days that you use marijuana, how many times do you typically use it in one day?	I have never used marijuana.	99.1%	95.1%	86.1%	74.7%	88.9%	98.9%	95.3%	89.2%	75.7%	90.0%	99.4%	95.4%	84.1%	74.6%	88.4%	97.9%	88.1%	70.4%	57.9%	79.0%
	1 time	0.7%	2.3%	6.9%	13.5%	5.8%	0.7%	2.1%	4.9%	13.7%	5.3%	0.5%	2.2%	8.2%	13.1%	6.0%	2.1%	6.2%	15.3%	16.9%	10.0%
	2 times		1.2%	2.8%	4.9%	2.2%		0.9%	2.5%	4.5%	1.9%		1.4%	2.8%	4.7%	2.2%		2.8%	7.6%	14.8%	6.0%
	3 times	0.0%	0.8%	1.7%	2.0%	1.1%	0.1%	0.6%	1.1%	1.5%	0.8%		0.8%	2.3%	2.5%	1.4%		3.0%	1.0%	3.6%	2.0%
	4 times	0.1%	0.2%	0.8%	1.5%	0.6%	0.1%	0.5%	0.4%	1.4%	0.6%			0.9%	1.6%	0.6%			5.8%	2.5%	2.1%
	5 times	0.0%	0.2%	0.6%	0.9%	0.4%		0.2%	0.5%	1.0%	0.4%	0.1%	0.1%	0.7%	0.8%	0.4%					
	6 or more times	0.1%	0.3%	1.1%	2.5%	1.0%	0.1%	0.4%	1.4%	2.1%	1.0%		0.2%	1.0%	2.7%	1.0%				4.4%	0.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q73 Have you ever used marijuana with your parent's/caregiver's knowledge?	Yes	1.2%	2.8%	7.2%	11.6%	5.7%	1.4%	2.3%	6.8%	10.2%	5.1%	1.0%	2.8%	6.9%	12.2%	5.7%	0.8%	9.2%	15.7%	25.9%	12.7%
	No	98.8%	97.2%	92.8%	88.4%	94.3%	98.6%	97.7%	93.2%	89.8%	94.9%	99.0%	97.2%	93.1%	87.8%	94.3%	99.2%	90.8%	84.3%	74.1%	87.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q74 During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been using marijuana?	0 times	97.2%	94.3%	91.4%	86.1%	92.3%	97.5%	95.9%	93.3%	88.8%	94.0%	97.3%	93.3%	89.7%	83.8%	91.0%	89.6%	86.3%	88.9%	79.1%	86.2%
	1 time	1.3%	1.7%	2.1%	3.5%	2.1%	1.3%	1.5%	1.7%	3.1%	1.9%	1.2%	1.9%	2.7%	3.4%	2.3%	2.5%	1.0%		11.3%	3.2%
	2 or 3 times	0.6%	1.8%	3.4%	4.5%	2.6%	0.4%	1.2%	2.3%	3.1%	1.7%	0.7%	1.9%	4.3%	5.8%	3.2%	3.3%	8.0%	5.2%	5.2%	5.7%
	4 or 5 times	0.2%	0.5%	1.0%	1.5%	0.8%	0.2%	0.4%	0.7%	1.1%	0.6%	0.2%	0.6%	1.1%	2.0%	1.0%			4.9%		1.3%
	6 or more times	0.8%	1.7%	2.1%	4.4%	2.2%	0.7%	0.9%	1.9%	3.9%	1.8%	0.6%	2.3%	2.3%	5.0%	2.6%	4.6%	4.6%	1.0%	4.4%	3.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q75 During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been using any marijuana?	I did not drive a car or other vehicle	80.3%	81.9%	59.2%	46.6%	67.3%	79.4%	81.9%	60.7%	46.2%	67.5%	81.3%	81.1%	57.4%	46.0%	66.4%	80.4%	90.3%	63.0%	64.8%	75.6%
	0 times	19.3%	17.6%	39.5%	47.2%	30.7%	19.9%	17.4%	37.3%	47.3%	30.1%	18.6%	18.5%	42.3%	48.2%	31.9%	19.6%	9.7%	29.9%	28.2%	21.0%
	1 time	0.1%		0.1%	1.7%	0.4%	0.2%		0.1%	1.6%	0.4%			0.1%	1.9%	0.5%					
	2 or 3 times	0.2%	0.3%	0.7%	1.8%	0.7%	0.3%	0.3%	0.8%	1.9%	0.8%	0.1%	0.3%	0.1%	1.7%	0.5%			7.1%		1.9%
	4 or 5 times			0.2%	0.8%	0.3%			0.4%	0.4%	0.2%			0.1%	0.9%	0.2%				7.1%	1.5%
	6 or more times	0.1%	0.2%	0.4%	1.9%	0.6%	0.1%	0.3%	0.6%	2.6%	0.9%		0.1%	0.1%	1.4%	0.4%					

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q76a During the past 30 days, how did you use marijuana? I did not use marijuana during the past 30 days.	Yes	99.6%	97.1%	92.5%	85.4%	93.7%	99.6%	96.9%	94.6%	84.7%	94.1%	99.8%	97.5%	91.3%	86.4%	93.7%	98.4%	93.7%	79.0%	79.1%	87.7%
	No	0.4%	2.9%	7.5%	14.6%	6.3%	0.4%	3.1%	5.4%	15.3%	5.9%	0.2%	2.5%	8.7%	13.6%	6.3%	1.6%	6.3%	21.0%	20.9%	12.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q76b During the past 30 days, how did you use marijuana? I smoked it	Yes	0.2%	2.2%	6.4%	11.4%	5.0%	0.2%	2.3%	4.8%	11.8%	4.7%	0.1%	2.1%	7.1%	10.7%	5.0%	1.6%	3.3%	19.7%	18.8%	10.6%
	No	99.8%	97.8%	93.6%	88.6%	95.0%	99.8%	97.7%	95.2%	88.2%	95.3%	99.9%	97.9%	92.9%	89.3%	95.0%	98.4%	96.7%	80.3%	81.2%	89.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q76c During the past 30 days, how did you use marijuana? I ate it (in an edible, candy, tincture, or other food)	Yes	0.1%	0.9%	2.8%	4.1%	2.0%	0.3%	0.5%	3.1%	4.7%	2.1%		1.1%	2.1%	3.1%	1.6%		3.3%	7.1%	11.9%	5.4%
	No	99.9%	99.1%	97.2%	95.9%	98.0%	99.7%	99.5%	96.9%	95.3%	97.9%	100.0%	98.9%	97.9%	96.9%	98.4%	100.0%	96.7%	92.9%	88.1%	94.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q76d During the past 30 days, how did you use marijuana? I used a vaporizer	Yes	0.1%	1.2%	4.3%	7.9%	3.4%	0.1%	1.3%	3.5%	8.1%	3.2%	0.1%	1.0%	4.5%	7.4%	3.3%	3.0% 13.2% 13.8% 7.4%				
	No	99.9%	98.8%	95.7%	92.1%	96.6%	99.9%	98.7%	96.5%	91.9%	96.8%	99.9%	99.0%	95.5%	92.6%	96.7%	100.0% 97.0% 86.8% 86.2% 92.6%				

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q76e During the past 30 days, how did you use marijuana? I dabbed it	Yes	0.2%	1.3%	3.7%	6.1%	2.8%	0.2%	1.1%	3.2%	5.9%	2.6%	0.2%	1.3%	3.5%	6.2%	2.8%	3.0% 13.7% 9.2% 6.6%				
	No	99.8%	98.7%	96.3%	93.9%	97.2%	99.8%	98.9%	96.8%	94.1%	97.4%	99.8%	98.7%	96.5%	93.8%	97.2%	100.0% 97.0% 86.3% 90.8% 93.4%				

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q76f During the past 30 days, how did you use marijuana? I used it in some other way	Yes	0.2%	0.3%	1.4%	1.2%	0.8%	0.4%	0.5%	1.6%	1.4%	0.9%	0.2% 1.1% 0.9% 0.5%					3.7% 2.3% 1.5%				
	No	99.8%	99.7%	98.6%	98.8%	99.2%	99.6%	99.5%	98.4%	98.6%	99.1%	100.0% 99.8% 98.9% 99.1% 99.5%					100.0% 100.0% 96.3% 97.7% 98.5%				

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77a During the past 6 months, where did use marijuana? I did not use marijuana during the past 6 months.	Yes	99.5%	96.0%	88.9%	81.0%	91.4%	99.5%	96.1%	91.2%	82.1%	92.3%	99.7%	96.3%	87.6%	80.6%	91.0%	98.5% 91.3% 75.4% 70.5% 84.2%				
	No	0.5%	4.0%	11.1%	19.0%	8.6%	0.5%	3.9%	8.8%	17.9%	7.7%	0.3%	3.7%	12.4%	19.4%	9.0%	1.5% 8.7% 24.6% 29.5% 15.8%				

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77b During the past 6 months, where did use marijuana? At my home	Yes	0.4%	1.9%	6.1%	10.5%	4.7%	0.6%	1.4%	4.9%	9.5%	4.0%	0.3%	2.5%	6.5%	10.8%	5.0%	1.1% 16.9% 21.2% 9.3%				
	No	99.6%	98.1%	93.9%	89.5%	95.3%	99.4%	98.6%	95.1%	90.5%	96.0%	99.7%	97.5%	93.5%	89.2%	95.0%	100.0% 98.9% 83.1% 78.8% 90.7%				

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77c During the past 6 months, where did use marijuana? At another person's home	Yes	0.2%	2.0%	7.4%	14.6%	6.0%	0.3%	1.9%	5.8%	13.1%	5.2%	0.2%	1.7%	7.9%	15.6%	6.3%	1.5%	7.5%	21.2%	24.8%	13.5%
	No	99.8%	98.0%	92.6%	85.4%	94.0%	99.7%	98.1%	94.2%	86.9%	94.8%	99.8%	98.3%	92.1%	84.4%	93.7%	98.5%	92.5%	78.8%	75.2%	86.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77d During the past 6 months, where did use marijuana? When riding in or driving a car or other vehicle	Yes	0.1%	0.6%	3.5%	6.6%	2.7%	0.3%	0.5%	3.3%	6.1%	2.5%		0.7%	3.2%	6.9%	2.7%		1.5%	9.0%	8.8%	4.7%
	No	99.9%	99.4%	96.5%	93.4%	97.3%	99.7%	99.5%	96.7%	93.9%	97.5%	100.0%	99.3%	96.8%	93.1%	97.3%	100.0%	98.5%	91.0%	91.2%	95.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77e During the past 6 months, where did use marijuana? At an open area such as a park, campground, field, or parking lot	Yes	0.1%	0.9%	3.6%	6.7%	2.8%	0.3%	1.0%	2.8%	6.8%	2.7%		0.6%	3.8%	6.4%	2.7%		3.3%	12.7%	10.2%	6.6%
	No	99.9%	99.1%	96.4%	93.3%	97.2%	99.7%	99.0%	97.2%	93.2%	97.3%	100.0%	99.4%	96.2%	93.6%	97.3%	100.0%	96.7%	87.3%	89.8%	93.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77f During the past 6 months, where did use marijuana? At a public event such as a concert or sporting event	Yes	0.1%	0.3%	1.3%	3.6%	1.3%	0.1%	0.3%	1.6%	3.5%	1.3%		0.4%	0.6%	3.4%	1.1%		6.2%	8.8%	3.5%	
	No	99.9%	99.7%	98.7%	96.4%	98.7%	99.9%	99.7%	98.4%	96.5%	98.7%	100.0%	99.6%	99.4%	96.6%	98.9%	100.0%	100.0%	93.8%	91.2%	96.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77g During the past 6 months, where did use marijuana? On school property	Yes	0.1%	0.3%	1.6%	3.4%	1.3%	0.1%	0.3%	1.1%	3.1%	1.1%		0.3%	1.7%	3.4%	1.3%		8.7%	6.9%	3.8%	
	No	99.9%	99.7%	98.4%	96.6%	98.7%	99.9%	99.7%	98.9%	96.9%	98.9%	100.0%	99.7%	98.3%	96.6%	98.7%	100.0%	100.0%	91.3%	93.1%	96.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q77h During the past 6 months, where did use marijuana? Some other place	Yes	0.1%	1.0%	3.2%	3.9%	2.1%	0.3%	1.4%	3.3%	5.4%	2.6%	0.6%	2.7%	2.3%	1.4%			8.9%	4.9%	3.4%	
	No	99.9%	99.0%	96.8%	96.1%	97.9%	99.7%	98.6%	96.7%	94.6%	97.4%	100.0%	99.4%	97.3%	97.7%	98.6%	100.0%	100.0%	91.1%	95.1%	96.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q78 How much do you think people risk harming themselves physically or in other ways when they use other drugs such as heroin, cocaine, LSD, or methamphetamines?	No risk	3.4%	3.1%	4.3%	4.3%	3.7%	3.8%	4.2%	6.0%	4.9%	4.7%	2.9%	1.9%	2.8%	3.3%	2.7%	4.5%	4.1%	1.8%	10.0%	4.8%
	Slight risk	2.8%	2.3%	1.6%	1.9%	2.2%	2.9%	2.0%	1.7%	2.5%	2.2%	2.7%	2.8%	1.5%	1.3%	2.1%	1.6%	1.4%	3.7%	2.9%	2.3%
	Moderate risk	13.8%	13.6%	9.7%	8.5%	11.4%	12.3%	13.2%	9.5%	9.0%	11.1%	14.4%	13.5%	9.5%	7.6%	11.2%	30.2%	19.8%	15.3%	14.2%	19.6%
	Great risk	80.1%	80.9%	84.4%	85.3%	82.7%	81.0%	80.6%	82.8%	83.6%	82.0%	80.0%	81.8%	86.3%	87.8%	84.0%	63.6%	74.7%	79.3%	73.0%	73.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q79 If you wanted to get other drugs such as heroin, cocaine, LSD, or methamphetamines, how easy would it be for you to get some?	Don't know	45.4%	49.3%	51.6%	50.0%	49.2%	45.5%	51.9%	55.9%	53.3%	51.8%	45.3%	47.5%	47.8%	46.2%	46.8%	44.0%	39.1%	45.5%	58.2%	45.8%
	Can't get	34.9%	27.2%	19.4%	13.4%	23.7%	36.7%	27.1%	21.0%	12.7%	24.4%	33.0%	26.9%	18.5%	14.3%	23.0%	36.2%	32.0%	8.5%	10.5%	22.2%
	Very difficult	15.9%	16.5%	15.0%	17.8%	16.3%	14.6%	14.8%	11.9%	16.0%	14.3%	17.4%	18.3%	17.8%	19.9%	18.4%	14.1%	16.3%	17.7%	14.8%	15.9%
	Fairly difficult	2.4%	3.9%	7.8%	8.9%	5.7%	2.0%	3.5%	5.0%	8.9%	4.8%	2.8%	3.9%	9.7%	8.9%	6.4%	1.8%	9.8%	20.1%	8.2%	10.4%
	Fairly easy	0.9%	2.1%	4.3%	6.8%	3.5%	0.6%	1.9%	4.1%	5.7%	3.0%	1.1%	2.2%	4.3%	8.0%	3.9%	3.4%	2.8%	8.3%	6.3%	5.1%
	Very easy	0.5%	1.0%	2.0%	3.1%	1.6%	0.6%	0.9%	2.2%	3.5%	1.8%	0.4%	1.3%	1.8%	2.7%	1.6%	0.6%			1.9%	0.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q80 During the past 30 days, on how many days did you use other drugs such as heroin, cocaine, LSD, or methamphetamines?	0 days	99.9%	99.8%	99.2%	98.8%	99.4%	99.8%	99.6%	99.3%	98.6%	99.3%	99.9%	99.9%	99.2%	99.1%	99.5%	100.0%	100.0%	98.1%	100.0%	99.5%
	1 day	0.1%	0.1%	0.3%	0.2%	0.2%	0.0%	0.1%	0.3%	0.3%	0.2%	0.1%		0.4%	0.2%	0.2%					
	2 days	0.0%	0.0%	0.2%	0.3%	0.1%	0.0%		0.1%	0.2%	0.1%		0.1%	0.1%	0.4%	0.1%			1.9%		0.5%
	3 to 5 days		0.1%	0.1%	0.1%	0.1%		0.1%	0.1%	0.1%	0.1%			0.1%	0.1%	0.0%					
	6 to 9 days		0.0%	0.2%	0.1%	0.1%		0.1%	0.2%	0.1%	0.1%			0.1%	0.1%	0.1%					
	10 to 19 days			0.1%	0.1%	0.0%				0.2%	0.0%			0.1%		0.0%					
	20 or more days	0.1%	0.0%		0.3%	0.1%	0.1%			0.6%	0.2%			0.0%		0.0%					

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q81 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?	0 times	96.2%	95.8%	94.8%	95.3%	95.5%	96.6%	95.7%	95.5%	95.1%	95.7%	96.3%	95.8%	94.4%	96.1%	95.6%	89.3%	96.0%	91.4%	84.9%	91.0%
	1 or 2 times	2.2%	2.4%	3.4%	3.1%	2.8%	1.8%	2.4%	3.5%	2.6%	2.6%	2.3%	2.3%	3.2%	3.1%	2.7%	7.4%	2.6%	5.1%	10.9%	6.0%
	3 to 9 times	0.6%	1.0%	0.8%	0.6%	0.7%	0.6%	1.0%	0.5%	0.7%	0.7%	0.5%	0.9%	1.0%	0.4%	0.7%	0.8%	0.9%	1.9%	2.3%	1.4%
	10 to 19 times	0.4%	0.3%	0.4%	0.4%	0.4%	0.4%	0.3%	0.1%	0.6%	0.4%	0.4%	0.3%	0.6%	0.1%	0.4%		0.5%	1.6%		0.6%
	20 to 39 times	0.1%	0.1%	0.3%	0.1%	0.2%		0.3%	0.1%	0.2%	0.1%	0.1%	0.1%	0.0%	0.4%	0.0%	0.1%	1.4%			0.3%
	40 or more times	0.5%	0.5%	0.3%	0.5%	0.5%	0.6%	0.4%	0.3%	0.7%	0.5%	0.4%	0.6%	0.4%	0.2%	0.4%	1.2%			1.9%	0.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q82 During the past 30 days, how many times have you used synthetic drugs (also called K2, Pink, Bath Salts, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?	0 times	98.8%	99.3%	99.5%	99.4%	99.3%	99.3%	99.2%	99.8%	99.2%	99.4%	98.5%	99.4%	99.1%	99.6%	99.2%	95.7%	100.0%	100.0%	97.7%	98.6%
	1 or 2 times	1.0%	0.5%	0.5%	0.3%	0.5%	0.6%	0.7%	0.2%	0.3%	0.5%	1.2%	0.2%	0.7%	0.2%	0.6%	3.5%			2.3%	1.2%
	3 to 9 times	0.1%	0.1%	0.1%	0.2%	0.1%	0.1%			0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.8%				0.2%
	10 to 19 times	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%				0.0%	0.1%	0.1%	0.1%	0.1%	0.1%					
	20 to 39 times	0.1%	0.1%		0.1%	0.1%		0.1%		0.2%	0.1%	0.1%	0.1%		0.1%						

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q83 During your life, how many times have you used lorazepam? 0 times	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q84 During your life, how many times have you used ecstasy (also called MDMA)? 0 times	99.8%	99.6%	99.1%	97.4%	99.0%	99.7%	99.5%	99.1%	97.9%	99.1%	99.9%	99.6%	99.0%	96.8%	98.9%	100.0%	100.0%	100.0%	98.1%	99.6%
1 or 2 times	0.1%	0.3%	0.6%	1.5%	0.6%	0.2%	0.4%	0.7%	1.0%	0.6%	0.1%	0.3%	0.5%	2.0%	0.7%					
3 to 9 times	0.1%	0.0%	0.2%	0.7%	0.2%	0.1%	0.1%	0.2%	0.9%	0.3%			0.2%	0.5%	0.2%					
10 to 19 times		0.0%	0.1%	0.3%	0.1%				0.1%	0.0%		0.0%	0.2%	0.5%	0.2%					
20 to 39 times				0.1%	0.0%									0.3%	0.1%					
40 or more times				0.1%	0.0%				0.1%	0.0%									1.9%	0.4%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q85 During your life, how many times have you used cocaine, including powder, crack, or freebase? 0 times	99.8%	99.6%	99.1%	98.0%	99.1%	99.8%	99.4%	98.7%	98.1%	99.0%	99.8%	99.7%	99.4%	98.0%	99.2%	99.2%	100.0%	100.0%	98.1%	99.4%
1 or 2 times	0.2%	0.3%	0.5%	1.0%	0.5%	0.2%	0.4%	0.6%	0.9%	0.5%	0.2%	0.3%	0.4%	1.2%	0.5%	0.8%				0.2%
3 to 9 times			0.2%	0.4%	0.1%			0.4%	0.3%	0.2%				0.5%	0.1%					
10 to 19 times	0.0%			0.1%	0.0%						0.1%			0.3%	0.1%					
20 to 39 times		0.1%	0.2%	0.1%	0.1%		0.1%	0.2%	0.2%	0.1%			0.2%	0.0%						
40 or more times			0.1%	0.4%	0.1%			0.1%	0.6%	0.2%				0.1%	0.0%				1.9%	0.4%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q86 During your life, how many times have you used methamphetamine (also called speed, crystal, crank, or ice)? 0 times	99.7%	99.6%	99.1%	99.0%	99.4%	99.7%	99.3%	99.0%	99.0%	99.2%	99.7%	99.9%	99.2%	99.0%	99.5%	100.0%	100.0%	98.1%	100.0%	99.5%
1 or 2 times	0.2%	0.3%	0.8%	0.6%	0.4%	0.2%	0.5%	0.7%	0.4%	0.5%	0.1%	0.1%	0.8%	0.7%	0.4%			1.9%		0.5%
3 to 9 times		0.1%	0.1%	0.1%	0.1%			0.2%	0.2%	0.1%				0.0%	0.0%					
10 to 19 times		0.0%		0.1%	0.0%			0.1%		0.0%				0.1%	0.0%					
20 to 39 times				0.1%	0.0%				0.2%	0.0%				0.1%	0.0%					
40 or more times	0.1%			0.1%	0.1%	0.1%			0.3%	0.1%	0.1%			0.0%						

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q87 During your life, how many times have you used heroin (also known as smack, junk, or China White)?	0 times	99.9%	99.8%	99.8%	99.1%	99.7%	99.8%	99.9%	99.8%	99.2%	99.7%	99.9%	99.8%	99.9%	99.1%	99.7%	100.0%	100.0%	98.1%	98.1%	99.1%
	1 or 2 times	0.1%	0.2%	0.2%	0.4%	0.2%	0.2%	0.1%	0.2%	0.2%	0.2%	0.1%	0.2%	0.1%	0.5%	0.2%			1.9%	1.9%	0.9%
	3 to 9 times				0.2%	0.0%				0.1%	0.0%				0.3%	0.1%					
	20 to 39 times				0.2%	0.0%				0.2%	0.0%				0.1%	0.0%					
	40 or more times				0.1%	0.0%				0.3%	0.1%										

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q88 During your life, how many times have you used over-the-counter drugs to get high?	0 times	99.7%	98.6%	96.5%	95.4%	97.5%	99.7%	98.7%	96.7%	97.3%	98.1%	99.7%	98.5%	96.5%	94.1%	97.2%	98.6%	98.2%	93.9%	84.3%	94.3%
	1 or 2 times	0.2%	0.9%	2.2%	2.3%	1.4%	0.3%	0.4%	2.1%	1.0%	1.0%	0.1%	1.3%	2.3%	3.4%	1.8%		1.8%	2.6%	6.3%	2.6%
	3 to 9 times	0.1%	0.2%	0.2%	0.9%	0.3%		0.2%	0.2%	0.7%	0.3%	0.2%	0.2%	0.0%	1.0%	0.3%			3.5%	1.9%	1.3%
	10 to 19 times	0.0%	0.1%	0.5%	0.6%	0.3%		0.2%	0.5%	0.3%	0.3%		0.1%	0.6%	0.8%	0.4%	1.4%				0.3%
	20 to 39 times		0.2%	0.2%	0.3%	0.2%		0.3%	0.3%		0.2%			0.1%	0.4%	0.1%				2.3%	0.5%
	40 or more times	0.0%	0.1%	0.4%	0.6%	0.3%		0.1%	0.2%	0.6%	0.2%	0.1%		0.5%	0.2%	0.2%				5.2%	1.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q89 When you are away from home, how often do your parents/caregivers know where you are?	All the time	65.6%	57.8%	54.5%	46.4%	56.0%	61.7%	54.8%	52.2%	43.0%	52.9%	70.9%	62.3%	57.3%	49.7%	59.9%	46.5%	37.9%	44.6%	47.3%	43.4%
	Most of the time	27.0%	32.9%	35.1%	40.7%	34.0%	29.3%	34.9%	36.3%	42.2%	35.7%	23.5%	29.7%	33.2%	38.9%	31.4%	43.4%	46.5%	45.5%	45.8%	45.5%
	Some of the time	2.4%	4.8%	5.8%	7.5%	5.2%	2.7%	4.9%	6.0%	8.7%	5.6%	2.1%	4.1%	5.4%	6.5%	4.6%	2.7%	11.6%	9.9%	5.0%	7.9%
	A little of the time	1.0%	1.5%	2.2%	3.7%	2.1%	1.4%	1.5%	1.7%	4.2%	2.2%	0.6%	1.5%	2.8%	3.2%	2.0%	2.7%	1.5%		1.9%	1.5%
	None of the time	4.0%	3.0%	2.4%	1.7%	2.8%	4.9%	3.8%	3.8%	1.9%	3.6%	3.0%	2.3%	1.2%	1.7%	2.0%	4.7%	2.5%			1.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q90 When you are away from home, how often do your parents/caregivers know who you are with?	All the time	69.6%	59.6%	52.4%	44.3%	56.3%	64.8%	56.5%	47.4%	41.6%	52.5%	76.0%	63.8%	57.6%	46.8%	60.9%	48.4%	47.7%	44.6%	46.6%	46.8%
	Most of the time	21.7%	29.7%	36.0%	39.9%	31.9%	24.8%	31.7%	38.0%	41.7%	34.1%	17.5%	27.3%	33.4%	37.8%	29.2%	37.9%	32.8%	47.0%	43.9%	39.8%
	Some of the time	3.3%	5.9%	6.4%	9.8%	6.4%	3.0%	6.6%	8.1%	10.9%	7.2%	3.3%	4.5%	4.6%	9.0%	5.4%	7.9%	13.7%	8.4%	5.7%	9.5%
	A little of the time	1.5%	1.8%	2.5%	3.9%	2.4%	2.2%	1.3%	1.9%	3.5%	2.2%	0.6%	2.2%	3.3%	4.5%	2.7%	3.7%	3.3%		1.9%	2.3%
	None of the time	3.9%	3.0%	2.8%	2.1%	2.9%	5.3%	3.9%	4.6%	2.3%	4.0%	2.6%	2.1%	1.1%	1.8%	1.9%	2.1%	2.5%		1.9%	1.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q91 During the past 12 months, have you talked with at least one of your parents/caregivers about the dangers of tobacco, alcohol, or drug use?	Yes	59.1%	60.3%	60.4%	61.0%	60.2%	55.2%	58.5%	60.5%	60.1%	58.6%	64.0%	62.3%	60.8%	61.7%	62.1%	46.3%	58.2%	52.1%	66.3%	55.9%
	No	40.9%	39.7%	39.6%	39.0%	39.8%	44.8%	41.5%	39.5%	39.9%	41.4%	36.0%	37.7%	39.2%	38.3%	37.9%	53.7%	41.8%	47.9%	33.7%	44.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q92 In the past 6 months, have you and either of your parents/caregivers discussed specific things you could do to stay away from drugs?	Yes	55.8%	53.3%	51.5%	44.7%	51.3%	55.3%	52.9%	51.5%	47.1%	51.7%	57.1%	54.9%	52.5%	42.5%	51.8%	45.3%	38.6%	35.1%	39.7%	39.4%
	No	44.2%	46.7%	48.5%	55.3%	48.7%	44.7%	47.1%	48.5%	52.9%	48.3%	42.9%	45.1%	47.5%	57.5%	48.2%	54.7%	61.4%	64.9%	60.3%	60.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q93 In the past 6 months, have you and either of your parents/caregivers discussed family rules or expectations about using drugs?	Yes	49.6%	55.5%	58.8%	56.2%	55.2%	47.9%	53.8%	57.2%	54.2%	53.4%	51.2%	58.2%	60.7%	57.8%	57.2%	51.7%	43.3%	55.6%	62.7%	52.2%
	No	50.4%	44.5%	41.2%	43.8%	44.8%	52.1%	46.2%	42.8%	45.8%	46.6%	48.8%	41.8%	39.3%	42.2%	42.8%	48.3%	56.7%	44.4%	37.3%	47.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q94 In the past 6 months, have you and either of your parents/caregivers discussed drug use in movies, music, and on TV?	Yes	29.0%	31.3%	31.8%	29.7%	30.5%	28.6%	29.4%	31.5%	27.0%	29.2%	29.2%	33.3%	32.2%	32.1%	31.8%	33.5%	29.4%	29.9%	33.3%	31.3%
	No	71.0%	68.7%	68.2%	70.3%	69.5%	71.4%	70.6%	68.5%	73.0%	70.8%	70.8%	66.7%	67.8%	67.9%	68.2%	66.5%	70.6%	70.1%	66.7%	68.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q95 Where do you currently live?	At home with my family	98.0%	98.6%	97.8%	97.4%	98.0%	97.7%	98.8%	97.0%	97.2%	97.7%	98.7%	98.8%	98.6%	97.6%	98.4%	92.6%	94.5%	96.1%	98.1%	95.3%
	With foster parent(s)	0.4%	0.2%	0.3%	0.1%	0.3%	0.5%	0.2%	0.7%	0.1%	0.4%	0.2%	0.1%		0.1%	0.1%	2.5%	1.9%			1.2%
	In a group home/residential facility	0.0%	0.1%	0.1%	0.1%	0.1%		0.2%	0.2%	0.1%	0.2%						1.6%				0.3%
	In a shelter	0.1%		0.1%	0.1%	0.1%	0.2%		0.2%	0.1%	0.1%										
	I live alone	0.1%	0.2%	0.2%	0.7%	0.3%	0.1%	0.4%	0.2%	0.3%	0.3%			0.1%	1.2%	0.3%					
	I have no regular home	0.6%	0.4%	0.6%	0.6%	0.6%	0.6%	0.1%	0.8%	0.8%	0.6%	0.5%	0.5%	0.5%	0.3%	0.5%	3.3%	3.6%			1.9%
	Some other place	0.7%	0.4%	0.9%	1.0%	0.8%	0.9%	0.3%	0.9%	1.3%	0.8%	0.7%	0.6%	0.8%	0.8%	0.7%			3.9%	1.9%	1.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q96 Have one or more of your parents/caregivers ever served time in jail or prison?	Yes	16.2%	17.3%	19.1%	15.6%	17.1%	15.2%	16.4%	18.0%	14.8%	16.1%	16.3%	17.3%	19.8%	15.7%	17.4%	31.5%	27.8%	23.7%	27.0%	27.4%
	No	71.0%	69.6%	72.0%	78.0%	72.6%	72.6%	69.5%	72.3%	78.0%	73.0%	70.7%	71.4%	72.7%	78.9%	73.4%	49.5%	48.9%	56.8%	64.2%	54.3%
	Don't know	12.8%	13.1%	8.9%	6.4%	10.3%	12.2%	14.1%	9.7%	7.2%	10.9%	13.0%	11.3%	7.5%	5.4%	9.3%	18.9%	23.4%	19.4%	8.8%	18.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q97 Have one or more of your parents/caregivers ever served time in the military?	Yes	22.9%	20.0%	19.2%	18.8%	20.1%	24.8%	21.9%	19.4%	19.3%	21.3%	20.0%	17.3%	18.7%	18.0%	18.4%	35.9%	30.1%	23.3%	22.2%	28.0%
	No	64.9%	70.8%	75.6%	78.1%	72.5%	64.2%	68.7%	74.9%	77.1%	71.2%	66.8%	74.3%	76.6%	79.2%	74.4%	49.4%	54.8%	70.6%	74.8%	61.8%
	Don't know	12.2%	9.2%	5.2%	3.2%	7.4%	11.0%	9.5%	5.7%	3.6%	7.4%	13.2%	8.4%	4.8%	2.8%	7.2%	14.7%	15.1%	6.1%	3.1%	10.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q98 During the past 12 months, how would you describe your grades in school?	Mostly A's	62.8%	49.7%	46.7%	50.4%	52.0%	59.0%	43.4%	41.2%	44.2%	46.6%	67.6%	57.1%	53.4%	57.7%	58.6%	48.5%	37.2%	27.2%	33.3%	36.2%
	Mostly B's	25.6%	30.0%	30.0%	31.0%	29.3%	27.9%	32.7%	32.3%	34.9%	32.1%	22.7%	27.4%	27.4%	26.8%	26.2%	31.8%	28.2%	36.9%	34.2%	32.4%
	Mostly C's	7.4%	14.0%	15.3%	13.4%	12.7%	9.0%	16.6%	18.6%	14.4%	14.8%	5.5%	10.9%	11.8%	11.9%	10.2%	9.9%	18.5%	21.8%	22.4%	18.4%
	Mostly D's	2.1%	2.6%	3.9%	3.2%	2.9%	1.7%	3.3%	3.9%	4.2%	3.3%	2.1%	1.7%	3.7%	2.1%	2.4%	7.7%	4.6%	5.5%	3.8%	5.3%
	Mostly F's	1.0%	2.8%	2.6%	1.0%	1.9%	1.2%	2.8%	3.2%	0.8%	2.1%	0.9%	2.4%	2.0%	1.1%	1.7%	0.8%	6.0%	2.2%	4.4%	3.7%
	None of these grades	1.2%	1.0%	1.5%	1.0%	1.2%	1.2%	1.2%	0.9%	1.5%	1.2%	1.2%	0.5%	1.7%	0.4%	0.9%	1.2%	5.5%	6.4%	1.9%	4.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q99 During the past 30 days, on how many days did you have an unexcused absence from school (skipped or cut school)?	None	74.4%	75.8%	67.7%	58.6%	69.2%	72.6%	78.1%	72.5%	63.5%	71.9%	76.7%	73.9%	64.0%	54.1%	67.1%	65.9%	69.4%	53.5%	49.8%	60.6%
	1 day	10.5%	8.8%	11.6%	15.0%	11.4%	11.1%	8.6%	10.5%	13.4%	10.8%	9.9%	9.0%	13.1%	16.2%	12.0%	10.2%	9.8%	5.7%	20.9%	11.3%
	2 days	5.0%	5.2%	6.7%	8.5%	6.3%	5.5%	5.0%	6.0%	9.5%	6.4%	4.4%	5.4%	6.7%	7.4%	6.0%	5.9%	3.8%	17.4%	9.4%	8.7%
	3 days	3.0%	3.6%	5.1%	6.9%	4.7%	2.9%	3.1%	4.3%	5.3%	3.9%	3.1%	4.2%	5.3%	8.5%	5.3%	4.5%	3.3%	14.2%	6.7%	6.9%
	4 to 5 days	3.4%	3.1%	4.9%	5.8%	4.3%	3.4%	2.4%	3.7%	4.7%	3.5%	2.8%	3.5%	6.2%	7.0%	4.9%	11.7%	5.9%	5.4%	4.4%	6.7%
	6 to 10 days	1.7%	1.8%	2.0%	3.1%	2.1%	2.0%	1.5%	1.6%	2.3%	1.8%	1.4%	2.0%	2.4%	3.7%	2.4%	1.8%	1.8%	1.7%	6.9%	2.9%
	11 or more days	2.1%	1.8%	1.9%	2.2%	2.0%	2.6%	1.2%	1.5%	1.3%	1.6%	1.7%	2.0%	2.3%	3.1%	2.3%		6.1%	2.1%	1.9%	2.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q100 How important is it for you to finish high school?	Very important	78.9%	72.8%	74.9%	83.7%	77.3%	77.6%	70.0%	72.3%	80.7%	74.9%	81.6%	77.3%	78.5%	87.9%	81.1%	57.3%	52.8%	56.5%	65.1%	57.3%
	Important	18.6%	23.4%	21.3%	14.3%	19.6%	19.2%	25.9%	24.3%	16.2%	21.6%	16.8%	20.4%	17.7%	11.4%	16.7%	35.5%	29.5%	32.0%	29.9%	31.4%
	Not very important	2.0%	3.2%	2.7%	1.6%	2.4%	2.4%	3.5%	2.4%	2.5%	2.7%	1.2%	2.0%	2.5%	0.5%	1.6%	7.1%	15.3%	11.6%	5.0%	10.5%
	Not at all important	0.6%	0.5%	1.1%	0.3%	0.6%	0.8%	0.6%	0.9%	0.5%	0.7%	0.4%	0.3%	1.2%	0.2%	0.6%		2.4%			0.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q101 How likely are you to complete a post high school program such as vocational training program, military service, community college, or 4-year college?	Very likely	34.9%	39.8%	49.8%	62.8%	46.9%	32.1%	36.1%	44.8%	56.4%	42.4%	38.0%	44.6%	55.7%	69.7%	52.3%	31.5%	27.8%	33.5%	53.8%	35.6%
	Likely	45.7%	41.8%	31.6%	22.7%	35.3%	46.7%	45.3%	34.9%	27.0%	38.5%	44.7%	38.5%	27.7%	17.8%	31.9%	43.4%	38.3%	42.7%	32.8%	39.2%
	Not very likely	15.5%	14.0%	13.2%	9.5%	13.0%	16.8%	13.9%	14.8%	10.8%	14.0%	13.6%	13.7%	11.8%	8.1%	11.8%	23.5%	18.3%	11.2%	9.6%	15.8%
	Not at all likely	4.0%	4.4%	5.4%	5.0%	4.7%	4.4%	4.7%	5.6%	5.7%	5.1%	3.7%	3.2%	4.8%	4.4%	4.0%	1.6%	15.6%	12.6%	3.8%	9.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q102 I feel I belong at this school.	Always	38.9%	27.9%	25.5%	24.2%	28.9%	42.4%	34.1%	32.4%	29.3%	34.4%	36.5%	23.6%	19.7%	19.4%	24.4%	20.2%	4.4%	10.0%	18.2%	12.1%
	Most of the time	42.6%	46.1%	44.7%	42.2%	44.0%	39.8%	43.6%	42.7%	38.6%	41.3%	46.4%	50.0%	47.3%	45.7%	47.5%	28.4%	30.7%	31.6%	43.9%	33.2%
	Not often	10.0%	14.2%	13.5%	17.0%	13.7%	9.7%	12.2%	10.9%	15.4%	12.1%	9.2%	15.1%	15.0%	18.2%	14.5%	27.4%	28.0%	29.7%	22.5%	27.1%
	Never	3.2%	5.7%	6.6%	7.5%	5.8%	3.4%	4.8%	4.4%	7.7%	5.1%	2.6%	5.3%	8.6%	7.0%	6.0%	8.1%	22.4%	8.8%	12.9%	14.1%
	Not sure	5.3%	6.0%	9.8%	9.2%	7.6%	4.7%	5.4%	9.6%	9.1%	7.2%	5.2%	6.0%	9.3%	9.6%	7.6%	15.9%	14.4%	20.0%	2.4%	13.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q103 During the average week, on how many days do you participate in supervised after-school activities either at school or away from school?	0 days	44.2%	36.6%	40.0%	40.5%	40.1%	49.4%	43.0%	41.7%	44.9%	44.6%	38.0%	28.7%	37.8%	35.3%	34.7%	56.3%	54.9%	47.2%	54.4%	53.2%
	1 day	11.6%	10.1%	9.1%	10.2%	10.2%	9.9%	10.5%	10.7%	8.1%	9.8%	13.7%	9.6%	7.8%	11.8%	10.5%	8.5%	10.8%	5.7%	16.9%	10.4%
	2 days	11.8%	11.0%	10.5%	11.1%	11.1%	10.4%	9.1%	11.2%	10.8%	10.3%	13.4%	13.3%	9.8%	11.1%	11.9%	11.8%	6.0%	10.0%	17.2%	10.6%
	3 or more days	32.3%	42.3%	40.5%	38.2%	38.6%	30.3%	37.5%	36.4%	36.2%	35.3%	34.9%	48.4%	44.6%	41.8%	42.9%	23.4%	28.4%	37.0%	11.5%	25.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q104 During the past 12 months, have you been bullied?	Yes	30.7%	26.7%	23.5%	17.9%	24.6%	30.0%	22.0%	19.3%	12.8%	20.9%	30.3%	29.5%	26.7%	21.8%	27.1%	47.5%	49.9%	39.1%	40.2%	44.7%
	No	69.3%	73.3%	76.5%	82.1%	75.4%	70.0%	78.0%	80.7%	87.2%	79.1%	69.7%	70.5%	73.3%	78.2%	72.9%	52.5%	50.1%	60.9%	59.8%	55.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q105 If you or someone else was bullied in the past 12 months, did you report it to a teacher or other adult at the school?	I have never been bullied or witnessed	47.6%	46.5%	47.6%	51.2%	48.2%	47.5%	48.5%	48.9%	52.4%	49.3%	48.3%	44.8%	46.9%	50.9%	47.6%	37.3%	42.1%	37.1%	36.1%	38.6%
	Yes	32.9%	26.7%	19.0%	16.8%	23.7%	31.1%	22.4%	16.7%	14.4%	21.0%	35.2%	30.4%	21.1%	19.0%	26.2%	25.3%	35.3%	19.8%	19.9%	26.1%
	No	19.5%	26.8%	33.5%	32.0%	28.2%	21.3%	29.1%	34.4%	33.2%	29.7%	16.5%	24.7%	32.0%	30.1%	26.2%	37.3%	22.6%	43.1%	43.9%	35.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q106 Do you personally know anyone that is in a gang?	Yes	5.9%	9.1%	10.1%	10.4%	9.0%	6.8%	9.9%	10.8%	12.0%	9.9%	5.0%	7.9%	9.3%	8.1%	7.7%	7.7%	13.0%	13.6%	21.8%	13.9%
	No	71.4%	70.2%	76.7%	78.7%	74.2%	73.2%	70.9%	74.8%	76.7%	73.8%	71.1%	69.4%	79.5%	82.0%	75.5%	45.3%	73.3%	62.6%	58.3%	61.6%
	Not sure	22.7%	20.7%	13.1%	10.9%	16.8%	20.0%	19.2%	14.5%	11.3%	16.3%	23.9%	22.7%	11.2%	9.9%	16.8%	47.0%	13.7%	23.8%	19.8%	24.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q107 Do gangs cause trouble at your school?	Yes	11.0%	6.8%	5.0%	2.4%	6.2%	10.2%	5.1%	5.1%	3.2%	5.8%	11.9%	8.5%	4.9%	1.5%	6.6%	9.5%	7.6%	5.5%	4.0%	6.7%
	No	49.3%	64.2%	72.4%	82.2%	67.4%	56.3%	72.0%	76.4%	85.3%	72.8%	42.0%	56.0%	68.9%	79.0%	62.0%	47.1%	66.7%	65.1%	84.7%	66.0%
	Not sure	39.7%	29.0%	22.6%	15.4%	26.4%	33.5%	23.0%	18.5%	11.5%	21.4%	46.1%	35.5%	26.2%	19.6%	31.5%	43.4%	25.7%	29.5%	11.3%	27.3%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q108 Have you ever belonged to a gang?	No, and I don't want to	95.6%	95.1%	95.2%	94.7%	95.1%	94.2%	94.8%	93.7%	93.1%	93.9%	97.4%	95.9%	96.8%	96.8%	96.7%	92.8%	90.1%	94.2%	86.0%	90.7%
	No, but I would like to	1.0%	2.3%	2.5%	2.4%	2.1%	1.1%	1.9%	2.5%	2.7%	2.1%	0.8%	2.4%	2.3%	1.7%	1.9%	3.6%	6.4%	5.8%	9.6%	6.4%
	Yes, in the past	2.2%	1.8%	1.3%	1.6%	1.7%	3.4%	2.2%	2.1%	2.0%	2.4%	0.9%	1.2%	0.5%	1.0%	0.9%	3.6%	2.5%		4.4%	2.6%
	Yes, I belong now	0.8%	0.7%	1.0%	0.9%	0.8%	0.9%	1.0%	1.8%	1.7%	1.3%	0.8%	0.3%	0.4%	0.1%	0.4%		1.0%			0.3%
	Yes, but I would like to get out	0.3%	0.1%		0.4%	0.2%	0.4%	0.1%		0.5%	0.2%	0.1%	0.2%		0.3%	0.2%					

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q109 During the past 12 months, Yes have you seriously considered attempting suicide?	11.9%	19.5%	23.9%	23.4%	19.9%	9.2%	12.1%	15.7%	15.7%	13.2%	12.5%	24.1%	29.1%	29.0%	24.1%	47.5%	56.0%	69.9%	62.8%	59.1%
No	88.1%	80.5%	76.1%	76.6%	80.1%	90.8%	87.9%	84.3%	84.3%	86.8%	87.5%	75.9%	70.9%	71.0%	75.9%	52.5%	44.0%	30.1%	37.2%	40.9%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q110 During the past 12 months, Yes have you made a plan about how you would attempt suicide?	9.2%	16.2%	19.5%	17.7%	15.9%	6.8%	10.9%	11.6%	12.6%	10.6%	9.9%	19.2%	25.1%	21.4%	19.3%	38.0%	46.5%	54.1%	42.4%	45.8%
No	90.8%	83.8%	80.5%	82.3%	84.1%	93.2%	89.1%	88.4%	87.4%	89.4%	90.1%	80.8%	74.9%	78.6%	80.7%	62.0%	53.5%	45.9%	57.6%	54.2%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q111 During the past 12 months, Yes have you attempted suicide?	3.6%	7.0%	7.0%	6.6%	6.2%	2.6%	4.2%	3.5%	3.7%	3.6%	3.7%	8.4%	9.4%	8.1%	7.6%	18.1%	24.7%	21.5%	32.6%	24.3%
No	96.4%	93.0%	93.0%	93.4%	93.8%	97.4%	95.8%	96.5%	96.3%	96.4%	96.3%	91.6%	90.6%	91.9%	92.4%	81.9%	75.3%	78.5%	67.4%	75.7%

	Total					Male					Female					Other					
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q112 During the past 30 days, how often did you feel nervous?	All the time	11.2%	12.4%	17.2%	17.7%	14.6%	8.0%	7.2%	10.1%	10.2%	8.8%	13.3%	16.1%	22.8%	23.4%	19.0%	31.4%	30.9%	37.0%	48.6%	36.3%
	Most of the time	17.1%	20.2%	22.0%	20.5%	20.1%	11.8%	12.5%	17.2%	15.4%	14.2%	21.9%	26.6%	26.7%	25.8%	25.4%	29.5%	36.4%	20.7%	19.2%	27.4%
	Some of the time	26.6%	28.9%	27.9%	32.3%	28.9%	26.9%	30.3%	26.1%	35.4%	29.7%	26.6%	28.1%	29.4%	29.9%	28.6%	20.9%	22.4%	30.5%	18.6%	23.2%
	A little of the time	31.8%	26.8%	21.7%	20.4%	25.0%	36.2%	32.5%	28.6%	25.0%	30.5%	28.8%	22.7%	15.8%	16.3%	20.7%	9.3%	6.0%	9.9%	8.6%	8.2%
	None of the time	13.2%	11.7%	11.3%	9.2%	11.3%	17.2%	17.5%	18.0%	14.0%	16.7%	9.4%	6.5%	5.4%	4.5%	6.3%	8.9%	4.2%	1.9%	5.0%	4.8%

	Total					Male					Female					Other					
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	
q113 During the past 30 days, how often did you feel hopeless?	All the time	6.4%	6.7%	8.9%	9.4%	7.8%	5.1%	4.3%	5.9%	6.8%	5.5%	6.7%	7.2%	10.8%	10.7%	8.9%	22.1%	30.7%	26.5%	31.6%	28.1%
	Most of the time	8.4%	10.6%	13.5%	12.3%	11.3%	7.5%	6.5%	9.7%	8.6%	8.0%	8.9%	14.2%	16.4%	15.4%	13.9%	15.8%	17.5%	26.3%	25.8%	21.1%
	Some of the time	15.2%	18.2%	21.5%	23.2%	19.6%	14.6%	14.8%	18.1%	21.5%	17.2%	15.0%	21.3%	24.9%	25.6%	21.9%	28.2%	21.2%	20.3%	14.3%	20.9%
	A little of the time	28.1%	26.1%	22.8%	24.6%	25.3%	26.1%	26.8%	22.6%	24.2%	24.9%	31.0%	25.9%	23.8%	25.1%	26.3%	16.2%	19.6%	7.2%	21.3%	16.2%
	None of the time	41.9%	38.5%	33.3%	30.5%	35.9%	46.8%	47.6%	43.7%	39.0%	44.3%	38.3%	31.4%	24.1%	23.2%	29.0%	17.6%	11.1%	19.7%	7.0%	13.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q114 During the past 30 days, how often did you feel restless or fidgety?	All the time	12.3%	16.3%	20.5%	19.6%	17.3%	10.7%	11.6%	15.3%	13.9%	12.9%	12.5%	18.8%	23.8%	23.7%	20.0%	33.7%	42.3%	50.2%	47.2%	43.4%
	Most of the time	14.4%	18.1%	19.4%	23.4%	18.9%	11.9%	14.6%	14.4%	18.7%	15.0%	16.1%	19.8%	23.7%	27.9%	22.0%	26.5%	39.8%	28.9%	25.7%	31.4%
	Some of the time	19.0%	20.0%	22.9%	20.6%	20.7%	20.2%	20.4%	24.3%	22.5%	21.8%	18.3%	20.9%	22.6%	19.2%	20.4%	11.1%	4.2%	6.0%	13.1%	8.0%
	A little of the time	25.4%	23.1%	19.1%	19.6%	21.7%	25.9%	24.8%	22.3%	22.4%	23.8%	25.7%	22.6%	16.9%	17.4%	20.5%	13.5%	7.0%	6.5%	9.0%	8.7%
	None of the time	28.9%	22.6%	18.0%	16.8%	21.4%	31.3%	28.6%	23.8%	22.4%	26.5%	27.4%	17.9%	13.0%	11.8%	17.1%	15.2%	6.6%	8.4%	5.1%	8.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q115 During the past 30 days, how often did you feel so depressed that nothing could cheer you up?	All the time	4.7%	5.0%	6.8%	7.3%	5.9%	4.0%	3.4%	4.5%	5.0%	4.2%	4.8%	5.6%	8.8%	8.9%	7.1%	13.1%	17.4%	10.3%	18.4%	15.0%
	Most of the time	7.5%	8.8%	11.0%	11.7%	9.8%	6.1%	5.6%	6.9%	8.4%	6.7%	8.2%	10.8%	14.0%	14.1%	11.9%	20.0%	25.5%	27.1%	28.5%	25.4%
	Some of the time	12.6%	15.5%	20.4%	20.1%	17.2%	11.0%	10.1%	16.4%	17.2%	13.6%	13.8%	20.2%	23.5%	22.7%	20.3%	19.0%	25.8%	32.9%	25.8%	26.1%
	A little of the time	20.2%	22.3%	21.5%	22.2%	21.6%	19.3%	22.1%	21.0%	22.6%	21.3%	20.7%	22.8%	22.8%	22.1%	22.2%	25.8%	18.7%	8.4%	18.4%	17.6%
	None of the time	55.1%	48.4%	40.2%	38.7%	45.4%	59.6%	58.9%	51.2%	46.9%	54.2%	52.5%	40.6%	30.9%	32.1%	38.6%	22.0%	12.6%	21.4%	9.0%	16.0%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q116 During the past 30 days, how often did you feel that everything was an effort?	All the time	11.6%	10.4%	15.6%	14.6%	13.0%	12.6%	9.1%	12.2%	9.9%	10.9%	9.7%	10.4%	17.8%	18.2%	14.2%	24.5%	25.9%	29.8%	36.4%	28.7%
	Most of the time	17.7%	18.8%	20.5%	21.1%	19.6%	18.7%	17.0%	17.1%	18.0%	17.6%	16.3%	19.5%	23.7%	23.6%	21.0%	20.8%	31.9%	20.9%	34.1%	27.3%
	Some of the time	24.4%	22.2%	25.8%	25.5%	24.4%	22.6%	22.1%	26.5%	25.9%	24.3%	26.1%	22.4%	25.4%	25.1%	24.7%	25.7%	21.5%	22.1%	26.2%	23.5%
	A little of the time	21.7%	24.3%	20.3%	21.2%	21.9%	21.8%	22.4%	19.5%	23.5%	21.8%	21.9%	27.0%	21.1%	20.0%	22.6%	15.2%	15.3%	19.7%	2.1%	13.7%
	None of the time	24.7%	24.3%	17.8%	17.5%	21.0%	24.3%	29.4%	24.7%	22.7%	25.4%	25.9%	20.7%	11.9%	13.1%	17.5%	13.8%	5.3%	7.5%	1.2%	6.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q117 During the past 30 days, how often did you feel worthless?	All the time	6.3%	7.5%	8.5%	9.7%	8.0%	4.5%	4.4%	6.1%	6.1%	5.3%	7.0%	8.8%	10.6%	12.1%	9.7%	23.4%	29.8%	11.7%	32.5%	24.5%
	Most of the time	7.5%	10.1%	13.7%	12.5%	11.0%	6.9%	6.4%	7.6%	9.6%	7.6%	7.3%	12.4%	18.3%	14.6%	13.4%	18.9%	29.1%	31.6%	27.2%	27.2%
	Some of the time	12.1%	13.0%	17.4%	17.0%	14.9%	10.9%	9.7%	15.4%	13.6%	12.4%	13.1%	16.3%	19.3%	20.5%	17.4%	14.4%	13.1%	17.2%	14.7%	14.7%
	A little of the time	21.8%	20.8%	18.9%	20.8%	20.5%	21.2%	20.8%	18.1%	21.5%	20.4%	22.8%	21.8%	19.6%	20.2%	21.0%	14.8%	9.1%	19.2%	18.3%	14.7%
	None of the time	52.4%	48.6%	41.5%	40.1%	45.5%	56.4%	58.8%	52.7%	49.3%	54.4%	49.8%	40.7%	32.2%	32.7%	38.4%	28.5%	18.9%	20.4%	7.3%	18.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q118 I know how to say "no" when someone wants me to do things I know are wrong or dangerous.	Strongly agree	66.1%	59.5%	56.1%	54.5%	58.8%	66.9%	63.5%	58.8%	53.9%	60.7%	67.1%	58.1%	54.7%	55.4%	58.5%	36.9%	26.2%	36.4%	50.0%	36.0%
	Agree	17.0%	25.9%	29.8%	31.4%	26.3%	16.4%	24.3%	28.2%	31.9%	25.5%	17.5%	26.9%	31.2%	31.5%	27.2%	19.6%	31.9%	31.8%	18.6%	26.5%
	Neither agree nor disagree	7.5%	8.9%	8.8%	8.7%	8.5%	7.4%	6.7%	7.7%	9.3%	7.8%	6.3%	9.5%	9.2%	7.7%	8.3%	27.7%	28.8%	18.5%	16.8%	23.5%
	Disagree	2.4%	2.8%	2.8%	2.9%	2.7%	2.5%	1.9%	2.0%	1.7%	2.0%	2.1%	3.3%	3.2%	3.8%	3.1%	4.6%	7.2%	7.7%	7.9%	6.9%
	Strongly disagree	7.0%	3.0%	2.5%	2.5%	3.6%	6.8%	3.5%	3.2%	3.2%	4.1%	7.0%	2.2%	1.7%	1.6%	2.9%	11.2%	5.9%	5.6%	6.7%	7.1%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119a Did you experience any of the following due to the coronavirus or coronavirus symptoms? I was sick with the coronavirus or coronavirus symptoms.	Yes	28.1%	34.7%	39.1%	41.3%	36.0%	27.8%	32.5%	35.8%	39.2%	34.0%	28.6%	36.9%	42.2%	43.6%	38.2%	25.9%	34.5%	37.8%	37.2%	34.1%
	No	71.9%	65.3%	60.9%	58.7%	64.0%	72.2%	67.5%	64.2%	60.8%	66.0%	71.4%	63.1%	57.8%	56.4%	61.8%	74.1%	65.5%	62.2%	62.8%	65.9%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119b Did you experience any of the following due to the coronavirus or coronavirus symptoms? One or more people living in my home lost their job.	Yes	4.2%	4.5%	5.1%	6.4%	5.0%	3.8%	4.5%	3.8%	6.3%	4.6%	4.4%	4.3%	5.9%	6.4%	5.3%	8.9%	6.1%	11.5%	7.4%	8.3%
	No	95.8%	95.5%	94.9%	93.6%	95.0%	96.2%	95.5%	96.2%	93.7%	95.4%	95.6%	95.7%	94.1%	93.6%	94.7%	91.1%	93.9%	88.5%	92.6%	91.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119c Did you experience any of the following due to the coronavirus or coronavirus symptoms? I had to move or change homes.	Yes	2.4%	3.5%	3.8%	4.4%	3.6%	2.8%	3.4%	2.3%	3.4%	3.0%	1.9%	3.4%	5.0%	5.3%	4.0%	4.9%	7.1%	7.5%	6.5%	6.6%
	No	97.6%	96.5%	96.2%	95.6%	96.4%	97.2%	96.6%	97.7%	96.6%	97.0%	98.1%	96.6%	95.0%	94.7%	96.0%	95.1%	92.9%	92.5%	93.5%	93.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119d Did you experience any of the following due to the coronavirus...? Skipped one or more meals because my family didn't have enough money to buy food.	Yes	1.0%	2.1%	3.3%	3.3%	2.5%	1.0%	1.9%	2.6%	2.0%	1.9%	1.0%	1.9%	3.8%	4.0%	2.7%		7.0%	7.5%	13.1%	6.9%
	No	99.0%	97.9%	96.7%	96.7%	97.5%	99.0%	98.1%	97.4%	98.0%	98.1%	99.0%	98.1%	96.2%	96.0%	97.3%	100.0%	93.0%	92.5%	86.9%	93.1%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119e Did you experience any of the following due to the coronavirus or coronavirus symptoms? I felt anxious, sad, or hopeless. Yes	14.3%	18.1%	24.4%	30.0%	21.9%	9.6%	11.6%	12.8%	17.5%	13.0%	17.5%	23.0%	34.0%	40.8%	29.1%	38.6%	39.3%	46.5%	63.9%	46.0%
None of these No	85.7%	81.9%	75.6%	70.0%	78.1%	90.4%	88.4%	87.2%	82.5%	87.0%	82.5%	77.0%	66.0%	59.2%	70.9%	61.4%	60.7%	53.5%	36.1%	54.0%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119f Did you experience any of the following due to the coronavirus or coronavirus symptoms? People in my home were fighting a lot. Yes	7.3%	10.7%	14.2%	15.0%	11.9%	5.9%	6.7%	8.0%	7.4%	7.0%	8.4%	13.7%	19.2%	21.3%	15.9%	13.6%	23.8%	27.0%	37.8%	25.4%
None of these No	92.7%	89.3%	85.8%	85.0%	88.1%	94.1%	93.3%	92.0%	92.6%	93.0%	91.6%	86.3%	80.8%	78.7%	84.1%	86.4%	76.2%	73.0%	62.2%	74.6%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119g Did you experience any of the following due to the coronavirus or coronavirus symptoms? I had difficulty keeping up with school work because I didn't have access to a reliable computer or internet service. Yes	5.2%	11.7%	14.5%	14.3%	11.7%	4.7%	10.1%	11.1%	11.3%	9.5%	5.2%	12.8%	16.8%	17.0%	13.3%	13.8%	17.6%	28.9%	21.5%	20.5%
None of these No	94.8%	88.3%	85.5%	85.7%	88.3%	95.3%	89.9%	88.9%	88.7%	90.5%	94.8%	87.2%	83.2%	83.0%	86.7%	86.2%	82.4%	71.1%	78.5%	79.5%

	Total					Male					Female					Other				
	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q119h Did you experience any of the following due to the coronavirus or coronavirus symptoms? Yes	56.8%	49.6%	42.8%	37.7%	46.5%	59.9%	55.7%	51.6%	44.4%	52.8%	54.7%	44.7%	35.7%	31.7%	41.2%	41.6%	34.7%	25.7%	22.3%	31.3%
None of these No	43.2%	50.4%	57.2%	62.3%	53.5%	40.1%	44.3%	48.4%	55.6%	47.2%	45.3%	55.3%	64.3%	68.3%	58.8%	58.4%	65.3%	74.3%	77.7%	68.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120a I miss spending time at school, learning with other students in person.	Strongly Agree	36.8%	31.7%	32.1%	33.9%	33.5%	34.5%	29.2%	32.3%	36.5%	33.0%	40.1%	34.9%	32.3%	32.0%	34.6%	22.9%	23.6%	26.7%	23.2%	24.1%
	Agree	25.7%	26.8%	25.3%	27.0%	26.2%	23.8%	27.0%	24.9%	26.3%	25.6%	28.3%	27.4%	25.8%	27.5%	27.2%	16.9%	15.7%	23.2%	32.3%	21.4%
	Neutral	20.1%	24.6%	25.0%	22.0%	23.1%	21.7%	26.0%	24.2%	21.0%	23.4%	18.1%	22.8%	25.1%	23.0%	22.5%	26.2%	30.0%	34.5%	21.8%	28.6%
	Disagree	4.1%	4.6%	5.8%	7.6%	5.6%	5.3%	4.7%	5.5%	6.4%	5.4%	2.1%	4.6%	5.9%	8.5%	5.4%	17.5%	5.4%	10.4%	13.7%	11.0%
	Strongly Disagree	4.2%	4.4%	5.2%	6.1%	5.0%	5.6%	4.6%	5.4%	6.0%	5.4%	2.6%	3.4%	5.2%	6.4%	4.4%	7.8%	16.6%	3.1%	2.0%	8.2%
	I have not participated in online	8.9%	7.8%	6.6%	3.3%	6.6%	9.1%	8.5%	7.7%	3.7%	7.3%	8.7%	6.9%	5.8%	2.7%	6.0%	8.7%	8.7%	2.1%	7.1%	6.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120b I miss spending time at school, learning with my teachers in person.	Strongly Agree	34.4%	26.4%	26.8%	32.3%	29.7%	31.0%	23.5%	27.6%	34.0%	28.8%	39.2%	30.2%	26.2%	31.0%	31.3%	13.2%	14.3%	23.2%	23.7%	18.4%
	Agree	26.1%	27.5%	27.8%	30.9%	28.1%	24.7%	26.6%	25.8%	28.0%	26.3%	28.4%	29.2%	29.5%	33.5%	30.2%	13.4%	15.8%	29.4%	36.6%	23.2%
	Neutral	20.9%	26.3%	25.6%	22.5%	24.0%	23.3%	28.4%	26.3%	23.8%	25.6%	17.4%	23.9%	25.0%	21.2%	22.1%	37.7%	29.2%	23.6%	24.5%	28.5%
	Disagree	5.7%	7.2%	7.3%	6.0%	6.6%	6.4%	7.0%	7.6%	5.0%	6.5%	4.4%	6.2%	6.4%	7.0%	6.1%	14.5%	20.5%	15.9%	4.0%	14.5%
	Strongly Disagree	4.5%	5.0%	6.5%	5.0%	5.3%	6.1%	6.3%	5.8%	5.0%	5.8%	2.3%	3.3%	7.2%	5.1%	4.6%	12.6%	9.8%	5.8%	4.0%	8.1%
	I have not participated in online	8.4%	7.8%	6.1%	3.3%	6.4%	8.6%	8.2%	6.9%	4.1%	6.9%	8.3%	7.1%	5.7%	2.2%	5.8%	8.6%	10.4%	2.1%	7.1%	7.2%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120c When I am learning online, I understand my teacher's instructions.	Strongly Agree	12.8%	8.0%	8.5%	7.8%	9.1%	14.8%	10.0%	8.6%	8.1%	10.2%	11.3%	5.8%	8.7%	7.6%	8.2%	5.0%	10.1%	2.3%	5.5%	6.1%
	Agree	19.3%	16.2%	15.7%	19.7%	17.6%	22.0%	19.8%	16.2%	18.3%	19.0%	16.9%	12.7%	15.3%	21.4%	16.4%	14.6%	14.3%	13.7%	16.0%	14.6%
	Neutral	27.4%	27.4%	27.6%	26.4%	27.2%	26.4%	25.5%	27.5%	29.1%	27.1%	28.0%	29.7%	27.6%	23.3%	27.2%	34.7%	22.6%	30.3%	31.5%	29.0%
	Disagree	16.9%	21.2%	21.1%	22.3%	20.5%	14.2%	19.6%	21.9%	20.9%	19.4%	19.7%	23.1%	20.8%	23.8%	21.9%	17.6%	16.2%	14.6%	20.8%	17.1%
	Strongly Disagree	12.9%	17.9%	20.6%	20.0%	18.1%	11.8%	15.0%	17.3%	19.5%	16.0%	13.8%	20.1%	22.8%	20.5%	19.6%	16.5%	26.6%	37.0%	21.2%	25.9%
	I have not participated in online	10.6%	9.3%	6.4%	3.8%	7.4%	10.9%	10.0%	8.4%	4.1%	8.3%	10.3%	8.6%	4.7%	3.3%	6.6%	11.5%	10.2%	2.1%	5.1%	7.4%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120d I stay focused when doing online school work.	Strongly Agree	15.7%	7.5%	8.1%	7.4%	9.4%	19.0%	8.6%	7.2%	6.6%	10.0%	12.8%	6.4%	9.2%	8.3%	9.0%	7.1%	5.8%	5.3%	5.5%	5.9%
	Agree	18.2%	13.1%	13.1%	14.2%	14.5%	19.0%	15.5%	11.7%	14.6%	15.0%	18.0%	11.0%	14.5%	13.7%	14.1%	7.1%	10.9%	12.5%	16.4%	11.7%
	Neutral	24.2%	25.6%	24.4%	20.7%	23.8%	23.8%	26.2%	27.0%	21.3%	24.7%	24.0%	25.2%	22.3%	20.4%	23.0%	30.9%	24.0%	18.3%	14.0%	21.9%
	Disagree	17.5%	21.6%	19.8%	22.0%	20.3%	15.3%	20.4%	20.7%	22.6%	20.0%	19.9%	23.2%	19.0%	21.0%	20.8%	17.3%	15.2%	17.2%	27.5%	18.8%
	Strongly Disagree	14.3%	22.5%	28.1%	31.8%	24.5%	13.0%	19.1%	25.4%	30.1%	22.2%	15.0%	25.0%	29.7%	33.4%	26.2%	25.0%	33.7%	44.7%	31.6%	34.2%
	I have not participated in online	10.1%	9.7%	6.5%	3.9%	7.5%	9.8%	10.2%	8.1%	4.6%	8.2%	10.3%	9.3%	5.4%	3.2%	6.9%	12.6%	10.3%	2.0%	5.1%	7.6%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120e My learning improved when my classes were taught online due to COVID-19.	Strongly Agree	8.5%	5.9%	6.7%	8.5%	7.3%	9.9%	8.0%	6.8%	7.7%	8.0%	7.1%	3.8%	6.4%	8.9%	6.5%	8.0%	5.8%	10.1%	14.3%	9.2%
	Agree	8.3%	7.0%	7.5%	7.1%	7.4%	9.0%	8.0%	8.1%	8.1%	8.3%	8.1%	6.1%	7.3%	6.2%	6.8%	0.6%	5.6%	1.7%	5.5%	3.5%
	Neutral	18.8%	18.9%	21.8%	19.3%	19.8%	21.5%	20.3%	22.2%	20.4%	21.1%	16.1%	17.1%	22.0%	18.0%	18.4%	18.9%	22.9%	12.7%	22.6%	19.5%
	Disagree	23.2%	23.0%	20.6%	21.5%	22.0%	20.2%	22.6%	21.5%	19.5%	21.0%	25.8%	24.0%	20.1%	23.6%	23.2%	28.4%	14.1%	15.2%	19.4%	18.6%
	Strongly Disagree	30.4%	35.7%	36.5%	39.4%	35.7%	28.3%	30.8%	33.4%	39.7%	33.2%	32.1%	40.3%	38.2%	39.6%	37.9%	36.2%	38.4%	56.4%	30.7%	40.8%
	I have not participated in online	10.8%	9.7%	6.9%	4.2%	7.8%	11.1%	10.4%	8.0%	4.5%	8.5%	10.7%	8.7%	6.1%	3.7%	7.2%	7.8%	13.2%	3.8%	7.5%	8.5%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120f I have access to a computer or the internet to complete my online school work.	Strongly Agree	46.5%	45.4%	45.8%	50.7%	47.0%	47.4%	46.3%	41.8%	51.5%	46.7%	46.4%	45.2%	49.4%	49.9%	47.7%	35.6%	34.9%	50.8%	50.7%	42.4%
	Agree	25.7%	27.9%	28.4%	29.5%	28.0%	25.2%	26.9%	27.9%	27.9%	27.0%	25.7%	28.9%	29.1%	31.7%	29.0%	32.1%	28.3%	25.7%	19.6%	26.6%
	Neutral	11.4%	12.6%	14.1%	11.2%	12.4%	10.9%	11.2%	16.4%	11.1%	12.5%	11.4%	13.4%	11.9%	11.1%	12.0%	18.7%	19.0%	15.0%	14.3%	16.9%
	Disagree	3.5%	3.3%	3.2%	2.1%	3.0%	3.3%	4.2%	3.6%	2.2%	3.3%	3.9%	2.6%	3.0%	2.1%	2.8%		1.9%	1.7%		1.0%
	Strongly Disagree	3.8%	2.9%	2.5%	3.5%	3.1%	3.4%	2.5%	3.2%	3.7%	3.2%	3.9%	2.9%	1.7%	2.9%	2.8%	7.7%	7.1%	4.7%	10.3%	7.3%
	I have not participated in online	9.2%	8.0%	5.9%	3.1%	6.5%	9.8%	8.9%	7.2%	3.7%	7.3%	8.7%	7.0%	5.0%	2.4%	5.7%	5.9%	8.8%	2.1%	5.1%	5.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120g I have a quiet space that I am able to use when doing online school work.	Strongly Agree	31.3%	29.3%	29.6%	34.7%	31.1%	32.8%	30.4%	27.6%	36.3%	31.7%	30.6%	28.8%	31.7%	33.2%	31.1%	18.9%	20.3%	25.5%	32.3%	23.9%
	Agree	25.0%	27.0%	28.1%	31.9%	28.1%	24.9%	28.4%	28.4%	32.1%	28.6%	25.9%	26.0%	28.4%	32.3%	28.1%	15.4%	21.7%	17.6%	21.2%	19.2%
	Neutral	17.2%	21.3%	21.6%	17.2%	19.5%	15.2%	18.3%	21.7%	15.4%	17.8%	17.9%	23.8%	20.4%	18.4%	20.3%	37.4%	28.0%	40.2%	26.7%	32.8%
	Disagree	8.4%	7.7%	8.5%	6.8%	7.9%	8.4%	7.4%	8.6%	6.3%	7.7%	8.5%	8.0%	8.5%	7.5%	8.1%	6.0%	8.1%	6.8%	5.9%	6.9%
	Strongly Disagree	8.5%	6.3%	6.5%	6.0%	6.7%	8.1%	5.8%	6.4%	6.0%	6.5%	8.5%	6.3%	6.4%	5.8%	6.7%	16.2%	13.0%	7.7%	8.9%	11.4%
	I have not participated in online	9.5%	8.4%	5.7%	3.4%	6.7%	10.7%	9.6%	7.2%	4.0%	7.8%	8.6%	7.1%	4.6%	2.8%	5.7%	6.0%	8.9%	2.1%	5.1%	5.7%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q120h It is easy to use the online learning platform my school has chosen (e.g. Canvas, Google Classroom, or other online learning website).	Strongly Agree	27.8%	22.9%	23.0%	23.1%	24.0%	29.8%	26.2%	21.3%	22.8%	24.9%	26.3%	19.9%	25.2%	23.5%	23.6%	18.3%	18.4%	14.2%	22.2%	18.1%
	Agree	21.7%	26.4%	25.2%	28.8%	25.7%	22.7%	26.7%	22.7%	26.8%	24.8%	21.3%	26.2%	28.0%	31.4%	26.9%	12.1%	23.9%	19.8%	18.4%	19.2%
	Neutral	21.9%	24.4%	28.0%	23.8%	24.6%	20.6%	21.1%	29.5%	23.7%	23.8%	21.9%	27.2%	26.3%	23.8%	25.0%	42.4%	29.4%	30.8%	24.6%	31.5%
	Disagree	9.5%	8.5%	8.4%	9.8%	9.0%	8.6%	8.2%	8.9%	10.0%	8.9%	10.5%	8.8%	7.6%	9.3%	8.9%	7.1%	8.4%	10.9%	14.3%	10.1%
	Strongly Disagree	9.4%	9.6%	9.4%	11.2%	9.9%	8.1%	8.2%	9.8%	12.6%	9.7%	10.6%	10.9%	8.2%	9.6%	9.8%	11.4%	10.9%	22.2%	12.9%	14.3%
	I have not participated in online	9.8%	8.3%	6.0%	3.4%	6.8%	10.2%	9.5%	7.7%	4.1%	7.8%	9.4%	6.9%	4.7%	2.4%	5.7%	8.7%	8.9%	2.1%	7.5%	6.8%

		Total					Male					Female					Other				
		6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total	6th	8th	10th	12th	Total
q121 How honest were you in filling out this survey?	I was very honest	82.4%	73.8%	68.5%	71.5%	73.7%	82.9%	75.5%	69.9%	70.7%	74.5%	83.3%	73.5%	67.4%	72.6%	73.7%	59.1%	55.4%	64.2%	67.9%	61.0%
	I was honest pretty much all the time	15.6%	22.8%	24.4%	23.3%	21.8%	15.0%	21.9%	21.8%	24.1%	20.9%	14.8%	22.9%	26.6%	22.5%	22.0%	38.2%	32.8%	28.3%	23.6%	30.8%
	I was honest some of the time	1.5%	2.9%	5.5%	4.2%	3.6%	1.4%	2.3%	6.2%	4.4%	3.6%	1.6%	3.1%	4.7%	4.1%	3.4%	2.8%	7.3%	7.5%	2.4%	5.4%
	I was honest once in a while	0.5%	0.6%	1.6%	1.0%	0.9%	0.6%	0.3%	2.1%	0.8%	0.9%	0.3%	0.5%	1.3%	0.9%	0.8%		4.5%		6.1%	2.8%